

Alma Mater Studiorum Università di Bologna Archivio istituzionale della ricerca

NB-IoT Versus LoRaWAN: An Experimental Evaluation for Industrial Applications

This is the final peer-reviewed author's accepted manuscript (postprint) of the following publication:

Published Version:

Ballerini, M., Polonelli, T., Brunelli, D., Magno, M., Benini, L. (2020). NB-IoT Versus LoRaWAN: An Experimental Evaluation for Industrial Applications. IEEE TRANSACTIONS ON INDUSTRIAL INFORMATICS, 16(12), 7802-7811 [10.1109/TII.2020.2987423].

Availability: This version is available at: https://hdl.handle.net/11585/791968 since: 2021-01-28

Published:

DOI: http://doi.org/10.1109/TII.2020.2987423

Terms of use:

Some rights reserved. The terms and conditions for the reuse of this version of the manuscript are specified in the publishing policy. For all terms of use and more information see the publisher's website.

This item was downloaded from IRIS Università di Bologna (https://cris.unibo.it/). When citing, please refer to the published version.

(Article begins on next page)

NB-IoT vs. LoRaWAN: An Experimental Evaluation for Industrial Applications

Massimo Ballerini, Student Member, IEEE, Tommaso Polonelli, Student Member, IEEE, Davide Brunelli, Senior Member, IEEE, Michele Magno, Senior Member, IEEE and Luca Benini, Fellow, IEEE

Abstract-Low power and long-range communications are crucial features of the Internet of Things (IoT) paradigm that is becoming essential even for industrial applications. Today, the most promising long-range communication technologies are LoRaWAN and Narrow Band IoT (NB-IoT), which are driving a large IoT ecosystem. In this paper, we evaluate the performance of LoRaWAN and NB-IoT with accurate in-field measurements using the same application context for a fair comparison in terms of energy efficiency, lifetime, quality of service, and coverage. The NB-IoT energy transmission is scarcely dependent on the payload length. Thus applications that can tolerate buffering and caching techniques on the node are favored. On the other hand, LoRaWAN consumes 10× lower energy compared to NB-IoT for occasional and latency-sensitive communications, for which it enables much end-device lifetime. Finally, this paper provides design guidelines for future industrial applications with stringent requirements of long-range and low power wireless connectivity.

Index Terms—LPWAN, Long-Range Communication, NB-IoT, LoRa, LoRaWAN, IoT, IIoT, Energy Efficiency, Wireless Sensor Networks

I. INTRODUCTION

A major trend in the Industry 4.0 [1] revolution is the adoption of autonomous wireless devices, which pervasively connect machines and objects [1], creating a new domain called Industrial Internet of Things (IIoT) [2]. Wireless systems will need to support more than tens of billions of connected devices [3]. Indeed, one of the key goals of the 5G transition is to enable an "all-connected" world for humans and objects [1]. Many IIoT deployments can be found in the industry today, with widely different requirements and constraints [4, 5]. Hence, in recent years many approaches have been proposed

Massimo Ballerini and Tommaso Polonelli are with the DEI Department, University of Bologna, 40123 Bologna, Italy, (e-mail: {massimo.ballerini, tommaso.polonelli2}@unibo.it). Davide Brunelli is with the DII Department, University of Trento, 38123 Trento, Italy, (e-mail: davide.brunelli@unitn.it). Michele Magno is with the D-ITET Department, ETH Zürich, 8092 Zürich, Switzerland, (e-mail: michele.magno@pbl.ee.ethz.ch). Luca Benini is with the D-ITET Department, ETH Zürich, 8092 Zürich, Switzerland, and with DEI Department, University of Bologna, 40123 Bologna, Italy, (e-mail: lbenini@ethz.ch, luca.benini@unibo.it) to improve crucial factors, such as low power consumption and communication range [6, 7]. Following the rapid IoT market expansion, LPWAN has become one of the faster-growing areas in IoT. Low Power Wireless Area Network (LPWAN) is the common term to identify the wireless technologies that enable wide-area communication at low cost and low power consumption. The LPWAN typical application scenario needs to transmit a few bytes with a long-range. Many LPWAN technologies are emerging in both licensed and unlicensed markets, such as LoRa, LTE-M, SigFox, and Narrow-Band Internet of Things (NB-IoT). Among them, LoRa and NB-IoT are the two leading technologies [6, 7].

On the cellular networks side, the 3rd Generation Partnership Project (3GPP) has developed the Narrow-Band Internet of Things concept as part of Release 13 [7]. To improve energy efficiency, NB-IoT combines the benefits of the 4G mobile network, namely the global coverage and the long-range, with the energy efficiency typical of LPWANs. Moreover, NB-IoT is designed to provide better indoor coverage and support for a massive number of low-throughput devices [8]. It is conceived to serve the high-value IoT market that pays for very low latency and high quality of service [3, 9]. In contrast, LoRaWAN is targeted to lower-cost devices, with very longrange (high coverage), occasional communication needs, and very long battery lifetime requirements.

Today, both NB-IoT and LoRaWAN are offering long-range and low power consumption with the primary aim to be employed as a wireless solution for IoT [10]. However, to the best of our knowledge, there is no detailed comparison helping to select one of these two networking solutions given a specific application scenario. Although some characteristics of the considered technologies, such as the maximum range or the used bandwidth, are not directly comparable, there is a need for a thorough comparison in term of QoS, deployment cost and energy consumption.

Indeed, SHM allows evaluating the aforementioned challenges that are considered the primary obstacles for LP-WAN deployments [3, 11]. The contribution of this paper can be summarized as follows: (i) we compare performance between NB-IoT and LoRaWAN, using experimental data from a real WSN application; (ii) we measure the energy consumption from the most recent radios, and we provide the corresponding battery lifetime estimate in 15 different configurations, varying payload size and radio signal strength; (iii) we provide deployment guidelines outlining the quality of service, cost and coverage differences between LoRaWAN

Manuscript received October 02, 2019; revised January 04, 2020; accepted March 25, 2020. This work was supported by the Italian Ministry for Education, University and Research (MIUR) under the program "Dipartimenti di Eccellenza" (2018-2022). This work was in part funded by the U.S. Office of Naval Research Global under the project ONRG-NICOP-N62909-19-1-2018," Zero-power sensing for underwater monitoring", Swiss National Science Foundation (SNSF) Bridge Project "AeroSense" (40B2-0_187087), and a research grant of MediCon Ingegneria S.r.l. We thank TIM Italia for the provisioned SIM cards.

and NB-IoT; (iv) Using in-field measurements for the first time, we discuss how the wireless sensors-equipped with NB-IoT could reach a target 10-year battery life, and we analyze the detrimental consequences of message delivery latency when many samples are accumulated in one single uplink. The rest of the paper is organized as follows. We describe the LoRaWAN and NB-IoT architectures in Sections III-A and III-B respectively. We introduce in Section IV the sensor equipped with both LoRaWAN and NB-IoT transceivers used in the experimentation. We describe the sensor consumption patterns according to the different technologies presented in Section V-A and V-B, showing the results collected by varying the Received Signal Strength Indicator (RSSI) and payload. In Section VI-A, we evaluate the life expectancy of the battery for the two configurations. Finally, Section VI provides the guidelines to choose between the two technologies considering the constraints of the applications. Section VII concludes the paper.

II. RELATED WORKS

Recent literature on energy efficient communication [12], local area network and LPWAN has been very prolific, proposing novel communication protocols and radio technologies. In the long-range communication domain, the most popular protocols are Sigfox, LoRaWAN, and NB-IoT [3, 11]. Sigfox allows remote transfer between devices and an access point through Ultra-narrow Band modulation, with uplink and payload size constraints. Sigfox is very similar to LoRaWAN in terms of power consumption and range [13], however, is not included in this paper as it is a proprietary protocol, it is less used in IIoT due to its limited payload size (12B) [3], and for the transmission restriction of 140B/day and 4 bytes/day for uplink and downlink respectively [11]. The LoRaWAN open standard enables large scale deployments through LoRa, a chirp spread spectrum modulation, with a communication range up to 15km at low power operation. Many scientific works describe and model the energy performance for Lo-RaWAN [14] and the related scalability issues [15]. Moreover, in [16] authors introduce LoRaWAN end-devices with a battery life up to 10 years in real deployments, a standard spec for industrial devices.

The NB-IoT [7] is a variant of LTE (4G Long Term Evolution) developed to fulfill the IoT requirements in civil and industrial applications: coverage extension, long battery lifetime, backward compatibility and user equipment cost reduction are common objectives [17]. The energy performance of NB-IoT is dependent on a multitude of parameters, related to the country's settings and network operator requirement, that can drastically change the end-device average power consumption. In [18] the authors show the NB-IoT independence between the transport block size and power consumption. They vary the payload size between 50 and 100 bits, and the measured power consumption is 716mW on average. The energy used to join the network is 11.1J with a connection time of 36s. In our experiments, we have confirmed the same independence, which is also compared with the LoRaWAN protocol. Low power and lifetime are crucial for wireless enddevices and sensor nodes in IIoT and other applications as presented on many previous works [3, 19]. In [3] a LoRaWAN comparison analyzing several factors, such as QoS, latency, network coverage, cost and, scalability, based on the data declared by the developers, but without an actual practical test. They compare both protocols in various use cases, to ensure that LPWAN technologies can provide efficient connectivity solutions across critical and massive IoT deployment, determining their feasibility for specific applications. This paper extends and complements this comparison, also providing infield experimental measurements of the two protocols.

Industrial and consumer scenarios such as manufacturing automation [3], smart city [20], transportation [21], logistics [22], healthcare [21], agriculture and smart farming [21] are the typical use cases for NB-IoT and LoRaWAN. In the IIoT domain, there is a significant interest in evaluating LPWANs for future applications and services [3]. The two technologies have been evaluated in different scenarios: the paper [20] affirms that NB-IoT is more robust in terms of Packet Error Rate (PER) than LoRaWAN. On the other hand, in [22] LoRaWAN has been selected over NB-IoT for environmental monitoring of assets and the interconnection of industrial facilities. The IIoT requests that LPWANs must satisfy are very challenging. In real-time monitoring scenarios, for example, manufacturing automation or assembly lines, there are stringent requirements for very low latency with a maximum of 1ms and high-reliability of data delivery [23]. In logistics transportation and supply chain, the goods tracking system must be able to track at least 100,000 devices per square kilometer in global coverage [23]. The paper [21] discusses the limitations of existing LPWANs, underlining the most important weakness and limitations in each application scenario, which are the object of our experimental analysis (battery lifetime, QoS, and coverage).

These studies show that both protocols can coexist in the IoT market: LoRaWAN will serve as the low-cost and very long-range deployments, with infrequent transmissions and heavy constraints in term of battery life. In contrast, applications requiring low latency and high quality of service, in addition to an international coverage [24], will make use of NB-IoT. The results, about NB-IoT, in [18] and [3] show 13 years of operability with one transmission (TX) per day and 250 days if a packet is sent every hour in power save mode. These numbers decrease drastically, to 126 and 88 days, respectively, if the extended discontinuous reception is enabled (see Section III-B). Finally, [3] concludes that, despite the cellular companies' tests, the NB-IoT power profile currently leaves open questions on the battery life in real deployments.

This work presents accurate in-field experimental measurements of LoRaWAN and NB-IoT at the same conditions, allowing a direct in-field comparison. Moreover, the paper gives insights on the motivations behind the main similarities and differences, rooted in the architecture of the underlying communication protocols, and it details the key aspects. Our work quantifies for the first time the benefits of LoRaWAN in terms of energy consumption in applications where accumulated measurements are not allowed. On the other hand, NB-IoT is competitive in energy efficiency for applications where messages can be buffered, because the energy for each transmission is independent of the payload size. Another novel contribution of the paper is to provide guidelines on setting optimal configurations of the two protocols in a real deployment, using a model for quantifying the cost of implementation.

III. TECHNOLOGY OVERVIEW

We present the main features of LoRaWAN and NB-IoT, highlighting the differences, to provide an accurate in-field evaluation.

A. LoRaWAN and LoRa

A LoRaWAN network consists of a star-of-stars topology composed of three fundamental elements: end-devices, gateways, and a central network server [6]. National standards regulate predefined channels. Our testbed is deployed in Switzerland, Europe, where the ISM (Industrial Scientific Medical) band is at 863-870MHz. LoRaWAN specifications [6] establish ten different channels; the first nine have a bandwidth of 125KHz and support data rates between 0.3-5kbps. ISO/IEC ISM regulations impose to each enddevices, working on ALOHA MAC (Medium Access Control) protocol, a limitation about the maximum duty cycle, which cannot exceed 1% of the channel time. However, as long as the restrictions for each band are respected, end-devices can transmit on different channels to increase their overall throughput [15]. They communicate with the network server through one or more gateways, which are also used to send downlink messages. The end-device uses the LoRa physical layer to exchange packets with the gateway, which communicates with the network server via an IP-based protocol stack. There are three classes of LoRaWAN devices, called A, B, and C. Class A and Class B devices are usually batterypowered, while class C devices need to be supplied by the main due to the high energy consumption. The main difference in the three operating modes is the downlink connection, which can be asynchronous (Class C) and synchronous after the uplink (Class A and B). Class A opens very short reception windows after sending a message, and then the device goes in a sleep state to save energy. In addition to Class A, Class B devices open further receive windows at scheduled intervals. Finally, Class C devices keep the radio in the continuous reception mode, allowing instant transmission of data. The different operating methods influence the power consumption and consequently, the battery life of this device. For example, in [25], authors show that Class C needs $225 \times$ the energy used by Class A with static Spreading Factor (SF) and output power; for this reason, our sensor node uses the Class A operating mode.

B. NB IoT

NB-IoT is a novel protocol standardized by 3GPP [7]. It is also known as LTE Cat-NB1(NB2) and belongs to Low Power Wide Area (LPWA) technologies that could work virtually anywhere when infrastructure is present. It can operate in three different modes: stand-alone as a dedicated carrier, inband inside the occupied bandwidth of a wideband LTE, and

Fig. 1: Extended Discontinuous Reception: the periodicity value of the reception windows can reach 10.24 s in Connected and 2.91 hours in Idle state, respectively. Power Saving Mode: device remains registered with the network, and it is not necessary to re-attach or re-establish the connection. The maximum duration of the PSM mode is 310 hours.

within the guard-band of an existing carrier [17]. In the first deployment, NB-IoT can occupy one GSM channel (200kHz) while for in-band and guard-band deployment, it will use one Physical Resource Block of LTE (180kHz). NB-IoT uses the orthogonal FDMA in the downlink and single-carrier FDMA (frequency division multiple access) in the uplink and applies the QPSK (quadrature phase-shift keying modulation) [17]. Each message can reach 1600 bytes of payload. The maximum data transmission rate is limited to 20kbps for uplink and 200kbps for downlink. As discussed in [26], NB-IoT is designed for long-life devices and targets a battery life of more than 10 years when transmitting 200 bytes per day. To achieve these performance, NB-IoT uses the LTE energysaving mechanisms, extending the timers period to minimize energy consumption. There are two energy-saving features: Extended Discontinuous Reception (eDRX) and Power Saving Mode (PSM). For devices with rarely uplink data transmission, and need to receive messages, power consumption can be reduced significantly by the eDRX feature, shown in Figure 1. There are two ways for using this feature, Connected-eDRX or Idle-eDRX according to the state of the devices. When a device is connected, and there is no traffic, it alternates active listening and sleep periods. This behavior is maintained for the duration of the Inactivity Timer (Fig. 1). Otherwise, when a device is idle, new transmissions cannot be requested from the network, but the downlink channel is tracked at Paging Window (PW) events, to keep network synchronization and to discover if downlink data is pending. The time between two PW is the duration of an Idle-eDRX cycle (Fig. 1).

The PSM feature, shown in Figure 1 and defined in 3GPP Rel.12, is the deep sleep operation state. It allows reduction of the current consumption maximizing the amount of time that a device can remain in an extremely low power mode during periods of inactivity. After a wake-up, where data transmission generally takes place, it moves to the idle state, where reception windows are opened to allow downlink communication from the base station. The reception phase lasts according to the network policies agreed during registration. At the expiry of the timer T3324, the device switches in PSM. In this state, any receiving communication is disabled, but the device remains registered on the network, and re-joining is not necessary when it switches back to transmit. The timer T3412, set by the device following the network policies, is responsible for managing the PSM mode, enabling the periodic Tracking

Area Update (TAU) procedure. The device can disable the PSM at any time if it needs to send a message.

IV. EXPERIMENTAL SETUP

In this paper, we use a low power wireless sensor developed to measure the cracks in reinforced concrete structures, such as bridges, dams, or skyscrapers [16]. This sensor has been designed to guarantee a high sensitivity, up to $1\mu m$, combined with an extended battery lifetime, which must be at least ten years measuring and sending data ten times per day. The critical aspects of a wireless sensor node are the radio budget link, power management, and analog front-end. The sensor node embeds an STM32F373 microcontroller (MCU), an analog front end, and two radio modules: LoRa and NB-IoT are operated in a mutually exclusive fashion. The MCU handles the analog and digital parts through the integrated Sigma-Delta ADC converter and the serial peripheral interface. A smart power supply circuit manages a Li-MnO₂ lithium battery (4.2V - 1000mAh) with 80% of efficiency. We select the SX1276 from Semtech that controls the Lora Physical layer and packet buffering. This component achieves a sensitivity of -148dBm with output power up to 20dBm, enabling a 168dB maximum link budget. The NB-IoT transceiver is the SARA-N211 from U-Blox.It is provided in the small LGA form factor (16.0×26.0mm, 96-pin). The module offers data communication over an extended operating temperature with low power consumption, $3\mu A$ in deep-sleep and 220mA in transmission at 23dBm. With a receive sensitivity of -135dBm, it offers a 158dBm of link budget. Finally, the M41T82 from ST Microelectronics, an ultra-low-power real-time clock, wakes up the sensor node only at the scheduled time, and it consumes only 365nA@3V.

In the active mode, the sensor node draws an average of 23mA@3V per second, used to sample, filter and encrypt the data acquired; the corresponding energy is 70mJ (E_{sensor}). Afterwards, the MCU decides which radio protocol must be used depending on application and user's request. Reducing the wireless communication energy can be very valuable, since the radio transceiver is one of the components with the highest power consumption, as shown in [27]. For each sample, the MCU generates 12 bytes of data, which can be stacked in one buffer or sent immediately to the application server.

V. EXPERIMENTAL RESULTS

This section presents the experimental evaluation of the SX1276 and SARA-N211 modules in the above mentioned experimental setup. In particular, we focus on the energy performance of the SHM sensor node with multiple payload sizes and coverage conditions to determine the battery lifetime. The sensor node periodically transmits an uplink message, which can include a single sample or multiple acquisitions queued in one packet.

A. LoRaWAN End-Device Analysis

To realistically define an energy profile of our sensor node, we develop a model based on measurements from a real LoRaWAN testbed and previous works [19, 28]. We assume a periodic behavior for each transmission, with a fixed time interval. Therefore we studied the power consumption during one period, which includes the packet generation, the cryptography, the uplink transmission, the RX1 Delay and, finally, the downlink window used to receive the acknowledge (ACK). Each Datarate (DR) used in this evaluation, from 0 to 5, generates several configurations that impact the LoRa modulation. For example, the Equivalent Bit Rates (EBR) of DR0 and DR5 are respectively 292 and 5469bps (Eq. 1); moreover, the transmission time of air can vary between 225ms to 4s with 100 bytes of payload (Eq. 2). Such variability impacts the communication range and the power consumption; therefore, smart management of these parameters is crucial to keep the node powered as long as possible. The transmission time takes into account 13 bytes of overhead, LoRaWAN needs to transmit the node's MAC to identify the packet on the server-side correctly. The Coding Rate (CR) and the preamble (N_{pre}) symbols are 4/5, and 8 respectively, and the CRC (Cyclic Redundancy Check) is disabled. Finally, the bandwidth is 125kHz. Under ISO/IEC ISM European regulations, LoRaWAN limits the packet size with a maximum of 51 bytes for DR0 and DR1, and up to 242 for DR5; moreover, since there is a 13 bytes protocol overhead, the payload size is limited to 38 and 229 bytes, respectively.

In [28], a study on LoRa SFs assignment is presented. Overestimating the SF may increase the packet error rate (PER) due to low SNR (Signal to Noise Ratio), and an overestimate can also significantly decrease the battery lifetime because of the high packet time of flight.

Applying a PER strategy, where each sensor node assigns the lowest SF for which the PER falls below a fixed threshold, with a 0.01 PER lower limit [28], the SFs are allocated about 43% SF12, 20% SF11, 12% SF10, 8% SF9, 6% SF8, and 11% SF7. Since most of the sensor nodes are in high SF zone, in our work we consider the maximum packet size of 51 bytes for all the configurations; this allows to pack three samples, corresponding to three crack measurements, in one single packet. In [14], the authors show the correlation between network traffic and packet loss: they indicate a 10% packet loss for architectures with 1000 nodes, 36% for 5000, 59% for 10000. Following, [28] shows the effect of saturating the available airtime with one gateway and a large number of nodes. They simulate an upstream scenario with a data period of 6000s and 21B of payload. With the proposed SF assignment, the PER increases significantly when the number of devices exceeds 5000. Concerning the environments, a recent study [29] evaluates the packet loss under challenging environments, such as a data center facility and indoor industrial establishments. In these conditions, the packets received with the wrong CRC vary between 0.5% and 6%. Hence in our SHM testbed, the PER is not negligible and must be taken into account to estimate the average energy consumption. The SX1276, with the power amplifier enabled, generates a current consumption of 87mA@17dBm in TX and 11.5mA in RX at 3V; moreover, the overall energy per packet is highly correlated with the packet time of air. Table I presents the measured payload Energy Per Bit (EPB) with different DRs and sizes, considering the power used in TX, in RX and the energy used by the MCU to encrypt and decrypt the data: EPB1 refers to 1 sample (12B), EPB2 contains 2 (24B) and EPB3 3 (36B). In the last three columns, it presents the overall Energy Per Packet (EPP) for a LoRaWAN transmission with different DRs and queue lengths: Packet 1 includes only one crack measurement (12 bytes of payload) whereas Packet 3 is composed of three. Moreover, Table I shows that the DR0 uses $22 \times$ more energy in comparison with DR5. As

TABLE I: LoRaWAN EPB & EPP

Г	DR	SF	EBR	EPB 1	EBP 2	EPB 3	Packet 1	Packet 2	Packet 3
	DK	Sr	[bps]	[mJ]	[mJ]	[mJ]	[mJ]	[mJ]	[mJ]
Γ	DR0	12	293	6.69	5.31	4.00	641.28	1017.60	1152.01
Γ	DR2	10	977	1.68	1.30	1.01	161.28	249.59	290.88
Г	DR5	7	5469	0.30	0.23	0.16	28.32	43.2	46.08

expected, the EPB does not scale linearly with the payload due to the high ratio between preamble and payload size. For example, with 12 bytes and DR5, the preamble length is the 35% of the overall time of air, and with 36 bytes, it is only the 24%. This result clearly confirms that buffering the samples in one placket increases the transmission energy efficiency. To carefully model the sensor node behaviour, we measured the energy consumption for the first connection and authentication with the LoRaWAN server; this procedure exchanges the cryptography keys and establishes a secure connection between devices. The values measured for DR0,2 and 5 are respectively 581.29mJ, 172.25mJ, and 62.03mJ. EPP values in Table I, and the equivalent T_{Packet} in Eq. 2, take into account the uplink packet (T_{tx} - Eq. 3) formed by the payload (PL), preamble and 13 bytes of LoRaWAN overhead, the waiting period (T_{rx1}) between the uplink and downlink windows and lastly, the receive period used to detect the ACK $((\mathbf{T}_{rxw}).$

$$EBR = SF \cdot \frac{\left[\frac{4}{4+CR}\right]}{\frac{2^{SF}}{BW}} \tag{1}$$

$$T_{Packet} = T_{tx} + T_{rx1} + T_{rxw} \tag{2}$$

$$T_{tx} = \frac{2^{SF}}{BW} \cdot (N_{pre} + 4.25 + N_{PHY})$$
(3)

$$N_{PHY} = 8 + max \left[ceil \left[\frac{28 + 8 \cdot PL - 4 \cdot SF}{4 \cdot SF} \right] \cdot (CR + 4), 0 \right] \quad (4)$$

 T_{tx} expresses the time in seconds required to transmit both the preamble and the payload; the latter is composed of the number of symbols calculated in Eq. 4.

B. NB-IoT End-Device Analysis

This section focuses on the NB-IoT energy performance of the sensor node in the same deployment conditions as the previous subsection. As it is not trivial to estimate the energy consumption of the transmission due to the multitude of NB-IoT parameters, such as the eDRX and PSM timers, the transmission power and the number of repetitions requested by the network, we combine a model based on measurements from a real NB-IoT testbed, and previous works [3, 18] to precisely derive the NB-IoT energy profile. We tested the SHM sensor node, varying the payload and the RSSI that influences the power consumption of the module. Precisely, we define the -80dBm average RSSI as Good (G), -110dBm average RSSI as Medium (M) and finally, -130dBm average RSSI as Bad (B). Table II shows the measurements of energy per packet and T_{active} with 10, 50, 100 and 400 bytes of payload, depending on the 3 defined coverage levels. For each configuration, we performed k = 50 measurements. In Table II, each row is the average of k successive measurements, with the same RSSI condition, since it is the most relevant element to estimate the battery lifetime. The presented values consider the SARA-N211 energy consumption, with nominal voltage (V_N) of 3.6V, measured using a $10m\Omega$ shunt resistor and the Tektronix MDO3014. For each test, we post processed the time series data point to estimate I_{max} and T_{active}. Moreover, integrating the power consumption we calculated E_{mean} (Eq. 5), E_{max} (Eq. 6) and E_{min} (Eq. 7).

$$E_{mean} = \frac{1}{50} \sum_{k=0}^{49} \left[\sum_{t} V_N I_t^{SARA - N211} t_t \right]_k$$
(5)

$$E_{max} = max \left[\sum_{t} V_N I_t^{SARA - N211} t_t \right]_{k=[0,49]}$$
(6)

$$E_{min} = min \left[\sum_{t} V_N I_t^{SARA - N211} t_t \right]_{k=[0,49]} \tag{7}$$

Dividing the values in Table II for coverage conditions, the absence of correlations between energy and payload size (Table II - N bytes) can be appreciated. Indeed, between (a)and (d) the T_{active} and E_{mean} differences are respectively 2% and 10% sending $40 \times$ more bytes. Similar behaviour can be detected in B coverage, between tests (i) and (n), where the T_{active} ranges between 37.2s in (m) and 46.6s in (i); the E_{mean} is included in a 25% of variability. These measurements have been carried out with Swisscom network provider, which releases the default 3 minutes period for T3324, whereas the T3412 can be set up to 310 hours, avoiding TAU signaling between successive uplinks. The T3324 energy consumption must be added for each transmission because the SARA-N211 module is awake in listening mode. The overall value for 3 minutes timer is 844mJ, equal for each coverage condition. The maximum energy measured in G

TABLE II: NB-IoT Energy Characterization

ID	С	N bytes	T _{act.} [s]	Imax [mA]	E _{mean} [mJ]	E _{max} [mJ]	E _{min} [mJ]	RSSI [dBm]
а	G	10	11.9	138	2063	3007	517	-83
b	G	50	11.9	146	1858	3111	486	-81
с	G	100	12.0	135	1856	3240	499	-75
d	G	400	12.2	138	2067	3232	550	-75
е	М	10	13.7	245	2677	4549	1847	-112
f	М	50	12.8	232	2453	4078	1890	-109
g	М	100	12.6	219	2379	4150	1903	-110
h	М	400	12.8	225	2386	3786	1972	-107
i	В	10	46.6	151	9047	17072	5453	-130
l	В	50	41.1	175	7641	16298	5579	-136
m	В	100	37.2	169	6818	13264	5200	-135
п	В	400	40.5	185	7552	17845	5745	-134

condition (test (*a*)) is $6 \times$ higher compared to minimum, and the (*n*) test maximum energy is $37 \times$ the test (*b*). Analyzing Table II and Figure 2, we detect a significant increase of the variance in B than M and G coverage. These results reveal the high power consumption variability of the NB-IoT, which is not under the direct control of user. Indeed, each network provider manages differently the network parameters, such as the number of repetitions, the transmission power, TAU, and eDRX timers. For future designs, Table II - I_{max} is a useful tool for power management calculations. The good




Fig. 2: NB-IoT characterization with median, 25th and 75th percentiles. Good (G) in green with an average RSSI of -80dBm, Medium (M) in orange with an average RSSI of -110dBm and, Red (R) with an average RSSI of -130 dBm.

coverage group, in green, has an average RSSI of -80dBm; this generates a mean T_{active} of 12s; with these parameters, the average energy for each packet is 1982mJ. In the M group, the T_{active} slightly increases, with a mean of 13s, but the resulting energy 2474mJ grows of about 25% in comparison with good coverage; indeed, the maximum current is 100mA higher. This behavior means that the NB-IoT cell increases the output power before raising the number of retransmissions. In analogy with LoRa, the NB-IoT's Tactive is highly correlated with the communication latency that for the latter reaches up to 46s in worst cases (Table II). Tests (i),(l),(m),(n) are close to the maximum sensitivity of the module, the resulting energy, and T_{active} grow heavily: the average time is 41s with a maximum of 17845mJ and, a medium of 7765mJ. Figure 2 presents the statistical analysis of the Energy, Imax and Tactive features showing the median, 25th, and 75th percentiles of all the data acquired (600 samples). The energy grows with respect to the received RSSI decrease, which is the result of the T_{active} and I_{max} combination depending on the coverage strength and the network request. Indeed, the NB-IoT protocol raises the output power in TX before increasing the number of retransmissions, and the correlated Tactive. The packet time difference between G and M is negligible, but B's T_{active} is at least 3× compared to G. Furthermore, in M the output power correlated with the I_{max} is 2× and 1.3× compared with G and B respectively, but the Tactive is still comparable with B. The I_{max} difference between G and B is 1.2, which is lower than G and M. Indeed, the SARA-N211 increases the EPB, and the SNR at the receiver side, rising the number of repetitions rather than the transmission power. To carefully model the sensor node behaviour, we checked the energy used for the first connection and authentication with the NB-IoT cell; this procedure subscribes the sensor node on the network. The values measured for G, M, and B are respectively 15843, 17182, and 19124mJ with an average connection time of 80s. NB-IoT enables a packet length up to 1600 bytes [30], but the used module (with firmware version: 0.6.57, A07) is limited.




Fig. 3: Differences between single and multiple packet transmissions in a single connection. The outliers values are due to the NB-IoT network that changes parameters asynchronously.

Consequently, the queue is restricted to 33 samples, each consisting of 12 bytes. In Table III, we present payload EPB with different coverages and sizes: EPB 1: 12 bytes of payload (1 sensor samples); EPB 2: 24 bytes of payload (2 sensor samples); EPB 3: 36 bytes of payload (3 sensor samples); EPB 8: 96 bytes of payload (8 sensor samples); EPB 33: 396 bytes of payload (33 sensor samples). The EPB in Table III

TABLE III: NB-IOT EPB						
С	EPB 1	EPB 2	EPB 3	EPB 8	EPB 33	
C	[mJ]	[mJ]	[mJ]	[mJ]	[mJ]	
G	29.4	14.8	9.8	3.6	0.9	
М	34.5	17.2	11.5	4.2	1.0	
В	89.6	44.9	29.9	11.2	2.7	

takes into account the uplink energy used in Tactive and T3324 periods: it is clear that the equivalent EPB decreases as the queue size increases, due to the tremendous impact of the protocol overhead, as presented in the recent literature [18]. Compared to LoRaWAN, sending one sample per packet with NB-IoT reduces the battery life drastically as we will present in the following subsection. Moreover, the Tactive does not depend from payload length but is strictly correlated with the coverage condition, i.e., the average RSSI; in fact, the NB-IoT protocol increases the number of retransmissions from 32 to 2048 when the RSSI is low. As expected, power consumption is independent of the uplink and downlink data rate [18]. We measured that the energy consumption between packets in static working conditions varies respect to network parameters requested by the operator: the output power, the number of retransmissions and the Tactive can be modified between successive uplinks, and are not under the direct control of the U-Blox module. To prove the NB-IoT higher EPB for sporadic and tiny transfers, we performed the measures presented in Figure 3. Taking as reference the Test (d) with 400 bytes of payload and a G coverage, we evaluate the T_{active} and the E_{mean} sending one (Pkt1) to ten (Pkt10) multiple packets with 400 bytes of payload in G coverage. For each packet stream we consider one single connection composed by first transmission request, which needs 12.2s (see Table II-d) to re-synchronise the sensor with the cell, and $(N_{pkt}-1)$ successive transmission requests with no appreciable delay between one and the next. In contrast to LoRaWAN, the energy does not grow linearly with the number of uplinks in a single connection (Figure 1 - DATA) but it only increases of 11% sending 10 times more bytes. In Pkt10 condition, the EPB is about 0.1mJ, 9x less than the EPB 33 presented in Table III. However, a buffer of 330 samples could generate an excessive latency for many application; hence in this paper, we will compare the EPB considering only one transfer for each connection, as well as commonly used in a deployment where sporadic transmissions are required. As mentioned before, the control parameters of the NB-IoT are not fully accessible to the final user. Indeed, the number of repetitions and the radio output power can be varied under infrastructure network control. In Figure 3, we highlight three outliers due to the different network conditions autonomously managed by infrastructure control.

$$E_{mean}^{*}(C) = E_{mean}(C) \cdot (1 + N_{pkt} \cdot 0.01)$$
(8)

Finally, the expected E_{mean}^* generated in a single connection where multiple packets are transferred, is presented in Eq. 8. The C variable points at the coverage condition energy in Table II - E_{mean} and N_{pkt} is the number of packets transmitted together.

VI. DEPLOYMENT OVERVIEW

This section, aims to provide readers with a fair and realistic comparison of the two standards in terms of battery life, QoS, cost, and coverage in a real-life deployment scenario.

A. Battery life and comparisons

This subsection focuses on the estimation of the battery life in the SHM application scenario based on the abovepresented power measurements. One of the most challenging features of SHM applications is to achieve a lifetime of 10 years. In our evaluation, we assume each node equipped with a 1000mAh lithium battery @3V. which is a widely used type of battery for SHM nodes [16]. Thus, the energy consumption for each sensor's sampling is constrained, and its usage is regulated by the energy per packet and the queue length. For our estimation, we consider the energy used for the initial connections (E_{connection}) calculated in previous sections with 10 samples per day (N_{tx}) to fulfill the plots in Figure 4. In particular, based on previous considerations, the average packet loss changes considerably depending on every single deployment, varying between 0% to 60% due to crowded radio channels or electromagnetic noisy environments. Hence it is misleading to provide a single result for each configuration. We consider the packet loss probability for energy estimation in our LoraWAN case study and, the Figure 4 takes into consideration the effective communication variability, providing a lower and upper bound between 0-60% ($P_{PktLoss}$). For a conservative parameter, it is important to consider the integer bar to estimate the average sensor life-time span depending on the queue and DR configurations. Eq. 9 and Eq. 10 show the formulas used to calculate the data in Figure 4 for LoRaWAN and NB-IoT respectively. T_{LoRa} and T_{NB-IoT} provide the times in days, E_{SLEEP} is the sleep energy calculated with a 365nA current. Lastly, C and Q select the coverage and queue configurations from Table I and Table III.

$$\begin{cases} T_{LoRa} = \frac{(DCDC_{eff} \cdot E_{batt}) - E_{connection}(C)}{[E_{LoRa} + E_{sensor}] \cdot \frac{N_{tx}}{Q} + E_{SLEEP}} & 86400s \\ E_{LoRa} = \left(12 \cdot Q \cdot 8 \cdot EPB(C, Q) \cdot \frac{1}{1 - P_{PktLoss}}\right) \end{cases}$$
(9)




Fig. 4: Expected battery lifetime and EPB with LoRaWAN and NB-IoT. Enddevice coverage is divided into: DR0/Bad with an average RSSI of -130 dBm, DR2/Medium with an average RSSI of -110dBm and, DR5/Good with an average RSSI of -80dBm.

$$T_{NB-IoT} = \frac{(DCDC_{eff} \cdot E_{batt}) - E_{connection}(C)}{[E_{mean}^*(C) + E_{sensor}] \cdot \frac{N_{tx}}{O} + E_{SLEEP}} \cdot 86400s (10)$$

The resulting lifetime is less than 10 years with Packets 1-8 for both protocols in DR0/Bad coverage (Figure 4), but it is interesting to notice that with Packets 1-3 LoRaWAN reaches this threshold in DR2 and DR5. NB-IoT allows this duration only with Packet 33, in all coverage conditions; on the other side, LoRaWAN reaches the target from DR2 without queuing. If the application requires a transmission for each sample, the expected lifetime is respectively 4.5 months and 3.5 years for NB-IoT and LoRaWAN in the worst case. As shown in Figure 4, with equal coverage, NB-IoT EPB is one order of magnitude higher than that measured with LoRaWAN. The LoRaWAN EPB decreases more if coverage improves compared to the use of buffering techniques, as opposed to NB-IoT, where the decrease is similar. Finally, the only cases where EPB is advantageous for NB-IoT is when the coverage is at least DR2/M and the message sent contains 33 samples (Packet 33).

B. Quality of Service, Cost and Coverage

Wireless communication energy consumption is the principal issue in IIoT applications. Nevertheless, many factors should be considered, including the QoS, the cost, and the coverage. This paper highlights that LoRaWAN works on unlicensed ISM channels with an asynchronous protocol and, in crowded channels and industrial environments, the packet loss cannot be considered as a negligible factor given that it can decrease the expected battery lifetime up to 37%. On the other hand, NB-IoT offers an optimal QoS, with guaranteed data delivery, working on licensed spectrum and an LTE-based synchronous protocol. However, its communication latency is not optimal. Indeed, the maximum LoRaWAN packet time, which corresponds to the transfer delay, is 2630ms with DR0. It is 17x lower than the NB-IoT's Tactive in B coverage (Table II - i). Different parameters must be examined for the implementation costs. A generic NB-IoT module can exceed 20€ compared to 3-5€ of a LoRa transceiver [3]. Moreover, it is important to consider the cost related to traffic generated by each device (500MB of traffic are priced today at 10€. This amount of data are more than enough for the entire sensor life in a typical monitoring application. On the other hand, a LoRaWAN network must have at least one access point $(300 \in /gateway)$ and the server $(1000 \in /base station)$. In the considered SHM application, the system generates 120 bytes daily allowing more than 100 years of hypothetical operation with a single subscription. In summary, Eq. 11 quantifies the deployment cost of the two technologies.

$$\begin{cases} Cost_{NB-IoT} = (Cost_{module} + Cost_{SIM}) \cdot N\\ Cost_{LoRa} = Cost_{module} \cdot N + Cost_{Gateway} + Cost_{Server} \end{cases}$$
(11)

Whenever the number (N) of sensor nodes is a few tens, the NB-IoT is more affordable due to the high installation cost of LoRaWAN gateway and server, as shown by Eq. 11, enabling quicker time to market (TTM) in regions where the LoRaWAN is not deployed yet. On the other hand, LoRaWAN is today more affordable for large-scaled deployments, due to the larger cost of NB-IoT modules. When the TTM is a concern, NB-IoT has an advantage because of the plug-and-play service offered by network operators. Moreover for national scale coverage applications, for example in the monitoring of transportable goods to determine the pallet locations on highways or railroads, the use NB-IoT is the only solution due to the infrastructure already provided by the network operators. To cover limited areas, or remote areas where networks operators do not offer good coverage, LoRaWAN devices with dedicated support can instead be more efficient.

C. Summary and IIoT Applications

The main factors analyzed in this chapter were listed in Table IV. Finally, we select three industrial applications reported in chapter II, detailing the main differences between LoRaWAN and NB-IoT in Table V. Future work will focus on finding ways of enabling real-time communication and a high data rate in LPWAN to support manufacturing automation in an efficient way.

VII. CONCLUSION

This paper evaluates LoRaWAN and NB-IoT as wireless communication technologies for industrial application scenarios that require to transfer a few bytes per day. The evaluation is based on experimental results obtained in-field expecting a sensor node for crack measurements in civil structures. We test both technologies with experimental results in different coverage conditions, intending to assess the energy consumption, the estimated battery lifetime, and the packet loss. Our assessment shows that LoRaWAN outperforms NB-IoT in terms of energy consumption. In an application where

TABLE IV: Standards Comparison

Indiana Companison						
	NB-IoT	LoRaWAN				
Battery life	Highly sensitive	Battery life up to $10 \times$				
	to the amount of	against NB-IoT for small				
	buffering allowed by the	packets (the link is en-				
	application (energy per	ergy proportional: energy				
	byte improves with large	per bit does not change				
	packets, the link is not	much from small to large				
	energy-proportional).	packets).				
Quality of Service	QoS Data delivery guar-	PER depends on net-				
	anteed.	work density and average				
		nodes throughput.				
Module Cost	20€	3-5€				
Infrastructure Cost	Network operators	300€/gateway and main-				
	support the	tenance needed.				
	infrastructure. The					
	service cost is					
	approximately 10€/500					
	MB.					
Coverage	National scale (areas	The coverage depends on				
	with infrastructure).	the investment for the				
		number and location of				
		gateways.				
Time To Market	Plug and Play service of-	Deployment				
	fered by network opera-	infrastructure time				
	tors.	needed.				

TABLE V: IIoT Applications

	NB-IoT	LoRaWAN		
Manufacturing Automa-	The remote control of the machines requires real-			
tion	time monitoring of the operating procedures of the			
	various automatic stations.	At present, the current		
	standards cannot satisfy the	e latency times required		
	for these applications (less	than a millisecond).		
Supply Chain Manage-	NB-IoT extends SCM at	SCM within the produc-		
ment (SCM)	the global scale: move-	tion site, or in any case		
	ment and storage of	on a limited geographi-		
	raw materials, work-in-	cal scale. LoRaWAN can		
	process inventory, and	be more convenient for		
	finished goods from the	power-consumption and		
	point of origin to the	cost aspects.		
	point of consumption.			
Monitoring and Mainte-	NB-IoT is more efficient	LoRaWAN class A sup-		
nance	for significant amount	ports uplinks of few KBs		
	of data transmitted (e.g.,	per day, allowing a reli-		
	thermograph images or	able operation with low		
	continuous data collect-	data rate sensors.		
	ing for machine learn-			
	ing).			

buffering is not allowed, the LoRaWAN protocol increases the battery life up to $10 \times$ against NB-IoT: for Packet 3 scenario (36 Bytes payload), DR2 / M Coverage, NB-IoT EPB is $10 \times$ higher compared to LoRaWAN. However, NB-IoT is adequate for applications where information can be buffered on the node because the energy for each transmission is almost independent of the payload size. For example, in Packet 33 scenario (396 Bytes payload), DR2 / M Coverage, if high delivery latency is tolerable, NB-IoT EPB is $11 \times$ lower compared to LoRaWAN, due to the larger number of messages sent by LoRaWAN. Moreover, we verify that T_{active} in the NB-IoT is heavily dependent on network coverage, as it grows up to 3× times passing from a "Good" (average RSSI of -80dBm) coverage to a "Bad" one (average RSSI of -130dBm). On the other hand, NB-IoT offers the highest QoS, which guarantees data delivery. This feature makes it a potential replacement to LoRaWAN in all the applications where the energy constraint is not an issue or when communication reliability is a crucial factor and good NB-IoT coverage is available.

REFERENCES

 F. Tong et al., "On positioning performance for the narrow-band internet of things: How participating enbs impact?" *IEEE Transactions on Industrial Informatics*, vol. 15, no. 1, pp. 423–433, 2019.

- [2] L. Lyu et al., "5g enabled codesign of energy-efficient transmission and estimation for industrial iot systems," *IEEE Transactions on Industrial Informatics*, vol. 14, no. 6, pp. 2690–2704, 2018.
- [3] K. Mekki et al., "A comparative study of lpwan technologies for largescale iot deployment," ICT Express, 2018.
- [4] M. Indri *et al.*, "Guest editorial special section on recent trends and developments in industry 4.0 motivated robotic solutions," *IEEE Transactions on Industrial Informatics*, vol. 14, no. 4, pp. 1677–1680, 2018.
- [5] J. Wan et al., "A manufacturing big data solution for active preventive maintenance," *IEEE Transactions on Industrial Informatics*, vol. 13, no. 4, pp. 2039–2047, 2017.
- [6] N. Sornin et al., "Lorawan specification," LoRa alliance, 2015.
- [7] 3GPP, "[3gpp tr 45.820 v13.1.0. "cellular system support for ultra-low complexity and low throughput internet of things (ciot)," November 2015.
- [8] P. Andres-Maldonado *et al.*, "Narrowband iot data transmission procedures for massive machine-type communications," *IEEE Network*, vol. 31, no. 6, pp. 8–15, 2017.
- [9] R. S. Sinha et al., "A survey on lpwa technology: Lora and nb-iot," Ict Express, vol. 3, no. 1, pp. 14–21, 2017.
- [10] M. Ballerini *et al.*, "Experimental evaluation on nb-iot and lorawan for industrial and iot applications," in 2019 IEEE 17th International Conference on Industrial Informatics (INDIN), vol. 1. IEEE, 2019, pp. 1729–1732.
- [11] G. A. Akpakwu *et al.*, "A survey on 5g networks for the internet of things: Communication technologies and challenges," *IEEE Access*, vol. 6, pp. 3619–3647, 2018.
- [12] M. de Castro Tomé *et al.*, "Long-range low-power wireless networks and sampling strategies in electricity metering," *IEEE Transactions on Industrial Electronics*, vol. 66, no. 2, pp. 1629–1637, 2019.
- [13] C. Gomez *et al.*, "A sigfox energy consumption model," *Sensors*, vol. 19, no. 3, p. 681, 2019.
- [14] A. Augustin *et al.*, "A study of lora: Long range & low power networks for the internet of things," *Sensors*, vol. 16, no. 9, p. 1466, 2016.
- [15] T. Polonelli *et al.*, "Slotted aloha on lorawan-design, analysis, and deployment," *Sensors*, vol. 19, no. 4, p. 838, 2019.
- [16] T. Polonelli et al., "An accurate low-cost crackmeter with lorawan communication and energy harvesting capability," in 2018 IEEE 23rd International Conference on Emerging Technologies and Factory Automation (ETFA), vol. 1. IEEE, 2018, pp. 671–676.
- [17] Y.-P. E. Wang et al., "A primer on 3gpp narrowband internet of things," *IEEE Communications Magazine*, vol. 55, no. 3, pp. 117–123, 2017.
- [18] M. Lauridsen *et al.*, "An empirical nb-iot power consumption model for battery lifetime estimation," in *Ieee Vts... Vehicular Technology Conference*, 2018.
- [19] L. Zhou *et al.*, "Greening the smart cities: Energy-efficient massive content delivery via d2d communications," *IEEE Transactions on Industrial Informatics*, vol. 14, no. 4, pp. 1626–1634, 2018.
- [20] H. Mroue et al., "Mac layer-based evaluation of iot technologies: Lora, sigfox and nb-iot," in 2018 IEEE Middle East and North Africa Communications Conference (MENACOMM). IEEE, 2018, pp. 1–5.
- [21] D. Ismail et al., "Low-power wide-area networks: Opportunities, challenges, and directions," in Proceedings of the Workshop Program of the 19th International Conference on Distributed Computing and Networking. ACM, 2018, p. 8.
- [22] C. Garrido-Hidalgo *et al.*, "An end-to-end internet of things solution for reverse supply chain management in industry 4.0," *Computers in Industry*, vol. 112, p. 103127, 2019.
- [23] S. K. Rao et al., "Impact of 5g technologies on industry 4.0," Wireless personal communications, vol. 100, no. 1, pp. 145–159, 2018.
- [24] S. Ha et al., "A novel solution for nb-iot cell coverage expansion," in 2018 Global Internet of Things Summit (GIoTS). IEEE, 2018, pp. 1–5.
- [25] P. San Cheong et al., "Comparison of lorawan classes and their power consumption," in *Communications and Vehicular Technology (SCVT)*, 2017 IEEE Symposium on. IEEE, 2017, pp. 1–6.
- [26] A. Adhikary *et al.*, "Performance evaluation of nb-iot coverage," in *Vehicular Technology Conference (VTC-Fall)*, 2016 IEEE 84th. IEEE, 2016, pp. 1–5.
- [27] T. Wang *et al.*, "Big data reduction for a smart city's critical infrastructural health monitoring," *IEEE Communications Magazine*, vol. 56, no. 3, pp. 128–133, 2018.
- [28] F. Van den Abeele *et al.*, "Scalability analysis of large-scale lorawan networks in ns-3," *IEEE Internet of Things Journal*, vol. 4, no. 6, pp. 2186–2198, 2017.
- [29] J. Haxhibeqiri et al., "Lora indoor coverage and performance in an industrial environment: Case study," in 2017 22nd IEEE International Conference on Emerging Technologies and Factory Automation (ETFA).

IEEE, 2017, pp. 1–8.

[30] "Lte e-utra physical layer procedures, ts 36.213 v13.8.0," 2018.



Massimo Ballerini received a bachelor's degree in computer science engineering and master's degree (cum laude) in automation engineering from the University of Bologna, Bologna, Italy, in 2009 and 2012, respectively. In 2012, he collaborated with the Université Libre de Bruxelles. In 2020 he completed "Electronics, Telecommunications, and Information Technologies" Ph.D. defending his thesis entitled "Wireless Sensor Network for Advanced and Biomedical Application." Since 2013, he has been working as a researcher for MediCon Ingegneria, a

consultancy and R&D company in the Emilia Romagna High-Technology Network. His research interests include wireless sensor networks, scheduling protocols, low power management, industrial and biomedical embedded devices.



Tommaso Polonelli received a bachelor's and master's degree in electronics engineering from the University of Bologna, Bologna, Italy, in 2013 and 2017, respectively. He is currently a Ph.D. student and teaching tutor at the University of Bologna. The most important themes of his research are wireless sensor networks, autonomous unmanned vehicles, power management techniques, and the design of batteries-operating devices and embedded video surveillance. He has collaborated with several universities and research centers, such as the Univer-

sity College Cork, Cork, Ireland, Imperial College London, London, U.K., and the ETH, Zurich, Switzerland. He has authored over 15 papers in international journals and conferences.



Davide Brunelli (M'10, SM'16) received his M.S. (cum laude) and Ph.D. degrees in electrical engineering from the University of Bologna, Italy, in 2002 and 2007, respectively. He is currently an associate professor at the University of Trento, Italy. His research interests include IoT and distributed lightweight unmanned aerial vehicles, the development of new techniques of energy scavenging for low-power embedded systems and energy-neutral wearable devices. He was leading industrial cooperation activities with Telecom Italia, ENI, and

STMicroelectronics. He has published more than 200 papers in international journals or proceedings of international conferences. He is an ACM member and a senior IEEE member.



Michele Magno is currently a Senior Researcher and Lecturer at ETH Zürich, Switzerland, at the Department of Information Technology and Electrical Engineering (D-ITET). He is also head of the new Project-based learning center at D-ITET. His current research interests include smart sensing, machine learning at the edge, wireless sensor networks, wearable devices, energy harvesting, low power management techniques, and extension of the lifetime of batteries-operating devices. He has authored more than 150 papers in international journals

and conferences. More than ten publications were awarded as best papers or best posters awards in IEEE conferences. He is a senior IEEE member and an ACM member.



Luca Benini holds the chair of digital Circuits and systems at ETHZ and is Full Professor at the Universita di Bologna. He received a PhD from Stanford University in 1997. Dr. Benini's research interests are in energy-efficient parallel computing systems, smart sensing micro-systems and machine learning hardware. He has published more than 1000 peer-reviewed papers and five books. He is a Fellow of the IEEE, of the ACM and a member of the Academia Europaea.