

Alma Mater Studiorum Università di Bologna Archivio istituzionale della ricerca

Non-Destructive Assessment of Kiwifruit Flesh Firmness by a Contactless Waveguide Device and Multivariate Regression Analyses

This is the final peer-reviewed author's accepted manuscript (postprint) of the following publication:

Published Version:

Berardinelli A., Iaccheri E., Franceschelli L., Tartagni M., Ragni L. (2021). Non-Destructive Assessment of Kiwifruit Flesh Firmness by a Contactless Waveguide Device and Multivariate Regression Analyses. IEEE JOURNAL OF EMERGING AND SELECTED TOPICS IN CIRCUITS AND SYSTEMS, 11(3), 515-522 [10.1109/JETCAS.2021.3097095].

Availability:

This version is available at: https://hdl.handle.net/11585/853848.4 since: 2022-02-08

Published:

DOI: http://doi.org/10.1109/JETCAS.2021.3097095

Terms of use:

Some rights reserved. The terms and conditions for the reuse of this version of the manuscript are specified in the publishing policy. For all terms of use and more information see the publisher's website.

This item was downloaded from IRIS Università di Bologna (https://cris.unibo.it/). When citing, please refer to the published version.

(Article begins on next page)

Non-Destructive Assessment of Kiwifruit Flesh Firmness by a Contactless Waveguide Device and Multivariate Regression Analyses

Annachiara Berardinelli, Eleonora Iaccheri[®], Leonardo Franceschelli[®], Marco Tartagni[®], *Member, IEEE*, and Luigi Ragni

Abstract-Non-destructive and cheap methods to evaluate the slow ripening process with possible on-line applications 2 are highly required by the industry to enhance critical post-3 harvest management. After a brief review of the literature, 4 we present the potentiality of an electronic contactless device 5 for the non-destructive assessment of the Magness-Taylor flesh 6 firmness (Mtf) of Hayward kiwifruits. The technique combines spectral information acquired in the microwave range by an 8 open-ended aluminum waveguide containing TX and RX anten-9 nas, placed above the sample, with the features of the multivariate 10 analysis. The electronic controller comprises a VCO, a low 11 noise amplifier, a gain-phase comparator, and a serial interface 12 governed by an MCU. Partial Least Squares regression analysis 13 (PLS) was used to build predictive models starting from gain 14 and phase waveforms raw data in the 947-1900 MHz frequency 15 range. The main results evidenced that explored spectra vari-16 ability is related to changes occurring in the fruit during the 17 maturity process and particularly to the cell wall degradation. 18 PLS regression models show, in prediction, R^2 values of 0.726 19 (RMSE = 5 N) for the estimation of the Mtf starting from gain 20 waveforms. A lower accuracy was observed for the model setup 21 by considering phase waveforms. These results demonstrate that 22 the proposed non-invasive solution combined with the PLS is a 23 24 grounded starting point for estimating kiwifruit firmness with an acceptable level of accuracy. 25

Index Terms—Waveguide spectroscopy, contactless device,
 kiwifruit firmness, Partial Least Square regression (PLS), on line sorting.

29

30

31

AO:1

AO:2

I. INTRODUCTION

POST-HARVEST management is extremely important for slowly ripening and long-term storage of kiwifruit [1].

Eleonora Iaccheri is with the Interdepartmental Center for Industrial Agri-Food Research, University of Bologna, 47521 Cesena, Forlì-Cesena, Italy (e-mail: eleonora.iaccheri4@unibo.it).

Leonardo Franceschelli and Marco Tartagni are with the Department of Electrical, Electronic and Information Engineering, Guglielmo Marconi, University of Bologna, 47521 Cesena, Italy.

Luigi Ragni is with the Interdepartmental Center for Industrial Agri-Food Research, University of Bologna, 47521 Cesena, Forlì-Cesena, Italy, and also with Department of Agricultural and Food Sciences, Alma Mater Studiorum, University of Bologna, 47521 Cesena, Forlì-Cesena, Italy.

Color versions of one or more figures in this article are available at https://doi.org/10.1109/JETCAS.2021.3097095.

Digital Object Identifier 10.1109/JETCAS.2021.3097095

Kiwifruit ripening involves softening, color, shape, and ethylene modifications traduced into complicated maturity stage prediction [2]. Firmness is one of the critical quality parameters studied for its importance in post-harvest storage, grading and transport operations. The firmness of kiwi has strictly related to cell wall degradation and hydration level; cell boundaries and feeble arrangement produced physical differences [3].

1

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

Firmness assessment techniques for quality control can be destructive, non-destructive by contact, or non-destructive contactless. Often, they are non-representative of the whole fruit and differ for on-line implementation suitability [4]. Destructive techniques are generally based on penetrometer devices measuring forces applied to the fruit, with or without permanent deformation measurement.

Non-contact techniques are appealing for the food industry in real time and on-line applications. These techniques are mainly based on the correlations between the destructive firmness parameter of the kiwifruit and mechanical, optical, or dielectric properties [5]. A benchmarking table (Table I) is provided and commented on throughout the text to compare non-destructive methods for fruit firmness estimation.

Regarding non-destructive but contact techniques, piezoelectric sensors were developed and tested on kiwifruits with R^2 up to 0.876 [19]. A non-destructive probe plunger device was used for kiwi firmness evaluation by measuring the compression force within selected deformation limits [20]. A high coefficient of determination ($R^2 = 0.927$) was obtained by using a customized device and a destructive tester to measure firmness for kiwifruits. Furthermore, other authors [2] used a similar theoretical basis exploiting a spherical metal probe to apply a constant load to the kiwi surface.

The induced deformation was recorded and associated with softening determined by the softness meter. Fruit mechanical properties were also predicted by using an impact device equipped with a load cell and multiple regression models; these last were characterized by independent variables related to the mechanical parameters of the impact with R^2 values up to 0.823 [26].

Time-resolved reflectance spectroscopy in the wavelength range from 650 to 1000 nm was also used to assess fruits' chemical and physical properties [27].

Concerning non-destructive approaches, contactless assessments were conducted starting from mechanical or optical

2156-3357 © 2021 IEEE. Personal use is permitted, but republication/redistribution requires IEEE permission. See https://www.ieee.org/publications/rights/index.html for more information.

Manuscript received February 26, 2021; revised June 7, 2021 and July 8, 2021; accepted July 10, 2021. This article was recommended by Guest Editor D. Demarchi. (*Corresponding author: Eleonora Iaccheri.*)

Annachiara Berardinelli is with the Department of Industrial Engineering, University of Trento, 38123 Povo, Trentino, Italy, and also with the Centre Agriculture Food Environment, University of Trento, 38010 San Michele all'Adige, Trentino, Italy.

TABLE I Comparison of Non-Destructive Methods for Fruit Firmness Evaluation

Sample	Range of firmness	Godness of Estimation	Error	Device / Method	Non destructive / contactless	Cost of the device	Author
Mango	Hardness scores: 1, hard; 2,	$r^2 = 0.95$	N.R.	3 methods: (i) the objective Analogue CSIRO Tomato Firmness Meter (AFM); (ii)	Non destructive	Low cost	
Tomatoes	 firm (sprung); 3, slightly soft; 4, soft (eating soft); 5, oversoft 	$r^2 = 0.93$		the same device modified with a digital displacement gauge (also used by Davie et al. 1996) and a laboratory jack (DFM); and (iii) hand firmness.	but with contact	(500\$)	[6]
Apple	120-240 N	up to $R^2 = 0.838$	Standard error 10.37 N	Non contact ultrasonic technique (500-kHz non-contact ultrasonic transducer, a pulser/receiver (DPR300, JSR Inc., USA), a digital oscilloscope (TDS5052D,	Non destructive	Low cost	[7]
Peach	ch $0-60 \text{ N}$ up to $\text{R}^2 = 0.922$		N	Tektronix Inc, USA), and a jig for holding the ultrasonic transducer)	and contactless		
Apple	16-100 N	$0.71 < R^2 < 0.84$ If mostly firm fruit are present $0.2 < R^2 < 0.4$	16.7-35%	Non-destructive method for measuring apple firmness in this study is based on vibrational excitation	Non destructive but with contact	N.R.	[8]
Apple	32-75 N	Colden Delicious and R classified into correct fin 61.0% and 41.5% succes 81.0% of Golden Deliciou Delicious apples were c finnness class difference	ed Delicious were nness classes with s ratio, respectively. s and 69.1% of Red assified within one among five classes.	A laser beam was used as a light source and output power levels were measured by a digital laser power meter (Coherent Instrument Division, Model LaserMate-Q).	Non destructive and contactless	N.R.	[9]
Peach	Magness Taylor kg/0.5cm ² : Soft (0.94), half-firm or soft (2.53), half firm (3.92), half-firm or firm (5.00) and firm (5.96).	up to $R^2 0.93$	19-28%	Three different sensing techniques, namely, sound, impact and micro-deformation devices	Non destructive but with contact	Low cost	[10]
Apple	10-30 N	10-30 N Not correctly classified					
Peach	0.9-33 N 95% were correctly classified (43 correct and 2 erroneous) between soft and the others (firm) fruits .		ified (43 correct and oft and the others its .	 Sensor based on a load cell. The fruit is placed on the cell and struck by a mass of 128 g falling from a height of 1 cm onto the fruit. 	Non destructive but with contact	Low cost	[11]
Apple	15-30 N	Golden: 59% (10 classes) Starking 54% (10 classes)); 97% (3 classes).); 100% (3 classes).	Impact test system 50 g instrumented steel rod with a spherical tip of radius 0.98	Non destructive but with contact	Low cost	[12]
Pear	5-40 N	Blanquilla: 76% (5 classes Decana: 60% (8 classes	s); 97% (3 classes).); 97% (3 classes).	cm was dropped from height of 4 cm onto each pears and 3 cm in the case of apples			
Peaches	0-100 N	R ² 0.867	N.R.	A low-mass impact sensor for high-speed firmness sensing of fruits that consists of a semi-spherical impacting tip attached to the end of a pivoting arm. A small	Low damage.		
Kiwifruit	0-80 N	R ² 0.924	N.R.	accelerometer is mounted behind the impacting tip. Impact is done by swinging the impactor to collide with the fruit.	with contact	Low cost	[13]
Apricot	2-93 N	R ² 0.8	mean residual error=8.3 N mean residual	Laser "air-puff": this device measures the deformation of fruits subjected to a short but strong jet of air (69 kPa in 100 ms)	Non destructive	N.R.	[14]
Kiwifruit	2-29 N	R ² 0.8	error=2.1 N	•••••••••••••••••••••••••••••••••••••••			
kiwifruit, peaches,	Avocados 5-35 N, peaches 10- 70 N, citrus 15-45 N, kiwi 10-60 N	Avocados R^2 0.70, kiwi R^2 0.69, peaches R^2 0.60, citrus R^2 0.70	N.R.	Sinclair IQ - Firmness Tester. Air pressurised bellows to keep in contact with piezoelectric sensor	Non destructive but with contact	N.R.	[15]
Cherries	3 categories < 3.5 N, 3.5- 6.0 N and >6.0 N	r 0.8	Standard error of prediction 0.55 N		X		[16]
Apples	N.R.	N.R. r 0.9 Standard error of prediction 2.49 Optical sensor both in VIS (visual) and/or NIR (near infrared) ranges		and contactless	High cost	[17]	
Kiwifruit	5-50 N	R ² 0.66	R ² 0.66 RMSEP 7.8 N				[3]
Apple, peach, tomato, kiwi, melon	N.R.	correctly classified 76% peaches, 81% of tomatoe 60% of me	of apples, 77% of s, 75% of kiwis and clons	Time resolved diffuse reflectance spectroscopy (TRS) in the VIS and NIR ranges	Non destructive and contactless	High cost	[18]
Kiwifruit	N.R.	R ² 0.876	N.R.	Piezoelectric bending bimorph Q220-A4-303-YB from Piezo Systems based on the acoustic impulse response technique	Non destructive but with contact	N.R.	[19]
Kiwifruit	1-50 N	R ² 0.927	N.R.	HIT-Counter I and the conventional fruit firmness tester (amount of deformation of a certain compressive force can be obtained within the elastic range)	Non destructive but with contact	N.R.	[20]
Kiwifruit	0-70 IFD elasticity units	$r^2 = 0.75$	N.R.	IFD-intelligent firmness detector (applicable also on apple, avocado, mango, pear)	Non destructive but with contact	12,000 €	[21]
Kiwifruit	0.8-87 N	up to R ² 0.777	13 N	NIR sensitive camera and xenon lamp	Non destructive and contactless	High cost	[22]
Kiwifruit	9-62 N	R ² 0.87	RMSECV = 11.9 N	Vis/NIR hyperspectral imaging technology	Non destructive and contactless	High cost	[23]
Kiwifruit	20-60 N	R ² 0.92	RMSE 4.89 N	Dielectric properties (parallel-plate capacitor 40 kHz – 20 MHz)	Non destructive	Low cost	[1]
Kiwifruit	1-65 N	1 est set validation R ² 0.831 (1-20 N) R ² 0.797 (20-65 N)	RMSE 2.58 and 8.03 N	Waveguide spectroscopy in the frequency ranges of 2-3 GHz and 15-16 GHz	Non destructive and contactless	High cost	[24]
Kiwifruit Xuxiang and Huayou variety	0.1-70.1 N	74 and 91% accuracy of Fully matured, soft, 3–7 M 7–10 N Slight matur Unmatured, hard ev	classification (<3 N J Matured, little sour ed, sour >10 N ven very hard)	Sensor-based grade detector (composed of a control/processing unit, a LEDs and driver unit, a light signal detection and amplifier unit, an input/ output unit and a battery)	Non destructive but with contact	Low cost	[25]

N.R. not reported

properties; furthermore, acoustic and vibrational measures
 were applied and sometimes combined for error reduction and
 maximization of firmness estimation.

The non-contact ultrasonic technique was implemented for
 fruit firmness evaluation [20]. Coefficients of determinations
 reached 0.824 and 0.922 for apples and peaches, respectively.

The potentiality of machine vision, X-rays, computed 82 tomography, and imaging nuclear magnetic resonance are 83 considered for non-destructively measuring of firmness and 84 chemical properties of fruit [4]. Laser air puff [14] has been 85 studied for many years and is also widely used for fruit 86 quality detection. R² values equal to 0.80 and mean residual 87 error of 2.1 N emerged between penetrometer and air-puff 88 measurements for kiwifruit firmness. Among all, VIS-NIR and 89 NIR techniques showed very good results accounting for dry 90 matter, acidity, and solid soluble content, while lower models 91 for firmness estimation were obtained [3]. 92

A prototype based on a NIR sensitive camera and a Xenon lamp capturing an 8-bit greyscale (from 0 = black to 255 = white) image of the radiation that passes through the fruit was also proposed. The count of the pixels with different grey tones was used to set up PLS predictive models to estimate the kiwifruit flesh firmness with R² of 0.777 (RMSE = 13 N) in validation [22].

More recently, a Vis/NIR (400–1000 nm) push-broom linear array Hyperspectral Imaging Camera was used to set up predictive models of the Hayward kiwifruit flesh firmness and a value of the R^2 of 0.87 (RMSECV = 11.9 N) in crossvalidation was reported [23]. Kiwi firmness detection was also assessed by using a surface acoustic wave (SAW) gas sensor [32].

Today, the assessment of kiwi firmness estimated by nondestructive methods is considered an open challenge for producers and sellers. As cited above, destructive methods are not suitable for on-line process purposes, favoring contactless methods.

Investigation of kiwifruit during storage was also per-112 formed using spectroscopy based on dielectric properties as 113 a known non-destructive and rapid way to investigate the 114 physical-chemical behavior of foodstuff and other materials, 115 as previously reported by literature [28]–[30]. A dielectric 116 117 parallel plate capacitor was developed for dielectric assessment in the frequency range 40 kHz-20MHz. pH, firmness, 118 and soluble content were correlated with dielectric response 119 to predict ripening stages during storage time. ANNs were 120 employed to develop models for quality index prediction [1]. 121

Concerning works focused on kiwifruits, other studies 122 were conducted by using off-line non-destructive techniques. 123 Changes in electrical parameters related to the dielectric prop-124 erties and influenced by the maturation processes have been 125 evidenced in work conducted by Ragni et al. [24]. Soluble 126 fruit solids content (SSC) and Magness-Taylor flesh firmness 127 (MTf) were non-destructively assessed by means of a combi-128 nation of the waveguide spectroscopy in the range of 2-20 GHz 129 with Partial least squares (PLS) regression analysis. By placing 130 the fruit inside the waveguide (between the receiving and 131 the transmitting antenna), for validation conducted with an 132 external data set (test set validation), PLS models showed 133



Fig. 1. Schematic of the system architecture. Legend: DAC, Digital to Analog converter; VCO, Voltage Controlled Oscillator; Low Noise Amplifier; GDP, Gain and Phase Comparator; ADC, Analog to Digital Converter (in the microcontroller).

 R^2 values up to 0.804 (RMSE = 0.98 °Brix) and 0.806 (RMSE = 8.9 N) for the prediction of SSC and MTf, respectively.

As reported in Table I, several works have been con-137 ducted to set up a sensor for kiwifruit firmness determination. 138 However, some techniques imposed to keep the sample in 139 contact or involving in a technique non-applicable for on-140 line implementation [1], [13], [15], [19]–[21], [24], [25], 141 some others are expensive to become part of a selection line 142 of fruits [3], [18], [21]–[23]. Therefore, the present work 143 proposes a tool characterized by combining the spectroscopic 144 waveguide technique with multivariate data analysis, which 145 will provide a contactless and low-cost solution that can be 146 considered for on-line applications. This tool will be set up to 147 predict the results that could be obtained from the destructive 148 Magness-Taylor technique for the firmness of fresh Haywar 149 kiwifruits. An open-ended aluminum waveguide working in 150 the frequency range of about 950-1900 MHz, placed above the 151 sample, will assess the entire fruit interaction with the electro-152 magnetic wave. "Gain" and "phase" waveforms acquired from 153 kiwifruits samples, characterized by different maturity levels, 154 will be processed by using Partial Least Squares regression 155 analysis (PLS), and correlations between sample physical 156 properties will be discussed. 157

II. MATERIALS AND METHODS

A. The Device

The proposed system is composed of three parts: i) an openended rectangular aluminum waveguide, ii) a hardware system, and iii) a PC with a graphical user interface (GUI) (Fig. 1). The device works as a vector analyzer returning a complex impedance ("gain" and "phase") influenced by the sample dielectric properties.

The waveguide dimensions $(15 \text{ cm} \times 36.9 \text{ cm} \times 7.5 \text{ cm})$ 166 guarantee a cut-off frequency of the waveguide equal to 1 GHz. A transmitting (TX) and a receiving (RX) antenna are incorporated in the waveguide (Fig. 2). The open-ended 169

134

135

136

158



AQ:3 Fig. 2. The layout of the waveguide (the figure is not in scale).



Fig. 3. Detail of the open-ended waveguide and kiwifruit placement.

waveguide was positioned at 80 mm from a laminated wood 170 sheet $(50 \times 17.5 \times 1.8 \text{ cm})$, where a plastic sample container 171 was fixed under the waveguide center (Fig. 3). 172

The hardware system is composed of an RF section and 173 a data-control and elaboration system. The following main 174 components characterize the RF section: a Voltage Controlled 175 Oscillator (VCO, MiniCircuits ZX95-2150VW+), an ultra-176 Low Noise Amplifier (LNA, QORVO TQL9092), a power 177 splitter (MiniCircuits ZFRSC-42+), and a Gain and Phase 178 Detector (GDP, Analog Devices AD8302). VCO generates 179 a sinusoidal wave at a frequency dependent on the input 180 voltage while the LNA amplifies the signal (up to 22 dBm, 181 from 4 dBm to 13 dBm, in the suggested device) with an 182 operating band from 0.6 to 4.2 GHz. The amplified signal is 183 then supplied through the power splitter to the waveguide, 184 and the transmitted and reflected waves are compared by 185 means of the GDP, which provides the measured information 186

to the microcontroller. Gain measurement range is \pm 30 dB 187 with a gain sensibility of 30 mV/dB, and 0°÷ 180° with 188 a scale of 10 mV/° for the phase. The gain and phase 189 output voltages vary in a range from 0 V to 1.8 V, and a 190 reference voltage of 1.8 V is provided. The data-control and 191 elaboration system consists of a microcontroller (MICROCHIP 192 PIC24FJ256GB606), a Digital to Analog Converter (Analog 193 Devices AD5761R), and a serial-USB converter (UART/USB 194 converter cable). The microcontroller presents a 32Kbytes 195 (16-bit addresses) SRAM data storage while a resolution 196 of 16-bit characterizes the Analog to Digital Converter. The 197 microcontroller firmware was written in C (IDE MPLAB 198 X di Microchip), and the system is driven and controlled 199 by a Graphical User Interface (GUI) written in a MATLAB 200 platform to perform signal elaboration and to produce and save 201 the gain and phase signals. Both gain and phase signals contain 202 up to 4481 points; each of them is an average of 32 repetitions 203 (3.85 s, time for sweep). 204

Transmitted (Tx) and reflected (Rx) waves can be described 205 by the following relationships [32]: 206

$$Tx(t) = A_{Tx} e^{j\varphi Tx} e^{j2\pi ft}$$
²⁰⁷

208

213

227

228

230

231

$$Rx(t) = H(f)A_{Tx}e^{j\varphi Rx}e^{j2\pi ft} = A_{Rx}e^{j\varphi Rx}e^{j2\pi ft}$$

where A (Tx and Rx) is the wave amplitude, j the imaginary 209 unit, f the frequency, t the time, φ (Tx and Rx) the phase, and 210 H(f) the transfer function between x and y, represented by the 211 tested system impedance. 212

B. Kiwifruits Samples and Acquisition Procedure

Tests were conducted on 75 Hayward kiwifruits harvested 214 (commercial stage) in October 2018 in the Romagna region 215 (Italy). For each kiwifruit, main dimensional parameters, 216 as minimum equatorial diameter, Dmin (mm), maximum equa-217 torial diameter, Dmax (mm), and maximum length, L (mm), 218 were measured. 219

Kiwifruits were conditioned in three different ways to obtain 220 different levels of Magness-Taylor flesh firmness (MTf) and 221 solid soluble content (SSC),: i) 25 fruits were kept at 4°C, 222 ii) 25 fruits were left to mature at 22°C in the presence of 223 apples, iii) and the remaining 25 fruits were maintained at 224 4°C until the day before the test and left for 24 hours at 225 22 °C (\pm 1°C). 226

Similar values characterized each set of 25 fruits in terms of dimensional characteristics.

Acquisitions were conducted in the spectral range of 229 947-1900 MHz and at a room temperature of about 22°C $(\pm 1^{\circ}C).$

For each fruit, a total of six spectral acquisitions were car-232 ried out: three acquisitions on one side and three acquisitions 233 on the other side of the fruit. For each of the three-side process 234 replica, the test was conducted by replacing the fruit under the 235 waveguide. 236

After spectral acquisitions, MTf (N) and SSC (°Bx) were 237 assessed on two opposite side points of the equatorial region 238 and then averaged. MTf was measured using a compres-239 sion/traction machine equipped with a load cell and a 7.9 mm 240 diameter probe, interfaced with a PC. The SSC was measured
by an IR refractometer (PR-1, ATAGO Co. Ltd., Tokyo,
Japan).

244 C. Multivariate Data Analysis

Partial Least squares regression (PLS) analysis was conducted on both "gain" and "phase" waveforms in order to
set up predictive models of the MTf [33]. According to PLS
bilinear modeling theory [34], new variables called latent variables, describing the original variability, are extracted taken
into consideration a linear relationship between dependent and
independent ones.

In detail, a PLS regression algorithm starts from an X matrix of dimensions $N \times KN \times K$ and a score matrix T of dimension $N \times AN \times A$ (number of principal components), formed by the X directions with maximum variance. The algorithm then identifies even better directions in the score subspace, called latent variables (LV), maximizing the variance of the output variable Y.

The two sets, respectively for "gain" and "phase," were 259 created by considering the spectral information as independent 260 X variables and the MTf values as dependent Y ones. Each 261 data set was characterized by a 2821 (spectral points, "gain" 262 or "phase") \times 450 (number of kiwifruit acquisitions) matrix 263 and by a 450 (number of kiwifruit acquisitions) \times 1 (MTf) 264 vector column. A schematic of the PLS model setting up and 265 validation is shown in Figure 4. 266

An auto-scale pre-processing, consisting of mean center-267 ing and scaling of each variable to unit standard deviation, 268 was applied to both independent and dependent variables. 269 The model calculation was performed by using the SIMPLS 270 algorithm working by considering the S0 cross-product of 271 the starting data matrices X0 and Y0 [35]. Cross-validation 272 (method: "Venetian blinds," through a selection of every nth 273 object in the data set, starting at objects numbered 1) was 274 used [36], and the coefficient of determinations (\mathbb{R}^2) and the 275 Root Mean Square Error (RMSECV) were calculated. 276

A function called "choosecomp," operating by reaching a 277 fair equilibrium between generalization and minimization of 278 RMSECV, allows the automatic selection of the optimal num-279 ber of latent variables; in detail, a good equilibrium between 280 generalization and minimization of the RMSECV value defines 281 the choice of the optimal number of latent variables [37]. 282 To improve the regression parameters, important X variables 283 (able to improve the model) to retain in the model were 284 identified by using a software-implemented algorithm [37]. 285

A prediction was also conducted by dividing each dataset into two portions. 80% of the observations were used for the calibration and cross-validation (360 kiwifruit acquisitions). The remaining 20% (90 kiwifruit acquisitions) was used for the prediction.

The (R^2) and the Root Mean Square Error (RMSE) in prediction were also calculated.

293

III. RESULTS

²⁹⁴ A. Characteristics of Kiwifruit Samples

Table II summarizes the mean values of the characteristics of the fruit samples in terms of dimensional parameters, Mtf





TABLE II MEAN VALUES OF THE DIMENSIONAL AND QUALITY CHARACTERISTICS OF THE KIWIFRUITS USED FOR THE TEST

Parameter	Average	SD	
Mass (g)	106	15	
Dmin (mm)	49	2	
Dmax (mm)	56	4	
L (mm)	65	4	
SSC (°Brix)	11	2	
Mtf (N)	16	12	

(N) and SSC (°Bx). For Mtf (N) and SSC (°Bx) quality parameters, the mean values of the two measurements conducted on two opposite side points of the equatorial region were considered. 300

The variables of Table I are D_{min}, minimum equatorial diameter; Dmax, maximum equatorial diameter; L, maximum length, Mtf, Magness-Taylor flesh firmness; SSC, solid soluble content; SD, Standard Deviation.

B. Waveforms Characteristics

Examples of "gain" and "phase" waveforms are reported 306 in Figures 5 and 6 for kiwifruit samples characterized by 307 different values in terms of Mtf (N). Figures showed that a 308 different Mtf level involves changes in both gain and phase 309 spectra. For gain spectra, these changes are appreciated in 310 the entire range of the explored frequencies (947-1900 MHz). 311 Phase spectra variations related to the maturity of kiwifruit are 312 less evident compared to gain spectra. 313

The firmness decreases during ripening as a consequence of chemical-physical changes. Decomposition of cell wall polysaccharides and consumption of organic acids are the 316



Fig. 5. "Gain" spectra for different fruit Magness-Taylor flesh firmness Mtf (N).



Fig. 6. "Phase" spectra for different fruit Magness-Taylor flesh firmness Mtf (N).

main modifications inducing TSS content and pH increase, 317 respectively [1]. Output voltage loss reported as "gain" and 318 phase shift due to stored charges as "phase" are a complex 319 fingerprint of fruit decomposition. Physical-chemical changes 320 influence the spectral response. 321

C. PLS Regressions Models 322

The results of the PLS regression conducted starting from 323 "gain," and "phase" waveforms for the prediction of the 324 moisture content (%) are summarized in Table III. The 325 Table reported R² and RMSE values for calibration, segmented 326 cross-validation, and prediction in addition to the optimal 327 numbers of latent variables. 328

TABLE III PLS REGRESSIONS MODELS FOR THE PREDICTION OF THE MTF (N) FROM "GAIN" AND "PHASE" WAVEFORMS

		Calibration		Cross validation		Prediction	
Waveform	LVs	\mathbb{R}^2	RMSC (N)	\mathbb{R}^2	RMSCV (N)	\mathbb{R}^2	RMSE (N)
Gain	7	0.928	3.2	0.794	5.4	0.726	5.0
Phase	7	0.873	4.2	0.743	6.0	0.663	5.5



Fig. 7. Predicted versus observed values of the Magness-Taylor flesh firmness Mtf (N) for "gain" spectra (Prediction).



Fig. 8. Predicted versus observed values of the Magness-Taylor flesh firmness Mtf (N) for "phase" spectra (Prediction).

The prediction sets were created with spectral measurements 329 and Mtf values chosen from X and Y calibration sets (and 330 so not included in the model). For every chosen sample, all 6 acquisitions were put in the test set to avoid the presence of the same sample's acquisitions in both data sets to give evidence of the predicted value dispersion for each measurement on a fruit (repetitions). The prediction samples (about 20% of the total) were randomly selected in order to cover all the Mtf range of variability.

The parameters of Table III are LVs, the number of Latent Variables; RMSC, Root Mean Square Error (N) in calibration; 339 RMSCV, Root Mean Square Error (N) in cross-validation; 340 RMSE, Root Mean Square Error (N) in prediction. 341

As expected, the best results can be observed for the 342 regression model obtained with gain spectra than that of 343 phase waveforms confirming spectral variability evidenced 344

in Figures 5 and 6. In prediction, Mtf can be estimated 345 with an R² value of 0.726, and an RMSE of 5 N. A lower accu-346 racy ($R^2 = 0.663$, RMSE = 5.5 N, in prediction) was observed 347 for the phase spectra model. Predicted versus observed Mtf (N) 348 (Prediction) values are shown in Figures 7 and 8 for "gain" 349 and "phase" waveforms, respectively. 350

As summarized in Table III, the regression model set up and 351 validated from "gain" waveforms seems to produce the highest 352 and the lowest values in terms of R^2 and RMSE. Similar 353 behavior was evidenced by Franceschelli et al. (2020) in a 354 work conducted by using a waveguide system for soil moisture 355 content estimation. The waveguide technique is based on the 356 perturbation of electromagnetic field by sample under test. 357 The device provides spectral information related to phase shift 358 (phase) and energy loss (gain) of the electromagnetic wave. 359 At microwaves, the main contribution is energy loss influenced 360 by ion conductivity and dipole polarization, both affected 361 by the density of the tissue and soluble solid content [39]. 362 Accordingly, phase spectra revealed minor variability in terms 363 of spectra shift and resulted in less useful for chemical and 364 physical properties description. 365

Furthermore, mean values of variability, such as standard 366 deviation, coefficient of variation, and maximum difference, 367 were higher for the phase, both for air and soil acquisitions, 368 than that of "gain." 369

Kiwi firmness determination is not an easy task considering 370 the contactless needed, as not optimal coefficient of determi-371 nation of previous works evidenced. In this way, the model 372 presented could be considered in line with the goodness of 373 fitting but introduces a new way to evaluate fruit firmness. 374

IV. CONCLUSION

375

392

395

The proposed open-ended waveguide spectroscopy shows a 376 promising technique for contactless and cheap determination 377 of the flesh firmness of kiwifruits. PLS data analysis has 378 provided a predictive models characterized by R^2 of 0.726 and 379 root mean square error of 5 N. The validated model gives a 380 quite good estimation power and low error, coupled with a 381 contactless technique encourages a possible application for 382 selection of fruit machines. Further improvements of the 383 technique can be achieved both for instrumental optimization 384 385 and implementation of other predictive techniques. Such developments of the system can fit the necessary requirements for 386 an on-line application in kiwifruit sorting machines. Advance-387 ments of the system for on-line implementation regards hard-388 ware improvement, such as fast sweep, data acquisition, and 389 elaboration as required by industrial production process for 390 reliable firmness evaluation. 391

ACKNOWLEDGMENT

The authors would like to thank Alessio Baldazzi for his 393 very fruitful support during measurements and data analysis. 394

REFERENCES

[1] A. Fazayeli, S. Kamgar, S. M. Nassiri, H. Fazayeli, and 396 397 M. de la Guardia, "Dielectric spectroscopy as a potential technique for prediction of kiwifruit quality indices during storage," Inf. Process. 398 Agricult., vol. 6, no. 4, pp. 479-486, Dec. 2019, doi: 10.1016/ 399 j.inpa.2019.02.002. 400

- [2] I. J. Davie, N. H. Banks, P. B. Jeffery, C. J. Studman, and P. Kay, 401 "Non-destructive measurement of kiwifruit firmness," New Zealand 402 J. Crop Horticultural Sci., vol. 24, no. 2, pp. 151-157, 1996, doi: 403 10.1080/01140671.1996.9513947. 404
- [3] V. A. McGlone, H. Abe, and S. Kawano, "Kiwifruit firmness by near infrared light scattering," J. Near Infr. Spectrosc., vol. 5, no. 2, pp. 83-89, Mar. 1997, doi: 10.1255/jnirs.102.
- [4] F. J. García-Ramos, C. Valero, I. Homer, J. Ortiz-Cañavate, and M. Ruiz-Altisent, "Non-destructive fruit firmness sensors: A review," Spanish J. Agricult. Res., vol. 3, no. 1, pp. 61-73, 2005, doi: 10.5424/sjar/2005031-125.
- [5] J. Sun, R. Künnemeyer, and A. McGlone, "Optical methods for firmness assessment of fresh produce: A review," in Postharvest Handling. 2017, doi: 10.5772/intechopen.69256.
- [6] A. J. Macnish, D. C. Joyce, and A. J. Shorter, "A simple non-destructive method for laboratory evaluation of fruit firmness," Austral. J. Exp. Agricult., vol. 37, no. 6, pp. 709-713, 1997.
- [7] S. Lee and B.-K. Cho, "Evaluation of the firmness measurement of fruit by using a non-contact ultrasonic technique," in Proc. IEEE 8th Conf. Ind. Electron. Appl. (ICIEA), Jun. 2013, pp. 1331-1336, doi: 10.1109/ICIEA.2013.6566573.
- [8] K. Peleg, "Comparison of non-destructive and destructive measurement of apple firmness," J. Agricult. Eng. Res., vol. 55, no. 3, pp. 238-277, 1995.
- [9] Y. J. Han and W. E. Lambert, "Application of laser beams to apple firmness measurement," IFAC Proc. Volumes, vol. 31, no. 2, pp. 87-92, 1998, doi: 10.1016/s1474-6670(17)36046-9.
- [10] V. Steinmetz, M. Crochon, V. B. Maurel, J. L. G. Fernandez, P. B. Elorza, and L. Verstrekent, "Sensors for fruit firmness assessment: Comparison and fusion," J. Agricult. Eng. Res., vol. 64, no. 1, pp. 15-28, 1996.
- [111] I. Homer, F. J. García-Ramos, J. Ortiz-Cañavate, and M. Ruiz-Altisent, 'Evaluation of a non-destructive impact sensor to determine on-line fruit firmness," Chilean J. Agricult. Res., vol. 70, no. 1, pp. 67-74, Mar. 2010.
- [12] C. Jarén and E. García-Pardo, "Using non-destructive impact testing for sorting fruits," J. Food Eng., vol. 53, no. 1, pp. 89-95, Jun. 2002.
- P. Chen and M. Ruiz-Altisen, "A low-mass impact sensor for high-speed [13] firmness sensing of fruits," Engineering, to be published.
- [14] V. A. McGlone and R. B. Jordan, "Kiwifruit and apricot firmness measurement by the non-contact laser air-puff method," Postharvest Biol. Technol., vol. 19, no. 1, pp. 47-54, May 2000.
- [15] M. T. Howarts, "Sinclair IQ firmness tester," in Proc. Conf. Paper, 2002.
- [16] R. Lu, "Predicting firmness and sugar content of sweet cherries using near-infrared diffuse reflectance spectroscopy," Trans. ASAE, vol. 44, no. 5, p. 1265, 2001.
- J. Lammertyn, B. Nicolaï, K. Ooms, V. De Smedt, and [17] J. De Baerdemaeker, "Non-destructive measurement of acidity, soluble 447 solids, and firmness of Jonagold apples using NIR-spectroscopy," Trans. ASAE, vol. 41, no. 4, pp. 1089-1094, 1998.
- [18] C. Valero et al., "Detection of internal quality in kiwi with time-domain diffuse reflectance spectroscopy," Appl. Eng. Agricult., vol. 20, vol. 2, pp. 223-230, 2004.
- [19] E. Macrelli, A. Romani, R. P. Paganelli, E. Sangiorgi, and M. Tartagni, 453 "Piezoelectric transducers for real-time evaluation of fruit firmness. Part 454 II: Statistical and sorting analysis," Sens. Actuators A, Phys., vol. 201, 455 pp. 497-503, Oct. 2013. 456
- [20] H. Takao and S. Ohmori, "Development of device for nondestruc-457 tive evaluation of fruit firmness," Jpn. Agricult. Res. Quart., vol. 28, 458 pp. 36-43, Jan. 1994. 459
- [21] M. Blanke, "Non-invasive assessment of firmness and NIR sugar (TSS) measurement in apple, pear and kiwi fruit," Erwerbs-Obstbau, vol. 55, pp. 19-24, Feb. 2013.
- [22] A. Berardinelli, A. Benelli, M. Tartagni, and L. Ragni, "Kiwifruit flesh firmness determination by a NIR sensitive device and image multivariate data analyses," Sens. Actuators A, Phys., vol. 296, pp. 265-271, Sep. 2019, doi: 10.1016/j.sna.2019.07.027.
- [23] A. Benelli and A. Fabbri, "Vis/NIR hyperspectral imaging technology in predicting the quality properties of three fruit cultivars during production and storage," in Proc. IEEE Int. Workshop Metrol. Agricult. Forestry (MetroAgriFor), Trento, Italy, Nov. 2020, pp. 155-159, doi: 10.1109/MetroAgriFor50201.2020.9277668.
- [24] L. Ragni, C. Cevoli, A. Berardinelli, and F. A. Silaghi, "Non-472 destructive internal quality assessment of 'Hayward' kiwifruit by 473 spectroscopy" J. Food Eng., vol. 109, pp. 32-37, waveguide 474 Mar. 2012. 475

413 414 AO:5

405

406

407

408

409

410

411

412

416

417

418

419

420

421

422

423

424

425

426

427

428

429

430

431

432

433

434

435

436

437

439

440

441 AQ:7

442

443

444

446

448

449

450

451

452

460

461

462

463

464

465

466

467

468

469

470

471

445 AQ:8

438 AO:6

- [25] B. Yang, W. Guo, X. Huang, R. Du, and Z. Liu, "A portable, low-476 477 cost and sensor-based detector on sweetness and firmness grades 478 of kiwifruit," Comput. Electron. Agricult., vol. 179, Dec. 2020, Art. no. 105831, doi: 10.1016/j.compag.2020.105831. 479
- [26] 480 L. Ragni, A. Berardinelli, and A. Guarnieri, "Impact device for measuring the flesh firmness of kiwifruits," J. Food Eng., vol. 96, no. 4, 481 pp. 591-597, Feb. 2010, doi: 10.1016/j.jfoodeng.2009.09.006. 482
- 483 [27] R. Cubeddu et al., "Nondestructive quantification of chemical and physical properties of fruits by time-resolved reflectance spectroscopy 484 in the wavelength range 650-1000 nm," Appl. Opt., vol. 40, no. 4, 485 pp. 538-543, 2001, doi: 10.1364/ao.40.000538. 486
- [28] E. Iaccheri, L. Ragni, C. Cevoli, S. Romani, M. Dalla Rosa, and 487 P. Rocculi, "Glass transition of green and roasted coffee investigated by 488 calorimetric and dielectric techniques," Food Chem., vol. 301, Dec. 2019, 489 490 Art. no. 125187, doi: 10.1016/j.foodchem.2019.125187.
- [29] E. Iaccheri, A. Berardinelli, C. Ciavatta, and L. Ragni, "Rapid assess-491 ment of fertilizers manufacturing methods by means of a novel 492 waveguide vector spectrometer," J. Agricult. Eng., vol. 51, no. 4, 493 pp. 192-199, 2020, doi: 10.4081/jae.2020.1093. 494
- 495 [30] L. Franceschelli, A. Berardinelli, M. Crescentini, E. Iaccheri, M. Tartagni, and L. Ragni, "A non-invasive soil moisture sensing system 496 electronic architecture: A real environment assessment," Sensors, vol. 20, 497 498 no. 21, p. 6147, Oct. 2020, doi: 10.3390/s20216147.
- [31] T.-Y. Yen and D.-J. Yao, "Freshness detection of kiwifruit by gas sensing 499 array based on surface acoustic wave technique," in Proc. IEEE 13th 500 Annu. Int. Conf. Nano/Micro Engineered Mol. Syst. (NEMS), Apr. 2018, 501 pp. 98-101, doi: 10.1109/NEMS.2018.8556907. 502
- 503 [32] B. Carlson and P. Crilly, Communication System, 5th ed. New York, NY, USA: McGraw-Hill, 2010. 504
- (2018). PLS-Toolbox 8.6.2. Eigenvector Research, Manson, WA USA. 505 [33] [Online]. Available: http://www.eigenvector.com 506
- [34] H. Wold, "Aspects opératoires des modèles économétriques et soci-507 ologiques. Développement actuel de l'estimation 'F.P.' (Point fixe) et de 508 la modélisation 'NIPALS' (linéarisation par itération de moindres carrés 509 partiels)," Économie Appliquée, vol. 421, pp. 389-421, Mar. 1973. 510
- [35] S. de Jong, "SIMPLS: An alternative approach to partial least squares 511 regression," Chemometrics Intell. Lab. Syst., vol. 18, no. 3, pp. 251-263, 512 513 1993.
- Wiki-Eigenvector. (2020). Cross Validation. [Online]. Available: [36] 514 http://wiki.eigenvector.com/index.php?title=Using_Cross-Validation 515
- [37] Wiki-Eigenvector. (2020). Choose Comp. https://www.wiki.eigenvector. 516 com/index.php?title=Choosecomp 517
- Wiki-Eigenvector. 2020. Select Vars. [Online]. Available: https://www. 518 [38] wiki.eigenvector.com/index.php?title=Selectvars 519
- E. Iaccheri, M. Castro-Giraldez Marta, and P. J. Fito, "Study of a control 520 [39] 521 methodology of orange juice evaporation by dielectric spectroscopy," in Proc. InsideFood Symp., Leuven, Belgium, 2013. 522

tively, where he is currently pursuing the Ph.D. 550 degree in engineering and information technology 551 for structural and environmental monitoring and risk 552 management-EIT4SEMM, with a focus on the use of 553 multivariate statistical analysis in several fields, such 554 as concrete monitoring and hyperspectral imaging. 555

Eleonora Iaccheri was born in Cesena, Italy,

536

537

538

539

541

542

543

544

545

546 547 AQ:10

548

549

540 AQ:9



Leonardo Franceschelli was born in Forlì, Italy, in 1994. He received the B.Sc. and M.Sc. degrees in biomedical engineering from the University of Bologna, Bologna, Italy, in 2016 and 2019, respec-



Marco Tartagni (Member, IEEE) received the M.S. 556 degree in electrical engineering and the Ph.D. degree 557 in electrical engineering and computer sciences 558 from the University of Bologna, Bologna, Italy, 559 in 1988 and 1993, respectively. 560

He joined the Electrical Engineering Depart-561 ment, California Institute of Technology (Caltech), 562 Pasadena, CA, USA, as a Visiting Student, in 1992, 563 and a Research Fellow, in 1994, working on vari-564 ous aspects of analog VLSI for image processing. 565 Since 1995, he has been with the Department of 566

Electronics, University of Bologna, where he is currently a Full Professor. 567 From 1996 to 2001, he was the Team Leader with the joint lab between 568 STMicroelectronics, Milan, Italy, and the University of Bologna, working on 569 intelligent sensors, such as CMOS cameras and capacitive fingerprint sensors. 570

Dr. Tartagni was a co-recipient of the IEEE Van Vessem Outstanding Paper 571 Award at the 2004 International Solid-State Circuit Conference (ISSCC) 572 He has been the European Coordinator of the FP6 Receptronics Project in 573 the nanoelectronics area. He has been serving on the Scientific Committee of 574 the IEEE Custom Integrated Circuit Conference (CICC) since 2017. 575





Annachiara Berardinelli was born in Atri, Italy, in 1973. She received the degree in food science and technologies and the Ph.D. degree in agricultural engineering from the University of Bologna in 1999 and 2003, respectively. She is currently an Assistant Professor with the Center of Agriculture, Food and Environment C3A, Department of Industrial Engineering, University of Trento. She works on the assessment of physical and mechanical properties of agricultural products and the development of systems for non-destructive determinations

on biological products, based on their electric and dielectric properties and multivariate statistical analysis. 535



Luigi Ragni was born in Bologna, Italy, in 1961. He received the degree in agricultural science from 577 the University of Bologna in 1987 and the Ph.D. degree in agricultural mechanics from the University of Bologna in 1992. He is currently an Associate Professor with the Food Science Campus, Cesena, Italy. He deals with the development of selection systems based on the dielectric properties of biological products. Another area of work is the study and implementation of gas plasma and pulsed electric field devices for innovative applications on food

products. He also has a long-standing interest in electronics and experimental physics.

576 AO:11

582 583

584