



ALMA MATER STUDIORUM
UNIVERSITÀ DI BOLOGNA

ARCHIVIO ISTITUZIONALE
DELLA RICERCA

Alma Mater Studiorum Università di Bologna
Archivio istituzionale della ricerca

Young Basketball Players' Multiple Object Tracking Skills Were Unaffected by Stroop-Induced Mental Fatigue

This is the final peer-reviewed author's accepted manuscript (postprint) of the following publication:

Published Version:

Faro, H., Cavalcante Silva, D., Barbosa, B.T., Costa, Y.P.d., Freitas-Junior, C.G., de Lima-Junior, D., et al. (2023). Young Basketball Players' Multiple Object Tracking Skills Were Unaffected by Stroop-Induced Mental Fatigue. PERCEPTUAL AND MOTOR SKILLS, 130(5), 2161-2176 [10.1177/00315125231189091].

Availability:

This version is available at: <https://hdl.handle.net/11585/945177> since: 2024-03-22

Published:

DOI: <http://doi.org/10.1177/00315125231189091>

Terms of use:

Some rights reserved. The terms and conditions for the reuse of this version of the manuscript are specified in the publishing policy. For all terms of use and more information see the publisher's website.

This item was downloaded from IRIS Università di Bologna (<https://cris.unibo.it/>).
When citing, please refer to the published version.

(Article begins on next page)

1
2
3 1 **Young Basketball Players' Multiple Object Tracking Skills Were Unaffected by**
4
5 2 **Stroop-Induced Mental Fatigue**
6
7 3
8
9

10 4 **Abstract**

11
12 5 We aimed to examine the acute effect of mental fatigue on young basketball players'
13
14 6 three-dimensional multiple object tracking (3D-MOT) skills. Our participants were 12
15
16 7 adolescent basketball players (M age = 16.66, SD = 1.87 years; M years of practice = 2.66,
17
18 8 SD = 1.07 years). In nine lab visits, we used visits 1 to 7 to familiarize participants with
19
20 9 3D-MOT, a subjective scale of mental fatigue, and a Stroop task involving mental set
21
22 10 shifting. In the last two visits, participants performed in both experimental (EXP) and
23
24 11 control (CON) conditions that were presented in randomized order. In the EXP condition,
25
26 12 participants performed 3D-MOT pre- and post-60 minutes of induced mental fatigue; in
27
28 13 the CON condition, they watched a documentary. After each condition, B participants
29
30 14 performed the National Aeronautics and Space Administration Task Load Index (NASA-
31
32 15 TLX). 3D-MOT performance measures were the "score" and "fastest trial score success."
33
34 16 The response time on the Stroop tasks increased throughout the mental fatigue
35
36 17 inducement in the experimental condition (p = 0.0037). The NASA-TLX responses were
37
38 18 higher following the EXP condition than following the CON condition for mental
39
40 19 demand, temporal demand, and performance (all ps < 0.05). Still, there were no
41
42 20 significant EXP versus CON differences on the 3D-MOT performance indicators.
43
44
45
46
47
48

49 21
50
51 22 **Keywords:** cognition; perceptual-cognitive skill; team sports
52
53
54 23
55
56 24
57
58 25
59
60

1
2
3 26
4

5 27

Introduction

28 Interceptive sports, like basketball, are activities that require coordination
29 between an object (e.g., a ball) and an athlete's body/part, involving a dynamic context
30 and well-developed perceptual-cognitive skills (Dong et al., 2022). These skills allow the
31 player to evaluate and integrate sensory information accompanied by previous tactical
32 knowledge, resulting in efficient interactions with the environment (Hodges et al., 2021;
33 A. M. Williams et al., 2012). Furthermore, visual perception is often the perceptual-
34 cognitive skill on which most sports, including basketball, are central (Sirnik et al.,
35 2022a). This coordination skill has been considered a main contributing factor to
36 successful performance in team sports, including basketball (Liu et al., 2020).

37 Visual search behavior refers to alternations between fixations and saccades (i.e.,
38 eye movements), and it seems essential to overall performance in basketball. The game
39 of basketball demands that players observe hard-to-predict movements by teammates and
40 opponents, and that they identify and track empty spaces, and simultaneously maneuverer
41 into a shooting position to shoot the ball into the basketball hoop (Sirnik et al., 2022b;
42 Vaeyens et al., 2007). These requirements make even young basketball athletes good
43 candidates for a laboratory examination of the effects of mental fatigue on multiple object
44 tracking.

45 Eye movements must be controlled by a time-efficient search strategy (Morgan &
46 Patterson, 2009). Eye movements are commonly assessed by eye-movement recording
47 systems (A. Mark Williams & Ericsson, 2005), a 360° multiple object tracking (MOT)
48 (Ehmann et al., 2022), and a three-dimensional MOT (3D-MOT) tool in a training
49 strategy to improve perceptual-cognitive skills in athletes from different ball sports
50 (Romeas et al., 2016, 2019) and in non-sport-specific outcomes (Parsons et al., 2016).

1
2
3 51 Interestingly, the speed at which multiple objects can be visually tracked is
4
5 52 correlated with specific abilities required in basketball, such as assists (i.e., actions to pass
6
7 53 the ball to the teammate who scores a basket) and steals (i.e., steals of the ball by a
8
9
10 54 defensive player through an interception) (Jin et al., 2020; Mangine et al., 2014). In this
11
12 55 way, the velocity at which athletes can perform correctly in the MOT seems to be the
13
14 56 most important indicator of task success. Indeed, Faubert (2013a) showed that the speed
15
16 57 threshold in the 3D-MOT task could differ for athletes by their competitive level. Thus,
17
18 58 other indicators related to velocity in the task might indicate an improvement or decrease
19
20 59 in the MOT performance (e.g., scores and maximum speed reached). However, the
21
22 60 velocity itself is not enough to entirely explain performance, but an increase in the visual
23
24 61 search demands, visual challenges, and the rate of interactions that high speeds create also
25
26 62 play a role (Faubert & Sidebottom, 2012). Therefore, multiple indicators should be used
27
28 63 to measure performance during the MOT task.

32
33 64 Considering the importance of visual tracking skills for basketball,
34
35 65 psychobiological states of readiness or fatigue might influence this skill and lead athletes
36
37 66 to worse or better performance. Studies have shown that varying levels of players' mental
38
39 67 fatigue might differentially affect basketball performance (Cao et al., 2022). Mental
40
41 68 fatigue is a psychobiological state characterized by tiredness, lack of energy, and impaired
42
43 69 cognitive performance after an exposure to a task requiring extensive cognitive effort
44
45 70 (Marcora et al., 2009). A recent systematic review revealed that free-throws, three-point
46
47 71 shots, turnovers, and decision-making were impaired by mental fatigue (Cao et al., 2022).
48
49 72 Also, a recent study showed that basketball players' visual performance, as measured by
50
51 73 eye-tracking, was changed by this fatigue state with resultant impairment in some
52
53 74 perceptual-cognitive skills (L. de S. Fortes et al., 2022). In most past experiments, mental
54
55 75 fatigue was induced by a computerized cognitive task for at least 30 minutes (Van Cutsem
56
57
58
59
60

1
2
3 76 et al., 2017); in others, mental fatigue was induced by prolonged use of social media or
4
5 77 videogame (Faro et al., 2022; Fortes et al., 2020, 2022). However, no investigator has yet
6
7 78 studied the effect of mental fatigue on MOT outcomes. Yet, 3D-MOT is more accessible
8
9 79 and easier to implement in athletes' routines than is the more often-studied eye-tracking
10
11 80 outcome measure, and it is important to isolate the specific skills that may be affected by
12
13 81 mental fatigue.
14
15

16
17 82 Thus, we aimed to examine the acute effect of mental fatigue by using basketball
18
19 83 players' MOT skills with the 3D-MOT assessment tool. We selected basketball players
20
21 84 for this test because of the high interceptive demands of this sport and our expectation
22
23 85 that athletes' object-tracking skills would be particularly sensitive to the effects of mental
24
25 86 fatigue, even in young players. Previous findings also revealed changes in visuomotor
26
27 87 skills for mentally fatigued basketball players (Faro et al., 2022). We hypothesized that
28
29 88 MOT skill parameters (e.g., threshold speed and score) would be impaired by exposure
30
31 89 to mental fatigue.
32
33
34
35
36

37 91 **Method**

38 92 ***Participants***

39
40
41 93 Fourteen young male basketball players from one school team voluntarily
42
43 94 participated in this study. Since the sample of the players was limited in size, it was not
44
45 95 possible to recruit them randomly; hence we recruited a convenience sample. Two
46
47 96 athletes were excluded from the analysis because they did not complete the
48
49 97 familiarization sessions, leaving 12 athletes (M age = 16.66, SD = 1.87 years; M years of
50
51 98 practice = 2.66, SD = 1.07) whose data could be used for these analyses. These athletes
52
53 99 came from the same team that competed at state and regional levels; they trained four
54
55 100 times per week for ~1.5 hours per session. The training session involved one hour of
56
57
58
59
60

1
2
3 101 technical-tactic drills and 30 minutes of physical training. Participants were informed of
4
5 102 the study's procedures and of their rights to withdraw from the study, and they gave their
6
7 103 informed assent. Parents or legal guardians of all participants also gave their informed
8
9 104 consent. The study protocol followed the World Medical Association's Declaration of
10
11 105 Helsinki and the study received approval from Ethics Committee of the Federal
12
13 106 University of Paraíba with the registration number: (42205621.4.0000.5188).
14
15
16
17
18

107

108 ***Study design and Procedure***

21 109 This is a crossover study, with the order of experimental and control conditions
22
23 110 randomized. The study was divided into two phases with eight visits (see Figure 1). First,
24
25 111 participants underwent 15 familiarization sessions to achieve performance stabilization
26
27 112 of 3D-MOT in the NeuroTracker platform (NeuroTracker, Montreal, Canada). We
28
29 113 followed Faubert (Faubert, 2013) with this procedure, the familiarization phase was split
30
31 114 into five non-consecutive days in which there were three sessions per day, each separated
32
33 115 by 40 minutes. During the break between session trials, the athletes remained in a room
34
35 116 with no access to smartphones or books or a means by which they might self-induce
36
37 117 cognitive load. They were allowed to make conversation with each other. In the second
38
39 118 phase, we provided one session in which we familiarized participants with the survey
40
41 119 instrument used to acquire subjective ratings of mental fatigue (i.e., National Aeronautics
42
43 120 and Space Administration Task Load Index; NASA-TLX) and with a Stroop task (Martin
44
45 121 et al., 2016) to induce mental fatigue. Then, participants underwent two visits scheduled
46
47 122 one-week apart in which they experienced either the experimental condition (EXP) or the
48
49 123 Control condition (CON). In the EXP, participants performed the 3D-MOT and
50
51 124 underwent mental fatigue inducement for 60 minutes (i.e., engaged in the Stroop task). In
52
53 125 the control condition (CON), participants underwent similar procedures but, in place of
54
55
56
57
58
59
60

1
2
3 126 the Stroop task mental fatigue inducement, they watched a one-hour documentary film.
4
5 127 Immediately after the experiment (i.e., post-experiment), the participants answered the
6
7 128 NASA-TLX and performed the 3D-MOT again. Participants were instructed not to use
8
9 129 caffeine, social media, physical exercise, or other cognitively or physically demanding
10
11 130 activity at least six hours before experimental conditions. Before starting the treatment
12
13 131 procedures, the participants answered a pre-trial checklist confirming that they had
14
15 132 followed these recommendations. All trials lasted about 90 minutes. It is important
16
17 133 highlight that previous studies about mental fatigue also used similar experimental design
18
19 134 (e.g., mental fatigue and control conditions)
20
21
22
23
24
25

26 136 ***Figure 1 here***
27
28
29

30 138 ***3D Multiple Object Tracking (3D-MOT)***

31
32
33 139 The procedures of 3D-MOT application followed previous work on MOT and
34
35 140 team sports athletes (Romeas et al., 2016). A 55-inch projection screen was used to
36
37 141 display 3D-MOT CORE version 1.16.6 mode (NeuroTracker, Montreal, Canada). The
38
39 142 participant was seated comfortably in a chair at 2.70 meters from the screen. The task
40
41 143 required the participant to follow four of eight yellow 3D spheres that moved for eight
42
43 144 seconds on the screen. That is, the animation of the MOT task was rendered and showed
44
45 145 depth cues in relation to the sizes of the spheres and dimensions of the cube. The spheres
46
47 146 that must be followed were highlighted for two seconds before they started to move.
48
49 147 When the objects stopped, they were numbered, and the participant was required to say
50
51 148 the numbers corresponding to the spheres highlighted at the beginning of the trial. The
52
53 149 participants spoke the numbers verbally, and the researcher clicked on the spheres with
54
55 150 the numbers judged as correct by the participant. When the answer was correct, (i.e.,
56
57
58
59
60

1
2
3 151 correctly selected all four balls) the speed of the subsequent trial increased, otherwise the
4
5 152 speed decreased. For the first attempt, the speed at which the balls moved was
6
7 153 standardized to 68 cm*s-1.). The participants performed 20 trials in each application. The
8
9 154 "score" (i.e., represented the average speed of the last four attempts) and the "fastest trial
10
11 155 score success" (i.e., maximum speed reached during attempts) as the participant's 3D-
12
13 156 MOT performance indicators.
14
15
16

157

17
18
19 158 ***National Aeronautics and Space Administration Task Load Index (NASA-***
20
21 159 ***TLX)***
22
23

24 160 To acquire subjective ratings of mental fatigue for the extent to which we had
25
26 161 induced mental fatigue, we used the NASA-TLX. This questionnaire has six domains:
27
28 162 mental demand, physical demand, temporal demand, performance, effort, and frustration.
29
30 163 However, considering that our experiment used no physical task, we excluded the
31
32 164 physical demand and effort domains from this survey. Each domain had a specific related
33
34 165 question referring to that activity. Thus, the scale was applied only after each
35
36 166 experimental condition. Each question was followed by a line with 20 markers that
37
38 167 limited where the participant should make their response. The corresponding marking
39
40 168 was multiplied by five to calculate the final score. The participants were asked to mark a
41
42 169 point on the line corresponding to the state of their mental fatigue for each domain at that
43
44 170 moment. Previous studies similarly used the NASA-TLX to identify the domains affected
45
46 171 by mental fatigue (Van Cutsem et al., 2019, 2022)
47
48
49
50

172

51
52
53 173 ***Treatment***

54
55 174 ***EXP - Mental Fatigue.*** The modified Stroop task (Martin et al., 2016) was used
56
57 175 to induce mental fatigue in the experimental (EXP) condition of the study. Only
58
59
60

1
2
3 176 incongruent stimuli were used. Participants were instructed to respond based on the
4
5 177 word's color and ignore its meaning. The colors yellow, blue, green, and red were used
6
7 178 and each had a corresponding motor response on the keyboard (i.e., "A", "D", "J", and
8
9 179 "L", respectively). To avoid delay, participants were instructed to position both hands on
10
11 180 the keyboard. The letters on the keyboard were colored to match the corresponding letter
12
13 181 color, as shown in Figure 2. The task was administered in four blocks of 15 minutes each,
14
15 182 for a total duration of 60 minutes. Participants were instructed to respond as quickly and
16
17 183 accurately as possible. The task was created and administered using the PsychoPy
18
19 184 software (version 2021.2.3, GNU General Public License) and presented on a 17-inch
20
21 185 screen in a silent, temperature-controlled room with low luminosity, and overseen by the
22
23 186 lead researcher.
24
25
26
27
28
29

187

30 188 **Documentary.** In the control condition (CON), participants watched an
31
32 189 emotionally neutral documentary (Science Mysteries - A Journey to the Center of the
33
34 190 Earth, audio in Portuguese, without subtitles) on a 17" inch screen, in a temperature-
35
36 191 controlled at 16°-18°C and with low luminosity, only with the presence of one researcher.
37
38
39

192

193 **Statistical Analysis**

194 Data normality was tested by Shapiro-Wilk and the homogeneity of variances was
195 tested by Levene test. A 2-way mixed effects, average of measurements, and consistency
196 agreement Intraclass Coefficient Correlated (ICC) and 95% interval of confidence
197 (95%IC) were calculated for each variable, using the data from the three last trials (i.e.,
198 day 5) of phase 1. The qualitative ICC classification was >0.90 "excellent", 0.75-0.90
199 "good," 0.50-0.75 "moderate", and <0.50 "poor" (Koo & Li, 2016). The difference in the
200 response time of Stroop task blocks was tested using the Friedman ANOVA by ranks test

1
2
3 201 since the data for this variable did not present a normal distribution. The NASA-TLX
4
5 202 response was compared with Wilcoxon test. The remaining variables were tested using
6
7 203 repeated measures ANOVA two-way (Time x Conditions) for analyzing main effects
8
9 204 (Condition, Time) and any interaction effect of Condition X Time on the two times for
10
11 205 3D-MOT skills. If a significant difference was identified, the Bonferroni post hoc
12
13 206 procedure was used for pairwise comparisons. We calculated partial eta squared (η^2) to
14
15 207 measure the effect size (ES) and interpreted effect sizes as small: 0.01; moderate: 0.09;
16
17 208 large: 0.25, as suggested by Mesquita et al. (Mesquita et al., 2019). Statistical procedures
18
19 209 were performed using the Statistical Package for the Social Sciences software (SPSS,
20
21 210 version 20.0; IBM Corp., Armonk, NY, USA). We set statistical significance at $p < 0.05$.
22
23
24
25

26 211

27 212

Results

28
29
30 213 *NASA-TLX*. Table 1 shows the participants' responses on the NASA-TLX domains for
31
32 214 each experimental condition. Except for frustration, all domains of NASA-TLX were
33
34 215 significantly different between conditions. Participants reported the mental demand to be
35
36 216 32% greater in the mental fatigue condition than in the control condition.
37
38
39

40 217

41 218

Table 1 here

42 219

43
44
45
46
47 220 The response time on the Stroop task in the mental fatigue condition significantly
48
49 221 increased over time ($p=0.0037$; $F=13.300$; $\eta^2=0.337$). These differences occurred
50
51 222 between block 1 vs block 3 ($p=0.021$; $F=12.000$; $\eta^2=0.406$) and between block 1 vs
52
53 223 block 4 ($p=0.004$; $F=8.333$; $\eta^2=0.500$). However, there was only a tendency toward a
54
55
56
57
58
59
60

224 significant difference in Stroop accuracy over time ($p=0.053$; $F= 2.830$; $\eta_p^2= 0.205$)
225 (Figure 2).

226

227 ***Figure 2 here***

228

229 **3D-MOT.**

230 The ICCs were “good” for Score on the 3D-MOT ($ICC=0.806$; $95\%IC=0.487-$
231 0.939 ; $p=0.001$) and Fastest on the 3D-MOT ($ICC=0.765$; $95\%IC=378-0.926$; $p=0.002$),
232 indicating acceptable reliability on these measures. The 3D-MOT variable remained
233 unaltered after both conditions (see Figure 3).

234 While there was a significant main effect of Time on the 3D-MOT Score ($F_{(1,11)} =$
235 7.084 , $p = 0.027$, $\eta_p^2 = 0.392$), follow-up analyses did not show any separate Time effect
236 in either the EXP condition ($F_{(1,11)} = 3.122$; $p = 0.105$, $\eta_p^2 = 0.221$) or the CON condition
237 ($F_{(1,11)} = 2.511$, $p = 0.141$, $\eta_p^2 = 0.186$); and there was no significant Time x Condition
238 interaction effect ($F_{(1,11)} = 0.014$; $p = 0.097$, $\eta_p^2 = 0.001$). Similarly, there was no Condition
239 main effect for 3D-MOT Score ($F_{(1,11)} = 0.110$; $p = 0.747$; $\eta_p^2 = 0.010$).

240 For 3D MOT Fastest, there was no significant main effect of Time ($F_{(1,10)} = 1.509$,
241 $p = .232$, $\eta_p^2=0.106$), no significant main effect of Condition ($F_{(1,10)} = 0.092$, $p = 0.764$,
242 $\eta_p^2 = 0.008$, and no significant Time x Condition interaction effect ($F_{(1,10)} = 0.260$, $p = .615$,
243 $\eta_p^2 = 0.193$).

244

1
2
3 245
4 246
5 247

Figure 3 here

7
8 248

Discussion

9
10 249 We aimed to assess the potential effect of mental fatigue on basketball players'
11
12 250 MOT performance. The response time on Stroop tasks increased throughout the mental
13
14 251 fatigue experimental condition, and the participants' subjective feelings of mental
15
16 252 demand (as measured by the NASA-TLX) were higher when they were in the mental
17
18 253 fatigue condition compared to the control condition. Still, their performance across these
19
20 254 two EXP and CON conditions, as indicated by the 3D-MOT, were not significantly
21
22 255 different; and this is in contradiction to our initial hypothesis.

23
24
25
26 256 Previous studies have shown that 3D-MOT was able to distinguish visual search
27
28 257 learning among professional, amateur-elite, and non-athletes (Faubert, 2013b) and that
29
30 258 engagement in it was associated with improved passing decision-making accuracy in
31
32 259 soccer players (Romeas et al., 2016). Since previous studies showed that the outcomes of
33
34 260 the 3D-MOT measures (i.e., visual search behavior) were impaired by mental fatigue (L.
35
36 261 de S. Fortes et al., 2022; Smith et al., 2016), we expected but did not find, a decline in
37
38 262 3D-MOT performance following the cognitive effort our participants experienced on the
39
40 263 Stroop task. Considering the original aim for which this tool was created (i.e., training the
41
42 264 visual search behavior), maybe a transitive state like mental fatigue did not affect the 3D-
43
44 265 MOT performance. Possibly, the Stroop task for inducing mental fatigue is too language
45
46 266 and left cortical hemisphere based to reflect mental fatigue on right-hemisphere based
47
48 267 tasks associated with the 3D-MOT. Future investigators should consider these and other
49
50 268 bases for these findings and might test whether repeated mental fatigue worsens 3D-
51
52 269 MOT performance.

53
54
55
56
57
58 270
59
60

1
2
3 271 Previous studies showed that mental fatigue impairs visual search behavior (L. de
4
5 272 S. Fortes et al., 2022; Smith et al., 2016). Smith et al. (Smith et al., 2016) found a lower
6
7 273 number of fixations and high fixation duration in 2 vs. 1 formation and a lower percentage
8
9 274 of fixations in 3 vs. 2 formations when soccer athletes were mentally fatigued. Similarly,
10
11 275 Fortes et al. (L. de S. Fortes et al., 2022) found a decrease of ~9% in the number of
12
13 276 fixations after basketball athletes played a sport-based videogame. In both studies, the
14
15 277 visual search behavior was measured during a decision-making task involving specific-
16
17 278 sport scenes (i.e., soccer and basketball, respectively). Moreover, eye-tracking parameters
18
19 279 were used to measure the ocular response to visual search. We used a laboratory task to
20
21 280 measure the visual search based on general aspects of team sports, and we did not use a
22
23 281 physiological measure, such as eye-tracking. These differences might partly explain why
24
25 282 mental fatigue did not affect the 3D-MOT performance for these participants.
26
27 283 Standardized laboratory stimuli (i.e., computerized and off-field stimuli) may not have
28
29 284 been impacted by mental fatigue in the same way as on-field situations were. Moreover,
30
31 285 despite our finding that the objective performance was not impaired, future investigations
32
33 286 should include a physiological measure (i.e., electroencephalogram or eye-tracking)
34
35 287 throughout 3D-MOT to further refine this performance measurement.
36
37
38
39
40
41

42 288 Although most 3D-MOT studies used only the speed threshold as an indicator for
43
44 289 performance (Park et al., 2021), we also analyzed the score of the fastest trial, considering
45
46 290 that, together, these parameters could give a broader response regarding mental fatigue.
47
48 291 However, none of these parameters were affected by mental fatigue inducement.
49
50 292 Somehow, the above-mentioned parameters influenced each other, since, when the speed
51
52 293 of the spheres was fast, the participants tended to make more mistakes and the opposite
53
54 294 occurred at low speeds. This result would have impacted the score (Holcombe & Chen,
55
56 295 2012; Vater et al., 2021). and it partially explains the lack of effect of mental fatigue in
57
58
59
60

1
2
3 296 all parameters investigated. However, the score reflects cognitive performance on the 3D-
4
5 297 MOT (Parsons et al., 2016; Romeas et al., 2016) and it is related to specific basketball
6
7 298 parameters (Mangine et al., 2014). Thus, our finding that it was unaffected by mental
8
9 299 fatigue indicates that 3D-MOT was not sensitive to mental fatigue in our young basketball
10
11
12 300 players.

13
14 301 Increased cognitive effort can generate mental fatigue, which, in turn, impairs the
15
16 302 performance of subsequent cognitive skills (Faro et al., 2022; Fortes et al., 2022). Our
17
18 303 results showing that MOT ability was not negatively affected by mental fatigue after 15
19
20 304 sessions may suggest that MOT training may not only improve perceptual-cognitive
21
22 305 skills, but it may also increase resistance to mental fatigue in young athletes. This
23
24 306 becomes important because others have shown that participation in training sessions and
25
26 307 competitions during the season causes accumulated mental fatigue that can compromise
27
28 308 athletes' performance (Russell et al., 2022)

29
30
31
32
33 309

34 35 310 ***Limitations and Directions for Further Research***

36
37 311 In the present experimental protocol, we consolidated the 3D-MOT measures by
38
39 312 training the athletes over 15 sessions to stabilize the learning function and have a
40
41 313 consistent response baseline (Faubert, 2013). This procedure may have stabilized 3D-
42
43 314 MOT performance and eliminated the task-learning effect. However, a preliminary study
44
45 315 has shown that prior training of athletes can reduce susceptibility to acute physical fatigue
46
47 316 as demonstrated by unaffected 3D-MOT scores, while athletes untrained (not
48
49 317 consolidated) on 3D-MOT did show a detrimental effect of acute physical fatigue on 3D-
50
51 318 MOT scores (Faubert & Barthes, 2018). Perhaps the same phenomenon is observed here
52
53 319 for mental fatigue, given that all the athletes were pre-trained (consolidated) (Faubert &
54
55 320 Berthes, 2018).

1
2
3 321 Another factor that should be considered in the present study was the age of the
4
5 322 players. Since our sample was ~16 years old, they were teenagers. Some evidence
6
7 323 suggests that the effects of mental fatigue are not equal in adolescents and adults. In this
8
9 324 sense, in a study with young soccer athletes from different categories (U-14, U-16 and U-
10
11 325 18), Filipas et al. (2020), found worse results in technical and physical performances in
12
13 326 older athletes after being induced by mental fatigue compared to younger athletes. Also,
14
15 327 in our study, the athletes reported feeling mentally exhausted after 60 minutes of the
16
17 328 Stroop task, but their 3D-MOT performance was not impacted. One explanation may be
18
19 329 that these participants' youth was associated greater resilience in frontal lobe brain
20
21 330 functioning due to the earlier stage of their brain development. The brain regions related
22
23 331 to inhibitory response, such as the frontal lobe, especially the anterior cingulate cortex,
24
25 332 develop most between the ages of 12 and 17 (Romine & Reynolds, 2005). This is a period
26
27 333 of development of functional neural networks and patterns of activation of specific tasks
28
29 334 that support the increase in cognitive performance (Rubia et al., 2006). Furthermore, the
30
31 335 activation of brain regions such as the prefrontal cortex, the anterior cingulate, and the
32
33 336 parietal cortex is greater in adults than in children/adolescents when performing the
34
35 337 Stroop task (Adleman et al., 2002). In this way, youth provide them with resilience against
36
37 338 mental fatigue that adults don't appreciate.

38
39 339 Beyond these concerns, other bases for cautious interpretation of our findings
40
41 340 include that our sample came from only one team sport and presented a low weekly
42
43 341 training load, which characterizes them as amateur athletes. Although the subjective
44
45 342 response and response time (but not accuracy) on the Stroop task suggested that mental
46
47 343 fatigue occurred, the cognitive load was not individualized, and the magnitude of the
48
49 344 mental fatigue inducement impact might have been too low to impact 3D-MOT
50
51 345 performance. Since some previous findings suggested that physiological markers of
52
53
54
55
56
57
58
59
60

1
2
3 346 visual search (i.e., eye-tracking parameters) were negatively impacted by mental fatigue,
4
5 347 future studies should include eye-tracking parameters during the 3D-MOT task.
6
7 348 Moreover, our experimental design has laboratory predominance and its applicability in
8
9 349 sport-field is limited.

10
11
12 350 Finally, our small sample might partially explain the lack of significant results.
13
14 351 We cannot rule out the possibility that our sample size left us with insufficient statistical
15
16 352 power to detect a small effect size difference between the experimental and control
17
18 353 conditions. Additionally, generalization of results is limited from so small a sample.
19
20 354 Future investigators would be well advised to include a larger participant sample that is
21
22 355 more diverse in age and gender.
23
24
25

26 356

27
28 357

Conclusions

29
30 358 In sum, subjective (i.e., NASA-TLX) and behavioral (i.e., Stroop task response
31
32 359 time) parameters were impaired during and after mental fatigue inducement, but 3D-MOT
33
34 360 parameters (i.e., score and fastest velocity) were not impacted. Thus, the 3D-MOT skill
35
36 361 was not impacted by acute mental fatigue in young athletes and should not be used as a
37
38 362 manipulation check of this psychobiological state for this population.
39
40

41 363

42 364

43 365

Declaration of interest statement

44
45
46 366
47
48 367 There is no conflict of interest.
49
50
51 368

52 369

References

53
54
55
56
57
58
59
60

- 1
2
3 370 Adleman, N. E., Menon, V., Blasey, C. M., White, C. D., Warsofsky, I. S., Glover, G.
4 371 H. & Reiss, A. L. (2002). A developmental fMRI study of the Stroop color-word
5 372 task. *NeuroImage*. <https://doi.org/10.1006/nimg.2001.1046>
6 373 Cao, S., Geok, S. K., Roslan, S., Sun, H., Lam, S. K. & Qian, S. (2022). Mental Fatigue
7 374 and Basketball Performance: A Systematic Review. *Frontiers in Psychology*,
8 375 12(January). <https://doi.org/10.3389/fpsyg.2021.819081>
9 376 Dong, L., Pageaux, B., Romeas, T. & Berryman, N. (2022). The effects of fatigue on
10 377 perceptual-cognitive performance among open-skill sport athletes: A scoping
11 378 review. *International Review of Sport and Exercise Psychology*, 1–52.
12 379 <https://doi.org/10.1080/1750984X.2022.2135126>
13 380 Ehmann, P., Beavan, A., Spielmann, J., Mayer, J., Altmann, S., Ruf, L., Rohrmann, S.,
14 381 Irmer, J. P. & Englert, C. (2022). Perceptual-cognitive performance of youth
15 382 soccer players in a 360°-environment – Differences between age groups and
16 383 performance levels. *Psychology of Sport and Exercise*, 59(December 2021),
17 384 102120. <https://doi.org/10.1016/j.psychsport.2021.102120>
18 385 Faro, H., Fortes, L. D. S., Lima-Junior, D. D., Barbosa, B. T., Ferreira, M. E. C. &
19 386 Almeida, S. S. (2022). Sport-based video game causes mental fatigue and impairs
20 387 visuomotor skill in male basketball players. *International Journal of Sport and*
21 388 *Exercise Psychology*. <https://doi.org/10.1080/1612197X.2022.2109187>
22 389 Faro, Heloiana, Fortes, L. de S., Lima-Júnior, D. de, Barbosa, B. T., Ferreira, M. E. C.
23 390 & Almeida, S. S. (2022). Sport-based video game causes mental fatigue and
24 391 impairs visuomotor skill in male basketball players. *International Journal of Sport*
25 392 *and Exercise Psychology*, 1–15. <https://doi.org/10.1080/1612197X.2022.2109187>
26 393 Faubert, J. (2013a). Professional athletes have extraordinary skills for rapidly learning
27 394 complex and neutral dynamic visual scenes. *Scientific Reports*, 3, 22–24.
28 395 <https://doi.org/10.1038/srep01154>
29 396 Faubert, J. (2013b). Professional athletes have extraordinary skills for rapidly learning
30 397 complex and neutral dynamic visual scenes. *Scientific Reports*, 3, 22–24.
31 398 <https://doi.org/10.1038/srep01154>
32 399 Faubert, J. & Berthes, S. (2018). Prior Perceptual-Cognitive Training Builds Mental
33 400 Resistance During Acute Physical Fatigue In Professional Rugby Athletes.
34 401 *BioRxiv*, December 2018. <https://doi.org/10.1101/505313>
35 402 Faubert, J. & Sidebottom, L. (2012). Perceptual-cognitive training of athletes. *Journal*
36 403 *of Clinical Sport Psychology*, 6(1), 85–102. <https://doi.org/10.1123/jcsp.6.1.85>
37 404 Fortes, L. de S., de Lima-Júnior, D., Fiorese, L., Nascimento-Júnior, J. R. A., Mortatti,
38 405 A. L. & Ferreira, M. E. C. (2020). The effect of smartphones and playing video
39 406 games on decision-making in soccer players: A crossover and randomised study.
40 407 *Journal of Sports Sciences*, 38(5), 552–558.
41 408 <https://doi.org/10.1080/02640414.2020.1715181>
42 409 Fortes, L. de S., Lima-Júnior, D. de, Barbosa, B. T., Faro, H., Ferreira, M. E. C. &
43 410 Almeida, S. S. (2022). Effect of mental fatigue on decision-making skill and visual
44 411 search behaviour in basketball players: an experimental and randomised study.
45 412 *International Journal of Sport and Exercise Psychology*, 0(0), 1–20.
46 413 <https://doi.org/10.1080/1612197x.2022.2058055>
47 414 Fortes, L. S., Lima-Junior, D., Barbosa, B. T., Faro, H. K. C., Ferreira, M. E. C. &
48 415 Almeida, S. S. (2022). Effect of mental fatigue on decision-making skill and visual
49 416 search behaviour in basketball players: an experimental and randomised study.
50 417 *International Journal of Sport and Exercise Psychology*.
51 418 <https://doi.org/10.1080/1612197X.2022.2058055>
52
53
54
55
56
57
58
59
60

- 1
2
3 419 Hodges, N. J., Wyder-Hodge, P. A., Hetherington, S., Baker, J., Besler, Z. & Spering,
4 420 M. (2021). Topical Review: Perceptual-cognitive Skills, Methods, and Skill-based
5 421 Comparisons in Interceptive Sports. *Optometry and Vision Science*, 98(7), 681–
6 422 695. <https://doi.org/10.1097/OPX.0000000000001727>
- 8 423 Holcombe, A. O. & Chen, W. Y. (2012). Exhausting attentional tracking resources with
9 424 a single fast-moving object. *Cognition*, 123(2), 218–228.
10 425 <https://doi.org/10.1016/j.cognition.2011.10.003>
- 11 426 Jin, P., Li, X., Ma, B., Guo, H., Zhang, Z. & Mao, L. (2020). Dynamic visual attention
12 427 characteristics and their relationship to match performance in skilled basketball
13 428 players. *PeerJ*, 8, 1–16. <https://doi.org/10.7717/peerj.9803>
- 15 429 Koo, T. K. & Li, M. Y. (2016). A Guideline of Selecting and Reporting Intraclass
16 430 Correlation Coefficients for Reliability Research. *Journal of Chiropractic*
17 431 *Medicine*, 15(2), 155–163. <https://doi.org/10.1016/j.jcm.2016.02.012>
- 18 432 Liu, S., Edmunds, F. R., Burris, K. & Appelbaum, L. G. (2020). Visual and oculomotor
19 433 abilities predict professional baseball batting performance. *International Journal of*
20 434 *Performance Analysis in Sport*, 20(4), 683–700.
21 435 <https://doi.org/10.1080/24748668.2020.1777819>
- 23 436 Mangine, G. T., Hoffman, J. R., Wells, A. J., Gonzalez, A. M., Rogowski, J. P.,
24 437 Townsend, J. R., Jajtner, A. R., Beyer, K. S., Bohner, J. D., Pruna, G. J., Fragala,
25 438 M. S. & Stout, J. R. (2014). Visual tracking speed is related to basketball-specific
26 439 measures of performance in NBA players. *The Journal of Strength and*
27 440 *Conditioning Research Conditioning*, 28(9), 2406–2414.
- 29 441 Marcora, S. M., Staiano, W. & Manning, V. (2009). Mental fatigue impairs physical
30 442 performance in humans. *Journal of Applied Physiology*, 106(3), 857–864.
31 443 <https://doi.org/10.1152/jappphysiol.91324.2008>
- 32 444 Martin, K., Staiano, W., Menaspà, P., Hennessey, T., Marcora, S. M., Keegan, R.,
33 445 Thompson, K. G., Martin, D. T., Halson, S. & Rattray, B. (2016). Superior
34 446 inhibitory control and resistance to mental fatigue in professional road cyclists.
35 447 *PLoS ONE*, 11(7), 1–15. <https://doi.org/10.1371/journal.pone.0159907>
- 37 448 Mesquita, P. H. C., Lage, G. M., Franchini, E., Romano-Silva, M. A. & Albuquerque,
38 449 M. R. (2019). Bi-hemispheric anodal transcranial direct current stimulation
39 450 worsens taekwondo-related performance. *Human Movement Science*, 66, 578–586.
40 451 <https://doi.org/10.1016/j.humov.2019.06.003>
- 41 452 Morgan, S. & Patterson, J. (2009). Differences in oculomotor behaviour between elite
42 453 athletes from visually and non-visually oriented sports. *International Journal of*
43 454 *Sport Psychology*, 40(4), 489–505.
- 45 455 Park, S. Y., Klotzbier, T. J. & Schott, N. (2021). The effects of the combination of high-
46 456 intensity interval training with 3D-multiple object tracking task on perceptual-
47 457 cognitive performance: A randomized controlled intervention trial. *International*
48 458 *Journal of Environmental Research and Public Health*, 18(9).
49 459 <https://doi.org/10.3390/ijerph18094862>
- 50 460 Parsons, B., Magill, T., Boucher, A., Zhang, M., Zogbo, K., Bérubé, S., Scheffer, O.,
51 461 Beauregard, M. & Faubert, J. (2016). Enhancing Cognitive Function Using
52 462 Perceptual-Cognitive Training. *Clinical EEG and Neuroscience*, 47(1), 37–47.
53 463 <https://doi.org/10.1177/1550059414563746>
- 55 464 Romeas, T., Chaumillon, R., Labbé, D. & Faubert, J. (2019). Combining 3D-MOT With
56 465 Sport Decision-Making for Perceptual-Cognitive Training in Virtual Reality.
57 466 *Perceptual and Motor Skills*, 126(5), 922–948.
58 467 <https://doi.org/10.1177/0031512519860286>
- 59
60

- 1
2
3 468 Romeas, T., Guldner, A. & Faubert, J. (2016). 3D-Multiple Object Tracking training
4 469 task improves passing decision-making accuracy in soccer players. *Psychology of*
5 470 *Sport and Exercise*, 22(June), 1–9.
6 471 <https://doi.org/10.1016/j.psychsport.2015.06.002>
7
8 472 Romine, C. B. & Reynolds, C. R. (2005). A model of the development of frontal lobe
9 473 functioning: Findings from a meta-analysis. In *Applied Neuropsychology*.
10 474 https://doi.org/10.1207/s15324826an1204_2
11 475 Rubia, K., Smith, A. B., Woolley, J., Nosarti, C., Heyman, I., Taylor, E. & Brammer,
12 476 M. (2006). Progressive increase of frontostriatal brain activation from childhood to
13 477 adulthood during event-related tasks of cognitive control. *Human Brain Mapping*.
14 478 <https://doi.org/10.1002/hbm.20237>
15
16 479 Russell, S., Jenkins, D. G., Halson, S. L., Juliff, L. E. & Kelly, V. G. (2022). How do
17 480 elite female team sport athletes experience mental fatigue? Comparison between
18 481 international competition, training and preparation camps. *European Journal of*
19 482 *Sport Science*, 22(6), 877–887. <https://doi.org/10.1080/17461391.2021.1897165>
20 483 Sirnik, M., Erčulj, F. & Rošker, J. (2022a). Research of visual attention in basketball
21 484 shooting: A systematic review with meta-analysis. *International Journal of Sports*
22 485 *Science & Coaching*. <https://doi.org/10.1177/17479541221075740>
23 486 Sirnik, M., Erčulj, F. & Rošker, J. (2022b). Research of visual attention in basketball
24 487 shooting: A systematic review with meta-analysis. *International Journal of Sports*
25 488 *Science & Coaching*. <https://doi.org/10.1177/17479541221075740>
26 489 Smith, M. R., Zeuwts, L., Lenoir, M., Hens, N., De Jong, L. M. S. & Coutts, A. J. (2016).
27 490 Mental fatigue impairs soccer-specific decision-making skill. *Journal of*
28 491 *Sports Sciences*, 34(14), 1297–1304.
29 492 <https://doi.org/10.1080/02640414.2016.1156241>
30 493 Vaeyens, R., Lenoir, M., Williams, A. M., Mazyn, L. & Philippaerts, R. M. (2007). The
31 494 effects of task constraints on visual search behavior and decision-making skill in
32 495 youth soccer players. *Journal of Sport and Exercise Psychology*, 29(2), 147–169.
33 496 <https://doi.org/10.1123/jsep.29.2.147>
34 497 Van Cutsem, J., De Pauw, K., Vandervaeren, C., Marcora, S. M., Meeusen, R. &
35 498 Roelands, B. (2019). Mental fatigue impairs visuomotor response time in
36 499 badminton players and controls. *Psychology of Sport and Exercise*, 45(February),
40 500 101579. <https://doi.org/10.1016/j.psychsport.2019.101579>
41 501 Van Cutsem, J., Marcora, S. M., De Pauw, K., Bailey, S. P., Meeusen, R. & Roelands,
42 502 B. (2017). The Effects of Mental Fatigue on Physical Performance: A Systematic
43 503 Review. *Sports Medicine*, 47(8), 1569–1588. [https://doi.org/10.1007/s40279-016-](https://doi.org/10.1007/s40279-016-0672-0)
44 504 0672-0
45 505 Van Cutsem, J., Van Schuerbeek, P., Pattyn, N., Raeymaekers, H., De Mey, J.,
46 506 Meeusen, R. & Roelands, B. (2022). A drop in cognitive performance, whodunit?
47 507 Subjective mental fatigue, brain deactivation or increased parasympathetic
48 508 activity? It's complicated! *Cortex*, 155, 30–45.
49 509 <https://doi.org/10.1016/j.cortex.2022.06.006>
50 510 Vater, C., Gray, R. & Holcombe, A. O. (2021). A critical systematic review of the
51 511 Neurotracker perceptual-cognitive training tool. *Psychonomic Bulletin and Review*,
52 512 28(5), 1458–1483. <https://doi.org/10.3758/s13423-021-01892-2>
53 513 Williams, A. M., Ward, P., Bell-Walker, J. & Ford, P. R. (2012). Perceptual-cognitive
54 514 expertise, practice history profiles and recall performance in soccer. *British*
55 515 *Journal of Psychology*, 103(3), 393–411. [https://doi.org/10.1111/j.2044-](https://doi.org/10.1111/j.2044-8295.2011.02081.x)
56 516 8295.2011.02081.x
57
58
59
60

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

517 Williams, A. Mark & Ericsson, K. A. (2005). Perceptual-cognitive expertise in sport:
518 Some considerations when applying the expert performance approach. *Human*
519 *Movement Science*, 24(3), 283–307. <https://doi.org/10.1016/j.humov.2005.06.002>
520

Figure 1. Study design





Figure 2. Response time of Stroop task during mental fatigue condition;



Note: * = significant difference to 1st block

Figure 3. 3D-MOT parameters result in pre- and post-mental fatigue




Table 1. NASA-TLX Results after Mental Fatigue Inducement and Control Conditions

	Mental Fatigue	Control	<i>p</i> value
Mental demand	59 (22)	32 (24)	0.020
Temporal demand	41 (23)	29 (22)	0.049
Performance	74 (19)	79 (19)	0.194
Frustration level	37 (21)	20 (12)	0.008

Note: Scores are mean values (and standard deviations).