

Supplementary Materials

From Monoamine Oxidase Inhibition to Antiproliferative Activity: New Biological Perspectives for Polyamine Analogs

Giulia Nordio ^{1,2}, Francesco Piazzola ¹, Giorgio Cozza ³, Monica Rossetto ³, Manuela Cervelli ⁴, Anna Minarini ⁵, Filippo Basagni ⁵, Elisa Tassinari ⁶, Lisa Dalla Via ^{1,2}, Andrea Milelli ^{6,*} and Maria Luisa Di Paolo ^{3,*}

¹ Department of Pharmaceutical and Pharmacological Sciences, University of Padova, 35131 Padova, Italy; giulia.nordio.1@phd.unipd.it (G.N.); francesco.piazzola@studenti.unipd.it (F.P.)

² Consorzio Interuniversitario Nazionale per la Scienza e Tecnologia dei Materiali (INSTM), 50121 Firenze, Italy

³ Department of Molecular Medicine, University of Padova, 35131 Padova, Italy; giorgio.cozza@unipd.it (G.C.); monica.rossetto@unipd.it (M.R.)

⁴ Department of Science, University of Rome "Roma Tre", 00146 Rome, Italy; manuela.cervelli@uniroma3.it

⁵ Department of Pharmacy and Biotechnology, Alma Mater Studiorum-University of Bologna, 40126 Bologna, Italy; anna.minarini@unibo.it (A.M.); filippo.basagni2@unibo.it (F.B.)

⁶ Department for Life Quality Studies, Alma Mater Studiorum-University of Bologna, 47921 Rimini, Italy; elisa.tassinari9@unibo.it

* Correspondence: andrea.milelli3@unibo.it (A.M.); marialuisa.dipaolo@unipd.it (M.L.D.P.)




Figure S1 Double reciprocal plots of MAO B activity in the presence of various concentrations of compound 7. Continuous lines are the results of the linear regression analysis of the plotted data ($r > 0.99$)