

	1	2	3	4	5	6	7	8	9	
1		99.5	89.3	89.9	89.7	89.7	89.7	88.9	89.9	1 A/Eurasian Coot/Italy/125/1994
2	0.5		89.4	89.7	89.5	89.5	89.5	88.5	89.7	2 A/Eurasian Coot/Italy/114/1995
3	11.8	11.7		93.7	93.3	93.3	93.5	96.7	93.9	3 A/Mallard/Italy/90/2002
4	11.2	11.4	6.6		99.3	99.3	99.3	93.1	98.9	4 A/Mallard/Italy/166998/2005
5	11.4	11.7	7.2	0.7		99.7	99.7	92.7	98.4	5 A/Mallard/Italy/Eco-634/2005
6	11.3	11.6	7.1	0.7	0.3		99.7	92.8	98.5	6 A/Mallard/Italy/Eco-7/2006
7	11.3	11.6	6.9	0.7	0.3	0.3		92.9	98.6	7 A/Mallard/Italy/Eco-33/2006
8	12.4	12.8	3.4	7.4	7.8	7.7	7.6		93.4	8 A/Mallard/Italy/Eco-360/2006
9	11.1	11.3	6.5	1.1	1.6	1.6	1.4	7.0		9 A/Mallard/Italy/195376/2007
	1	2	3	4	5	6	7	8	9	
NP Percent Similarity in upper triangle										
NP Percent Divergence in lower triangle										

Figure S3. NP genes similarity in avian H10NX strains under study.