

## Insights on state of the art and perspectives of XR for human machine interfaces in advanced air mobility and urban air mobility

Sandhya Santhosh<sup>1,a\*</sup>, Francesca DeCrescenzo<sup>1</sup>, Millene Gomes Araujo<sup>1</sup>,  
Marzia Corsi<sup>1</sup>, Sara Bagassi<sup>1</sup>, Fabrizio Lamberti<sup>2</sup>, Filippo Gabriele Praticò<sup>2</sup>,  
Domenico Accardo<sup>3</sup>, Claudia Conte<sup>3</sup>, Francesco De Nola<sup>4</sup>, Marco Bazzani<sup>4</sup>,  
Joyce Adriano Losi<sup>5</sup>

<sup>1</sup>Department of Industrial Engineering, University of Bologna, Italy

<sup>2</sup>Department of Control and Computer Engineering, Polytechnic of Turin, Italy

<sup>3</sup>Department of Industrial Engineering, University of Naples Federico II, Italy

<sup>4</sup>Teoresi Group, Italy

<sup>5</sup>Accenture

\* sandhya.santhosh2@unibo.it

**Keywords:** Urban Air Mobility, Advanced Air Mobility, Unmanned Aerial Systems, Immersive Technologies, Extended Reality, Human Machine Interfaces, U-Space

**Abstract.** With technological innovation and advancements, especially in autonomy, battery and digitization, the future of air transport and mobility is transiting towards a broader spectrum of Advanced Air Mobility (AAM) and Urban Air Mobility (UAM). UAM envisions safer, faster, and more sustainable air mobility for smarter cities and urban environments including passenger transport and goods delivery. Nevertheless, this concept is still considered extremely breakthrough and several technological and operational aspects are mostly undefined. In this context, a comprehensive approach to AAM/UAM may be to adapt cutting-edge technologies in developing sustainable framework and Human-Machine Interfaces (HMIs) in order to realize the challenges, benefits, and conditions of such transport system in advance for future safer, more reliable and globally approved operations. One of the technologies that can contribute to accelerate advancements through human centred simulating UAM processes and operations is XR (eXtended Reality). This paper presents the early steps of a multidisciplinary study performed under the framework of PNRR (Piano Nazionale di Ripresa e Resilienza) and MOST (Centro Nazionale Mobilità Sostenibile) project in analyzing the perspectives of XR based HMIs for UAM paradigm and potential AAM/UAM use case scenarios that can be simulated with XR in view of attaining efficient and effective future solutions. Furthermore, the work introduces the state-of-the-art overview on XR facilitated UAM applications and considers prospective potential use cases that can be developed through PNRR research study in demonstrating XR as an enabling technology in promising areas of the UAM framework.

### Introduction

Air mobility, also referred to as AAM or UAM, has emerged as a transformative concept in the realm of transportation, offering new possibilities for efficient and sustainable movement of people and goods. According to the studies performed in the framework of the Italian AAM Strategic Plan, the global AAM market is expected to grow at a 20-25% rate from 2021 to 2030, reaching an estimated value of around USD 38-55 billion per year [1]. A significant interest is paid to its implementation in the context of urban environments where UAM represents a promising vision for the future of transportation of goods and passengers, aiming at providing efficient and sustainable aerial transportation solutions within urban areas [1][2]. According to Tojal et al.,

UAM is a mobility concept for urban areas that makes use of any kind of mainly Unmanned Aerial Systems (UASs) to perform any type of mission that is operated in the Very Low Level (VLL) airspace aiming at improving the welfare of individuals and organizations [3]. Thanks to technological advancements in UAM in conjunction with advanced materials, aircraft architecture, enhanced battery capacity, digitalisation of air traffic management etc., the commercial exploitations of such mobility system is expected to become a reality in Europe within 3 to 5 years [4]. However, the actual implementation of UAM comes with numerous challenges. The safe integration of UAM vehicles into urban airspace, the development of infrastructures such as vertiports and changing stations, regulatory frameworks, public acceptance, and efficient operations are among key considerations (as highlighted in Fig.1)[5][6]. These challenges necessitate a multidisciplinary approach that involves collaboration between industry stakeholders, policymakers, urban planners, aviation authorities, and technology innovators [7]. Therefore, attention has been increasing towards contemplating innovative technologies in simulating and developing advanced human-machine interfaces (HMIs) through human and user-centred approaches for future UAM scenarios and foreseeing the challenges in order to find efficient and effective solutions and support regulatory processes.

Immersive media comprising Virtual Reality (VR), Augmented Reality (AR), and Mixed Reality (MR) are amongst the currently fastest growing and promising tools for such innovative HMIs. These, also commonly referred to with the umbrella term XR, enable the users to experience immersive and interactive environments, and have been proven to enhance design validations, reduce training costs, enhance user engagement, improve communication and collaboration with seamless data access etc.[8], [9],[10],[11]. Through a comprehensive analysis of existing literature, case studies, and industry developments, the present work aims to provide insights into the current state of UAM scenarios and explores the potential role of XR-based HMIs and simulations. By understanding the complexity of UAM, we can better appreciate the significant impact it may have on urban transportation and facilitate its successful integration into our cities.

**Related work on XR-based HMIs and Simulations for UAM**

It is recognized that in the realm of the digital transformation of processes and the 4.0 industrial revolution, XR technologies have paved the way to advanced HMIs acting as a bridge connecting the gap between humans and machines [13]. Revenue in AR and VR market worldwide is expected to show an annual growth rate (CAGR 2023-2027) of 40.12%, resulting in a projected market volume of US\$9.10bn by 2027 [14]. It is evident that XR and UAM are together rapidly growing markets. Besides this aspect it must be considered that the integration of XR-based HMIs and simulations for UAM presents numerous benefits. It facilitates the design and evaluation of user-centric interfaces that consider human factors, ergonomics, and cognitive workload in highly automated environments. Furthermore, XR-based simulations enable stakeholders to assess the feasibility and performance of UAM systems, optimize operational procedures and identify potential safety risks.



*Fig. 1. Overview of XR simulation themes for UAM: (1) Types of UAM (2) Top concerns highlighted by EASA (3) Potential UAM themes for XR applications.*

To this regard, we have performed a preliminary study on collecting a selection of the existing works in the field of XR-based UAM and categorised them into 3 different perspectives: Market, Scientific, and Industrial research (see Table 1).

*Table 1. Selection of previous works relevant for this study*

	Reference	Forecasts		
Market Perspective	[1]	Global AAM/UAM market research forecasts a growth of CAGR at 20/25% from 2021 to 2030		
	[14]	AR and VR market worldwide is expected to show an annual growth rate (CAGR 2023-2027) of 40.12%		
		UAM Mission Scenarios	Description	XR technology
Scientific Perspective	[15]	Collaborative Decision Making	3D map rendering with planes, runways and waypoints demonstrating air traffic scenarios	AR
	[16]	Simulation of Workspace	Taking off and landing a quadcopter	VR, CAVE
	[17]	System integration and testing	Urban Traffic Management, UAS operations	HMI, AR, CAVE
	[18][19][20]	Public/ Social Acceptance	Auditory and Visual perception of drones, acceptance of Air taxis	AR, VR
	[21][22]	Virtual Prototyping and Design	Urban Airport Infrastructure design, Air taxi cabin	VR, MR
Industry Perspective	[24][25]	Visualization of Airspace data	CLARITY: HMD for Air traffic control -Drone Control with intuitive gestures	MR, VR AR
	[23][26][27]	Training and Simulation	-Real-time Tower and Apron Control Research Simulator (NARSIM) -Pilot training program for eVTOL -eVTOL Flight Simulator	Simulator, AR, AI, VR, MR, MR
	[28][29]	Simulation	Drone Simulator	AR-to-gamepad interface

**Conclusion**

UAM is an emerging transport system with dedicated services that integrate aerial unmanned platforms for passengers and goods transport in urban environment. As UAM progresses, there is a growing need for advanced HMIs and simulations to enhance the design, operation, and ensure safety of these complex systems. With advent growth towards automation, technologies such as XR offers innovative solutions for creating immersive environments and interactive experiences for future UAM scenarios. In this context, this paper highlights a literature study on XR-based HMIs and simulations to support UAM services. We classified the information into three perspectives of scientific, industrial and market in view of highlighting the main areas of XR-based HMIs and simulations for future UAM scenarios. It has been observed that the literature identifies the key aspects relating to the fields of virtual prototyping, design, training, simulation, human

factors evaluation, airspace visualization, collaborative decision making, system integration and testing, public engagement, and education/marketing.

### Acknowledgments

This study was carried out within the MOST – Sustainable Mobility National Research Center and received funding from the European Union Next-Generation EU (PIANO NAZIONALE DI RIPRESA E RESILIENZA (PNRR) – MISSIONE 4 COMPONENTE 2, INVESTIMENTO 1.4 – D.D. 1033 17/06/2022, CN00000023). This manuscript reflects only the authors' views and opinions, neither the European Union nor the European Commission can be considered responsible for them.

### References

- [1] AAM National Strategic Plan (2021-2030) for the development of Advanced Air Mobility in Italy, [www.enac.gov.it](http://www.enac.gov.it)
- [2] White Paper on Urban Air Mobility and Sustainable development, <https://www.asd-europe.org> (2023).
- [3] M. Tojal, H. Hesselink, A. Fransoy, E. Ventas, V. Gordo, Y. Xu, Analysis of the definition of Urban Air Mobility –how its attributes impact on the development of the concept, *Transportation Research Procedia*, Volume 59, 2021, Pages 3-13, ISSN 2352-1465. <https://doi.org/10.1016/j.trpro.2021.11.091>
- [4] EASA Urban Air Mobility <https://www.easa.europa.eu/en/domains/urban-air-mobility-uam>
- [5] Bauranov, A., & Rakas, J. (2021). Designing airspace for urban air mobility: A review of concepts and approaches. *Progress in Aerospace Sciences*, 125, p.100726. <https://doi.org/10.1016/j.paerosci.2021.100726>
- [6] Schweiger, K. and Preis, L., 2022. Urban Air Mobility: Systematic Review of Scientific Publications and Regulations for Vertiport Design and Operations. *Drones*, 6(7), p.179. <https://doi.org/10.3390/drones6070179>
- [7] Full report <https://www.easa.europa.eu/sites/default/files/dfu/uam-full-report.pdf>
- [8] Santhosh, S., De Crescenzo, F. and Vitolo, B., 2022. Defining the potential of extended reality tools for implementing co-creation of user oriented products and systems. In *Design Tools and Methods in Industrial Engineering II: ADM 2021*, September 9–10, 2021, Rome, Italy (pp. 165-174). Springer International Publishing. [https://doi.org/10.1007/978-3-030-91234-5\\_17](https://doi.org/10.1007/978-3-030-91234-5_17)
- [9] Bagassi, S., De Crescenzo, F., Piastra, S., Persiani, C. A., Ellejmi, M., Groskreutz, A. R., & Higuera, J. (2020). Human-in-the-loop evaluation of an augmented reality based interface for the airport control tower. *Computers in Industry*, 123, 103291. <https://doi.org/10.1016/j.compind.2020.103291>
- [10] Praticò, F. G., & Lamberti, F. (2021). Towards the adoption of virtual reality training systems for the self-tuition of industrial robot operators: A case study at KUKA. *Computers in Industry*, 129, 103446. <https://doi.org/10.1016/j.compind.2021.103446>
- [11] Sikorski, B., Leoncini, P., & Luongo, C. (2020). A glasses-based holographic tabletop for collaborative monitoring of aerial missions. In *Augmented Reality, Virtual Reality, and Computer Graphics: 7th Int.Conf., AVR 2020*, Lecce, Italy, September 7–10, 2020, Proceedings, Part I 7 (pp. 343-360). Springer International Publishing. [https://doi.org/10.1007/978-3-030-58465-8\\_26](https://doi.org/10.1007/978-3-030-58465-8_26)
- [12] <https://www.easa.europa.eu/en/light/topics/vertiports-urban-environment>
- [13] <https://www.agendadigitale.eu/industry-4-0/hmi-cose-ladvanced-human-machine-interfaces-e-perche-e-utile-per-lindustria-4-0/>, Accessed on 22/05/2023.
- [14] <https://www.statista.com/>

- [15] Malich T., Hanakova L., Socha V., Van den Bergh S., Serlova M., Socha L., Stojic S., Kraus J. Use of virtual and Augmented Reality in design of software for airspace (2019) ICMT 2019 - 7th International Conference on Military Technologies, Proceedings, art. no. 8870030. <https://doi.org/10.1109/MILTECHS.2019.8870030>
- [16] Marayong, P., Shankar, P., Wei, J., Nguyen, H., Strybel, T. Z., & Battiste, V. (2020, March). Urban Air Mobility System Testbed using CAVE Virtual Reality Environment. In *2020 IEEE Aerospace Conference* (pp. 1-7). IEEE. <https://doi.org/10.1109/AERO47225.2020.9172534>
- [17] Dao, Q. V., Homola, J., Cencetti, M., Mercer, J., & Martin, L. (2019, August). A Research Platform for Urban Air Mobility (UAM) and UAS Traffic Management (UTM) Concepts and Application. In *International Conference on Human Interaction & Emerging Technologies (IHET 2019)* (No. ARC-E-DAA-TN68588).
- [18] Aalmoes, R., & Sieben, N. (2021, March). Noise and visual perception of Urban Air Mobility vehicles. In *Delft International Conference on Urban Air Mobility (DICUAM)*, virtual.
- [19] Stolz, Maria and Tim Laudien. "Assessing Social Acceptance of Urban Air Mobility using Virtual Reality." *2022 IEEE/AIAA 41st Digital Avionics Systems Conference (DASC)* (2022): 1-9. <https://doi.org/10.1109/DASC55683.2022.9925775>
- [20] Janotta, F. & Hogleve, J (2021). Acceptance of AirTaxis – Empirical insights following a flight in virtual reality. <https://doi.org/10.31219/osf.io/m62yd>
- [21] Stewart Birrell, William Payre, Katie Zdanowicz, Paul Herriotts, Urban air mobility infrastructure design: Using virtual reality to capture user experience within the world's first urban airport, *Applied Ergonomics*, Volume 105, 2022, 103843, ISSN 0003-6870. <https://doi.org/10.1016/j.apergo.2022.103843>
- [22] T. Laudien, J. M. Ernst and B. Isabella Schuchardt, "Implementing a Customizable Air Taxi Simulator with a Video-See-Through Head-Mounted Display – A Comparison of Different Mixed reality Approaches," *2022 IEEE/AIAA 41st Digital Avionics Systems Conference (DASC)*, Portsmouth, VA, USA, 2022, pp. 1-10. <https://doi.org/10.1109/DASC55683.2022.9925870>
- [23] <https://aurora-uam.eu/#summary>
- [24] <https://360.world/clairity/#:~:text=The%20CLAIRITY%20system%20takes%20the,unique%20HMD%20and%20camera%20solutions.>
- [25] Konstantoudakis K, Christaki K, Tsiakmakis D, Sainidis D, Albanis G, Dimou A, Daras P. Drone Control in AR: An Intuitive System for Single-Handed Gesture Control, Drone Tracking, and Contextualized Camera Feed Visualization in Augmented Reality. *Drones*. 2022 Feb 10;6(2):43. <https://doi.org/10.3390/drones6020043>
- [26] <https://www.volocopter.com/newsroom/cae-and-volocopter-partner-to-create-global-air-taxi-pilot-workforce/>
- [27] <https://flyelite.com/evtol/>
- [28] <https://www.geospatialworld.net/news/worlds-first-augmented-reality-drone-flight-simulator-app-launched-epson/>
- [29] <https://www.dji.com/it/simulator/info>