

Supplementary materials

## HBM4EU chromates study - overall results and recommendations for the biomonitoring of occupational exposure to hexavalent chromium

Tiina Santonen<sup>1</sup>, Simo P. Porras<sup>1</sup>, Beatrice Bocca<sup>2</sup>, Radia Bousoumah<sup>3</sup>, Radu Corneliu Duca<sup>4,5</sup>, Karen S. Galea<sup>6</sup>, Lode Godderis<sup>5,7</sup>, Thomas Göen<sup>8</sup>, Emilie Hardy<sup>4</sup>, Ivo Iavicoli<sup>9</sup>, Beata Janasik<sup>10</sup>, Kate Jones<sup>11</sup>, Elizabeth Leese<sup>11</sup>, Veruscka Leso<sup>9</sup>, Henriqueta Louro<sup>12,13</sup>, Nicole Majery<sup>14</sup>, Sophie Ndaw<sup>3</sup>, Hermínia Pinhal<sup>12</sup>, Flavia Ruggieri<sup>2</sup>, Maria J. Silva<sup>12,13</sup>, An van Nieuwenhuysse<sup>4</sup>, Susana Viegas<sup>15</sup>, Wojciech Wasowicz<sup>10</sup>, Ovnair Sepai<sup>16</sup>, Paul T.J. Scheepers<sup>17</sup> and HBM4EU chromates study team

HBM4EU chromates study team:

Kukka Aimonen<sup>1</sup>, Guillaume Antoine<sup>3</sup>, Rob Anzion<sup>17</sup>, Manuella Burgart<sup>3</sup>, Argelia Castaño<sup>18</sup>, Andrea Cattaneo<sup>19</sup>, Domenico Maria Cavallo<sup>19</sup>, Giuseppe De Palma<sup>20</sup>, Flavien Denis<sup>3</sup>, Angela Gambelunghe<sup>21</sup>, Bruno Gomes<sup>12,13</sup>, Ogier Hanser<sup>3</sup>, Riikka Helenius<sup>1</sup>, Carina Ladeira<sup>15</sup>, Marta Esteban López<sup>18</sup>, Piero Lovreglio<sup>22</sup>, Philippe Marsan<sup>3</sup>, Mathieu Melczer<sup>3</sup>, Ana Nogueira<sup>12</sup>, Elisabeta Pletea<sup>14</sup>, Katrien Poels<sup>5</sup>, Jouko Remes<sup>1</sup>, Edna Ribeiro<sup>15</sup>, Sílvia Reis Santos<sup>12</sup>, Françoise Schaefer<sup>4</sup>, Sally Spankie<sup>6</sup>, Robert Spoek<sup>14</sup>, Mohamed Rizki<sup>14</sup>, Davy Rousset<sup>3</sup>, Maurice van Dael<sup>17</sup>, Henna Veijalainen<sup>1</sup>.

<sup>1</sup>Finnish Institute of Occupational Health, Helsinki, Finland

<sup>2</sup>Istituto Superiore di Sanità, Rome, Italy

<sup>3</sup>French National Research and Safety Institute, Vandœuvre-lès-Nancy, France

<sup>4</sup>Department of Health Protection, Laboratoire national de santé (LNS), Dudelange, Luxembourg

<sup>5</sup>Centre for Environment and Health, Department of Public Health and Primary Care, KU Leuven (University of Leuven), Kapucijnenvoer 35, 3000 Leuven, Belgium

<sup>6</sup>Institute of Occupational Medicine (IOM), Edinburgh, EH14 4AP, UK

<sup>7</sup>IDEWE, External service for prevention and protection at work, Heverlee, Belgium

<sup>8</sup>Institute and Outpatient Clinic of Occupational, Social and Environmental Medicine, Friedrich-Alexander-Universität Erlangen-Nürnberg, Germany

<sup>9</sup>Department of Public Health, University of Naples Federico II, Naples, Italy

<sup>10</sup>Nofer Institute of Occupational Medicine, Lodz, Poland

<sup>11</sup>Health & Safety Executive, Buxton, SK17 9JN, United Kingdom

<sup>12</sup>National Institute of Health Dr. Ricardo Jorge, Department of Human Genetics, Lisbon, Portugal

<sup>13</sup>Centre for Toxicogenomics and Human Health, NOVA Medical School, Universidade NOVA de Lisboa, Lisbon, Portugal

<sup>14</sup>Service de Santé au Travail Multisectoriel (STM), Luxembourg

<sup>15</sup>NOVA National School of Public Health, Public Health Research Centre, Universidade NOVA de Lisboa, 1600–560 Lisbon, Portugal; Comprehensive Health Research Center (CHRC), 1169–056 Lisbon, Portugal.

<sup>16</sup>Public Health England, London, UK

<sup>17</sup>Radboud Institute for Health Sciences, Radboudumc, Nijmegen, The Netherlands

<sup>18</sup>Instituto de Salud Carlos III, Madrid, Spain.

<sup>19</sup> Department of Science and High Technology, University of Insubria, Como, Italy

<sup>20</sup>Department of Medical and Surgical Specialties, Radiological Sciences, and Public Health, University of Brescia, Brescia, Italy.

<sup>21</sup>Department of Medicine and Surgery, University of Perugia, Perugia, Italy

<sup>22</sup>Interdisciplinary Department of Medicine, University of Bari, Bari, Italy.

#### Corresponding Author:

Tiina Santonen (FIOH)

Finnish Institute of Occupational Health

PO Box 18

FI-00032 Työterveyslaitos, Finland

email. tiina.santonen@ttl.fi

Supplementary Table S1: Analytical methods for the analysis of Cr in the different matrices. All the laboratories had passed the HBM4UE quality assurance (QA) program for blood and urine Cr analysis. For EBC-Cr(VI) analysis internal interlaboratory comparison was set-up among the analyzing laboratories. No interlaboratory comparison was put in place under HBM4EU for industrial hygiene samples, but laboratories analyzing samples were either participating in external QA or had in-house quality control.

	Blood (RBC)	Urine	EBC-Cr(VI)	Air (Cr(VI))	Wipe
Belgium	ICP-MS	ICP-MS	.. <sup>a</sup>	ICP-MS	ICP-MS
Finland	ICP-MS	ICP-MS	LC-ICP-MS	ICP-MS	ICP-MS
France	ICP-MS	ICP-MS	LC-ICP-MS	LC(IC)-UV/Vis	ICP-MS
Italy	ICP-MS	ICP-MS	IC-ICP-MS	ICP-MS	ICP-MS
Luxembourg	ICP-MS	ICP-MS	.. <sup>a</sup>	ICP-MS <sup>c</sup>	ICP-MS
Poland	ICP-MS	ICP-MS	.. <sup>a</sup>	ICP-OES/ICP-MS-HPLC	.. <sup>a</sup>
Portugal	GFAAS	GFAAS	.. <sup>a</sup>	UV/Vis	ICP-MS / IC
The Netherlands	ICP-MS	ICP-MS	micro-LC-ICP-MS <sup>b</sup>	ICP-MS / IC	ICP-MS / IC
UK	.. <sup>a</sup>	ICP-MS	micro-LC-ICP-MS	ICP-OES <sup>c</sup>	ICP-OES

<sup>a</sup> These samples were not collected or included in analysis. <sup>b</sup> Analysis carried out in UK. <sup>c</sup> Only total Cr was analysed.

Abbreviations: ICP-MS, inductively coupled plasma - mass spectrometry; LC, liquid chromatography; IC, ion chromatography; UV/Vis, ultraviolet-visible spectrometry; GFAAS, graphite furnace atomic absorption spectrometry; ICP-OES, inductively coupled plasma - optical emission spectrometry.

Supplementary Table S2: Work distribution of the participants of the HBM4EU Chromates study by country.

	Belgium	Finland	France	Italy	Luxembourg	Poland	Portugal	The Netherlands	UK	Total
	n	n	n	n	n	n	n	n	n	n
Bath plating workers	8	18	20	6	0	0	5	19	14	90
Chromate paint applications	15	0	0	4	0	1	32	0	0	52
Machining workers	9	2	19	0	0	0	5	0	3	38
Welders	28	25	18	38	16	51	3	0	16	195
Thermal spraying	0	5	0	0	0	0	0	0	0	5
Steel production	11	0	0	0	0	0	0	0	0	11
Maintenance and laboratory workers	0	0	1	0	0	0	5	1	1	8
All exposed workers	71	50	58	48	16	52	50	20	34	399
Within company controls	37	10	24	35	8	19	2	12	0	147
Out with company controls	0	16	0	0	0	0	25	0	15	56
All controls	37	26	24	35	8	19	27	12	15	203
All participants	108	76	82	83	24	71	77	32	49	602

Supplementary Table S3: Total number of samples received from exposed workers and controls in each country disaggregated by sample type.

	Cr analysis	Belgium	Finland	France	Italy	Luxembourg	Poland	Portugal	The Netherlands	UK	Total
Urine (exposed workers <sup>a</sup> / controls)	Cr	60 / 19	50 / 26	56 / 24	48 / - <sup>b</sup>	13 / 8	52 / 19	50 / 27	20 / 12	34 / - <sup>b</sup>	383 / 135
Blood (exposed workers / controls)	Cr	64 / 31	40 / 25	56 / 22	47 / 31	16 / 8	52 / 19	50 / 27	20 / 12	- <sup>b</sup>	345 / 175
EBC (exposed workers <sup>a</sup> / controls)	Cr(VI)/Cr(III)	- <sup>c</sup>	33 / 25	55 / 22	33 / 25	- <sup>b</sup>	- <sup>b</sup>	- <sup>c</sup>	20 / 11	34 / 15	175 / 98
Air Inhalable Outside RPE	Total Cr	26	41	4	33	6	50	- <sup>d</sup>	- <sup>d</sup>	18	178
	Cr(VI)	- <sup>d</sup>	34	43	33	- <sup>d</sup>	50	14	20	- <sup>d</sup>	194
Air Inhalable Inside RPE	Total Cr	2	10	- <sup>d</sup>	- <sup>b</sup>	6	1	- <sup>b</sup>	- <sup>b</sup>	16	35
	Cr(VI)	- <sup>d</sup>	3	7	- <sup>b</sup>	- <sup>d</sup>	1	- <sup>b</sup>	- <sup>b</sup>	- <sup>d</sup>	11
Air Respirable Outside RPE	Total Cr	20	41	- <sup>d</sup>	- <sup>b</sup>	5	- <sup>b</sup>	14	- <sup>d</sup>	18	98
	Cr(VI)	- <sup>d</sup>	34	37	- <sup>b</sup>	- <sup>d</sup>	- <sup>b</sup>	- <sup>d</sup>	20	- <sup>d</sup>	91

Wipes <sup>e</sup>	Total Cr	29	41	50	33	15	- <sup>b</sup>	45	20	34	267
--------------------	----------	----	----	----	----	----	----------------	----	----	----	-----

<sup>a</sup> Number of post-shift samples (number of pre-shift samples vary in some countries).

<sup>b</sup> Samples not collected.

<sup>c</sup> Although EBC samples were collected in Belgium and Portugal, they were not included in the data analysis due to quality concerns.

<sup>d</sup> Not determined.

<sup>e</sup> Number of workers sampled. Each worker provided 2-6 wipe samples each.