



Scored Patient-Generated Subjective Global Assessment (PG-SGA)

History: Boxes 1 - 4 are designed to be completed by the patient.
[Boxes 1-4 are referred to as the PG-SGA Short Form (SF)]

1. Weight (See Worksheet 1)

In summary of my current and recent weight:

I currently weigh about _____ kg

I am about _____ cm tall

One month ago I weighed about _____ kg

Six months ago I weighed about _____ kg

During the past two weeks my weight has:

☐ decreased ⁽¹⁾ ☐ not changed ⁽⁰⁾ ☐ increased ⁽⁰⁾

Box 1 ☐

3. Symptoms: I have had the following problems that have kept me from eating enough during the past two weeks (check all that apply)

- | | |
|--|---|
| ☐ no problems eating ⁽⁰⁾ | |
| ☐ no appetite, just did not feel like eating ⁽³⁾ | ☐ vomiting ⁽³⁾ |
| ☐ nausea ⁽¹⁾ | ☐ diarrhea ⁽³⁾ |
| ☐ constipation ⁽¹⁾ | ☐ dry mouth ⁽¹⁾ |
| ☐ mouth sores ⁽²⁾ | ☐ smells bother me ⁽¹⁾ |
| ☐ things taste funny or have no taste ⁽¹⁾ | ☐ feel full quickly ⁽¹⁾ |
| ☐ problems swallowing ⁽²⁾ | ☐ fatigue ⁽¹⁾ |
| ☐ pain; where? ⁽³⁾ _____ | |
| ☐ other ^{(1)**} _____ | |
- **Examples: depression, money, or dental problems **Box 3** ☐

Patient Identification Information

2. Food intake: As compared to my normal intake, I would rate my food intake during the past month as

- ☐ unchanged ⁽⁰⁾
☐ more than usual ⁽⁰⁾
☐ less than usual ⁽¹⁾

I am now taking

- ☐ *normal food* but less than normal amount ⁽¹⁾
☐ little solid food ⁽²⁾
☐ only liquids ⁽³⁾
☐ only nutritional supplements ⁽³⁾
☐ very little of anything ⁽⁴⁾
☐ only tube feedings or only nutrition by vein ⁽⁰⁾ **Box 2** ☐

4. Activities and Function:

Over the past month, I would generally rate my activity as:

- ☐ normal with no limitations ⁽⁰⁾
☐ not my normal self, but able to be up and about with fairly normal activities ⁽¹⁾
☐ not feeling up to most things, but in bed or chair less than half the day ⁽²⁾
☐ able to do little activity and spend most of the day in bed or chair ⁽³⁾
☐ pretty much bed ridden, rarely out of bed ⁽³⁾

Box 4 ☐

The remainder of this form is to be completed by your doctor, nurse, dietitian, or therapist. Thank you.

Additive Score of Boxes 1-4 ☐ A

Scored Patient-Generated Subjective Global Assessment (PG-SGA)

Worksheet 1 – Scoring Weight Loss

To determine score, use 1-month weight data if available. Use 6-month data only if there is no 1-month weight data. Use points below to score weight change and add one extra point if patient has lost weight during the past 2 weeks. Enter total point score in Box 1 of PG-SGA.

Weight loss in 1 month	Points	Weight loss in 6 months
10% or greater	4	20% or greater
5-9.9%	3	10- 19.9%
3-4.9%	2	6- 9.9%
2-2.9%	1	2- 5.9%
0-1.9%	0	0- 1.9%

Numerical score from Worksheet 1

Additive Score of Boxes 1-4 (See Side 1) A

5. Worksheet 2 – Disease and its relation to nutritional requirements:

Score is derived by adding 1 point for each of the following conditions:

- ☐ Cancer ☐ Presence of decubitus, open wound or fistula
- ☐ AIDS ☐ Presence of trauma
- ☐ Pulmonary or cardiac cachexia ☐ Age greater than 65
- ☐ Chronic renal insufficiency
- Other relevant diagnoses (specify) _____

Primary disease staging (circle if known or appropriate) I II III IV Other

Numerical score from Worksheet 2 B

6. Worksheet 3 – Metabolic Demand

Score for metabolic stress is determined by a number of variables known to increase protein & caloric needs. **Note:** Score fever intensity or duration, whichever is greater. The score is additive so that a patient who has a fever of 38.8 °C (3 points) for < 72 hrs (1 point) and who is on 10 mg of prednisone chronically (2 points) would have an additive score for this section of 5 points.

Stress	none (0)	low (1)	moderate (2)	high (3)
Fever	no fever	> 37.2 and < 38.3	≥ 38.3 and < 38.8	≥ 38.8 °C
Fever duration	no fever	< 72 hours	72 hours	> 72 hours
Corticosteroids	no corticosteroids	low dose (< 10 mg prednisone equivalents/day)	moderate dose (≥ 10 and < 30 mg prednisone equivalents/day)	high dose (≥ 30 mg prednisone equivalents/day)

Numerical score from Worksheet 3 C

7. Worksheet 4 – Physical Exam

Exam includes a subjective evaluation of 3 aspects of body composition: fat, muscle, & fluid. Since this is subjective, each aspect of the exam is rated for degree. Muscle deficit/loss impacts point score more than fat deficit/loss. Definition of categories: 0 = no abnormality, 1+ = mild, 2+ = moderate, 3+ = severe. Rating in these categories is *not* additive but are used to clinically assess the degree of deficit (or presence of excess fluid).

Muscle Status

temples (temporalis muscle)	0	1+	2+	3+
clavicles (pectoralis & deltoids)	0	1+	2+	3+
shoulders (deltoids)	0	1+	2+	3+
interosseous muscles	0	1+	2+	3+
scapula (latissimus dorsi, trapezius, deltoids)	0	1+	2+	3+
thigh (quadriceps)	0	1+	2+	3+
calf (gastrocnemius)	0	1+	2+	3+
Global muscle status rating	0	1+	2+	3+

Fat Stores

orbital fat pads	0	1+	2+	3+
triceps skin fold	0	1+	2+	3+
fat overlying lower ribs	0	1+	2+	3+
Global fat deficit rating	0	1+	2+	3+

Fluid status

ankle edema	0	1+	2+	3+
sacral edema	0	1+	2+	3+
ascites	0	1+	2+	3+
Global fluid status rating	0	1+	2+	3+

Point score for the physical exam is determined by the overall subjective rating of the total body deficit. No deficit score = 0 points
Mild deficit score = 1 point
Moderate deficit score = 2 points
Severe deficit score = 3 points

Again, muscle deficit/loss takes precedence over fat loss or fluid excess.

Numerical Score for Worksheet 4 D

Total PG-SGA Score (Total numerical score of A+B+C+D)

Global PG-SGA Category Rating (Stage A, Stage B or Stage C)

Clinician Signature _____ RD RN PA MD DO Other _____ Date _____

Worksheet 5 – PG-SGA Global Assessment Categories

Category	Stage A	Stage B	Stage C
Weight	Well-nourished No weight loss OR recent non-fluid wt gain	Moderate/suspected malnutrition ≤ 5% loss in 1 month (≤10% in 6 months) OR Progressive weight loss	Severely malnourished > 5% loss in 1 month (>10% in 6 months) OR Progressive weight loss
Nutrient intake	No deficit OR Significant recent improvement	Definite decrease in intake	Severe deficit in intake
Nutrition Impact Symptoms (NIS)	None OR significant recent improvement allowing adequate intake	Presence of NIS (Box 3 of PG-SGA)	Presence of NIS (Box 3 of PG-SGA)
Functioning	No deficit OR Significant recent improvement	Moderate functional deficit OR Recent deterioration	Severe functional deficit OR Recent significant deterioration
Physical Exam	No deficit OR chronic deficit but with recent clinical improvement	Evidence of mild to moderate loss of muscle mass &/or muscle tone on palpation &/or loss of SQ fat	Obvious signs of malnutrition (e.g., severe loss muscle, fat, possible edema)

Nutritional Triage Recommendations: Additive score is used to define specific nutritional interventions including patient & family education, symptom management including pharmacologic intervention, and appropriate nutrient intervention (food, nutritional supplements, enteral, or parenteral triage).

First line nutrition intervention includes optimal symptom management.

Triage based on PG-SGA point score

- 0-1** No intervention required at this time. Re-assessment on routine and regular basis during treatment.
- 2-3** Patient & family education by dietitian, nurse, or other clinician with pharmacologic intervention as indicated by symptom survey (Box 3) and lab values as appropriate.
- 4-8** Requires intervention by dietitian, in conjunction with nurse or physician as indicated by symptoms (Box 3).
- ≥ 9** Indicates a critical need for improved symptom management and/or nutrient intervention options.