

**Table S8.** Ecological interfaces posing zoonotic occupational risk: list of additional acronyms used in Table S1, Table S2 and Table S3.

<b>Acronym (A-M)</b>	<b>Detail</b>	<b>Acronym (N-W)</b>	<b>Detail</b>
<b>Ab</b>	antibody(ies)	<b>NIA</b>	neuraminidase inhibition assay(s)
<b>Ag</b>	antigen(s)	<b>np.sw.</b>	nasopharynx. swab(s)
<b>AI</b>	avian influenza	<b>n.sw.</b>	nasal swab(s)
<b>AIV</b>	avian influenza virus(es)	<b>NT</b>	neutralization test(s)
<b>c.sw.</b>	conjunctival swab(s)	<b>op.sw.</b>	oropharynx swab(s)
<b>c</b>	control subjects	<b>PCR</b>	polymerase chain reaction
<b>e.sw.</b>	eye swab(s)	<b>pdm</b>	pandemic(s)
<b>ELISA</b>	enzyme-linked immunosorbent assay	<b>PNA</b>	plaque neutralization assay(s)
<b>GMT</b>	geometric mean titer(s)	<b>PPE</b>	personal protective equipment
<b>HA</b>	hemagglutinin(s)	<b>p.sw</b>	pharyngeal swab(s)
<b>HAA</b>	hemagglutination assay(s)	<b>RBC</b>	red blood cells
<b>HI</b>	hemagglutination inhibition	<b>RT-PCR</b>	reverse transcriptase-PCR
<b>HIA</b>	hemagglutination inhibition assay(s)	<b>rRT-PCR</b>	real-time RT PCR
<b>HP</b>	high pathogenicity	<b>s.c.</b>	seroconversion
<b>HPAI</b>	high pathogenicity avian influenza	<b>SRH</b>	single radial haemolysis assay(s)
<b>HPAIV</b>	HP avian influenza virus(es)	<b>s.sw.</b>	sputum swab(s)
<b>HS</b>	hospitalized subjects	<b>t.sw.</b>	throat swab
<b>IAV</b>	influenza A virus(es)	<b>VMN</b>	virus microneutralization
<b>IFA</b>	immunofluorescence assay(s)	<b>VI-CC</b>	virus isolation in Cell culture
<b>ILI</b>	influenza like illness(es)	<b>VI-EE</b>	virus isolation in embryonated egg
<b>LP</b>	low pathogenicity	<b>VN</b>	virus neutralization
<b>LPAI</b>	low pathogenicity avian influenza	<b>VNA</b>	virus neutralization assay(s)
<b>LPAIV</b>	LP avian influenza virus(es)	<b>WB</b>	western blot
<b>MDCK</b>	Madin-Darby canine kidney	<b>WBA</b>	western blot assay(s)
<b>MN</b>	microneutralization	<b>WHO</b>	World Health Organization
<b>MNA</b>	microneutralization assay(s)		