

Search for flavor-changing neutral current interactions of the top quark mediated by a Higgs boson in proton-proton collisions at 13 TeV

A. Hayrapetyan *et al.*^{*}
(CMS Collaboration)



(Received 21 July 2024; accepted 9 July 2025; published 15 August 2025)

A search for flavor-changing neutral current interactions of the top quark (t) and the Higgs boson (H) is presented. The search is based on proton-proton collision data collected in 2016–2018 at a center-of-mass energy of 13 TeV with the CMS detector at the LHC, and corresponding to an integrated luminosity of 138 fb^{-1} . Events containing a pair of leptons with the same-sign electric charge and at least one jet are considered. The results are used to constrain the branching fraction ($\mathcal{B}$) of the top quark decaying to a Higgs boson and an up (u) or charm (c) quark. No significant excess above the estimated background was found. The observed (expected) upper limits at a 95% confidence level are found to be 0.072% (0.059%) for $\mathcal{B}(t \rightarrow Hu)$ and 0.043% (0.062%) for $\mathcal{B}(t \rightarrow Hc)$. These results are combined with two other searches performed by the CMS Collaboration for flavor-changing neutral current interactions of top quarks and Higgs bosons in final states where the Higgs boson decays to either a pair of photons or a pair of bottom quarks. The resulting observed (expected) upper limits at the 95% confidence level are 0.019% (0.027%) for $\mathcal{B}(t \rightarrow Hu)$ and 0.037% (0.035%) for $\mathcal{B}(t \rightarrow Hc)$.

DOI: [10.1103/95q6-vvlp](https://doi.org/10.1103/95q6-vvlp)

I. INTRODUCTION

Quark decays mediated by flavor-changing neutral currents (FCNCs) are forbidden at tree level in the standard model (SM) and are suppressed at higher orders in the perturbative expansion by the Glashow-Iliopoulos-Maiani mechanism [1] and Cabibbo-Kobayashi-Maskawa unitarity constraints [2]. As a result, the SM branching fractions for the decay of a top quark (t) into a Higgs boson (H) and an up quark (u), $t \rightarrow Hu$, or a charm quark (c), $t \rightarrow Hc$, are expected to be of the order of 10^{-17} and 10^{-15} , respectively [3–6].

Many scenarios of physics beyond the SM may enhance these interactions, possibly by many orders of magnitude. Examples of such models include those of warped extra dimensions [7], composite Higgs boson models [8], two-Higgs-doublet models (2HDMs) [9–12] including supersymmetric models with R -parity violation [13], and quark-singlet models [14]. These scenarios may lead to sizable FCNC interactions of quarks with any of the neutral force mediators or with the Higgs boson. The Hct interaction in

particular may be enhanced in 2HDMs [15–18], including scenarios of flavor-violating Yukawa couplings [19].

Searches for FCNC interactions of the top quark mediated by a Higgs boson have been performed by the ATLAS [20–23] and CMS [24–27] Collaborations. This paper presents searches for FCNC top quark interactions in a final state having at least two leptons (e, μ) with the same-sign (SS) electric charge and at least one jet. The CMS Collaboration previously reported a search in a similar final state, analyzing 19.7 fb^{-1} of 8 TeV proton-proton (pp) collision data [24]. The results presented here are obtained from the analysis of (pp) collisions at a center-of-mass energy of 13 TeV, targeting the decay of the Higgs boson to WW , ZZ , or $\tau\tau$, leading to the final states described above. The data were collected with the CMS detector at the CERN LHC in 2016–2018, and they correspond to an integrated luminosity of 138 fb^{-1} .

Two channels for signal production are considered, the decay of a top quark to a Higgs boson and an up or charm quark in top quark-antiquark ($t\bar{t}$) pair production (TT production mode), as well as the associated production of a single top quark (ST production mode) with a Higgs boson via an up or charm quark, as shown in Fig. 1. The anomalous Hqt couplings enter through the top quark decay in the TT mode, while appearing in the matrix elements of the ST production mode with the single top quark subsequently decaying as normal—i.e., to a bottom quark and W boson. Other production modes are possible but are subdominant, such as the tW production mode,

^{*}Full author list given at the end of the article.

Published by the American Physical Society under the terms of the [Creative Commons Attribution 4.0 International license](https://creativecommons.org/licenses/by/4.0/). Further distribution of this work must maintain attribution to the author(s) and the published article's title, journal citation, and DOI. Funded by SCOAP³.




FIG. 1. Representative Feynman diagrams for the production modes considered: $t\bar{t}$ production with the FCNC decay of the top quark to a Higgs boson and an up or charm quark (TT, upper), and FCNC-associated production of a single top quark with a Higgs boson (ST, lower).

which accounts for less than 4% of the signal. For the sake of consistency with other published searches for this phenomenon, only the TT and ST modes shown in Fig. 1 are considered. Results from a search in final states with leptons are combined with other FCNC searches performed by the CMS Collaboration, targeting the decay of the Higgs boson to a pair of b quarks [26] or a pair of photons [27].

II. THE CMS DETECTOR

The central feature of the CMS apparatus is a superconducting solenoid of 6 m internal diameter, providing a magnetic field of 3.8 T. Within the solenoid volume are a silicon pixel and strip tracker, a lead tungstate crystal electromagnetic calorimeter (ECAL), and a brass and scintillator hadron calorimeter, each composed of a barrel and two end cap sections. Forward calorimeters extend the pseudorapidity (η) coverage provided by the barrel and end cap detectors. Muons are measured in gas-ionization detectors embedded in the steel flux-return yoke outside the solenoid. A more detailed description of the CMS detector, together with a definition of the coordinate system used and the relevant kinematic variables, can be found in Ref. [28].

Events of interest are selected using a two-tiered trigger system. The first-level trigger, composed of custom hardware processors, uses information from the calorimeters and muon detectors to select events at a rate of around

100 kHz within a fixed latency of about 4 μ s [29]. The second-level trigger, known as the high-level trigger, consists of a farm of processors running a version of the full event reconstruction software optimized for fast processing, and it reduces the event rate to around 1 kHz before data storage [30].

III. SIMULATED SAMPLES

Samples of simulated events are used in the design and validation of the analysis, in the training and optimization of event classifiers, and in the estimate of expected yields from signal and rare SM background processes. Three separate sets of simulated events for each process are used in order to match the different data-taking conditions and algorithms used in 2016, 2017, and 2018.

The POWHEGv2 event generator [31–33] is used to simulate $t\bar{t}$ production [34], WZ and ZZ pair production [35], H production via gluon fusion [36], and $t\bar{t}H$ production [37] at next-to-leading order (NLO) in perturbative quantum chromodynamics (QCD). The JHUGen generator [38] is used to simulate the decay of the Higgs boson into vector bosons in the gluon fusion production mode. Events with single top quarks produced in association with W bosons (tW) are simulated at NLO with POWHEGv1 [39] (2016) or POWHEGv2 (2017–2018). Samples of the Drell-Yan and W boson production processes are generated with up to four additional partons in the matrix element (ME) calculations using the MadGraph5_aMC@NLO event generator at leading order (LO) [40]. The MadGraph5_aMC@NLO v2.3.3 (v2.4.2) package is used for samples corresponding to 2016 (2017–2018) data-taking conditions. The production of $W^\pm W^\pm$, as well as the tWZ , $t\bar{t}\gamma$, and $t\bar{t} + XX$ (with $X = W, Z, H$) processes, are generated using MadGraph5_aMC@NLO at LO. Triple vector boson production (VVV , $V = Z, W$), diboson production in association with a photon ($WZ\gamma$, $WW\gamma$), as well as the $t\bar{t}Z$, $t\bar{t}q$, $t\gamma$, and $t\bar{t}t\bar{t}$ processes, are simulated using MadGraph5_aMC@NLO at NLO in QCD. The $t\bar{t}W$, $W\gamma$, $Z\gamma$, and VH processes are simulated at NLO with up to one or two extra partons in the ME calculations using MadGraph5_aMC@NLO.

The NNPDF3.0 [41] LO and NLO parton distribution function (PDF) sets are used to generate LO and NLO samples with 2016 data-taking conditions, while NNPDF3.1 next-to-NLO (NNLO) [42] is used for 2017–2018 samples. Event generators are interfaced with PYTHIA v8.226 [43] using the CUETP8M1 tune [44,45] for 2016 and PYTHIA v8.230 using the CP5 tune [46] for 2017–2018 to simulate the parton shower, fragmentation, and hadronization of initial- and final-state partons, along with the underlying event. The MLM [47] and FxFx [48] prescriptions are employed to remove double counting of additional partons generated with MadGraph5_aMC@NLO and PYTHIA for the LO and NLO samples, respectively. The Geant4 toolkit [49] is used to model the response of the CMS detector.

The effective Lagrangian with an FCNC coupling is

$$\mathcal{L} = \sum_{q=u,c} \frac{g}{\sqrt{2}} \bar{t} \kappa_{Hqt} (F_{Hq}^L P_L + F_{Hq}^R P_R) q H + \text{H.c.} \quad (1)$$

Here, P_L (P_R) are the left-hand (right-hand) projection operators defined as $P_L = (1 - \gamma_5)/2$ and $P_R = (1 + \gamma_5)/2$, and the notation H.c. indicates that the Hermitian conjugate terms are to be included in the sum. It is implemented in the `FeynRules` package [50], and the universal `FeynRules` output format [51] is used to generate the signal model. The complex chiral parameters are arbitrarily fixed to the values $F_{Hq}^L = 1$ and $F_{Hq}^R = 0$, as these parameters have no impact on the signal cross sections and usually have a small impact on kinematic distributions of objects in the event. Signal samples are generated in the TT and ST production modes, assuming, for each mode, that one of the two κ couplings is nonzero at a time. For the ST sample, the production and decays of the top quark and antiquark are simulated using `MadGraph5_aMC@NLO` at LO. The ST production mode cross section is calculated at LO precision with `MadGraph5_aMC@NLO` v2.6.0 as 72.6 (10.0) pb, equivalent to a coupling constant $\kappa_{Hut} = 1$ ($\kappa_{Hct} = 1$). The difference of the respective production cross sections originates from the up and charm quark parton distribution functions of the initial-state protons. The TT production signal sample is generated with `MadGraph5_aMC@NLO` v2.4.2 at LO with up to two extra partons in the ME. The TT production mode cross section is taken to be 832 pb, as calculated at NNLO precision in perturbative QCD, including soft-gluon resummation to next-to-next-to-leading logarithm [52]. The SM and FCNC decays of the top quark and antiquark are simulated using `MadSpin` [53]. The top quark and Higgs boson masses are set to 172.5 and 125.0 GeV, respectively. The Higgs boson decay is simulated using `PYTHIA` v8.226 (2016) or `PYTHIA` v8.230 (2017 and 2018). The generated signal samples are filtered to have one leptonically decaying top quark and one Higgs boson decaying to WW , ZZ , or $\tau\tau$. The cross sections applied in the analysis account for the branching fraction of the filtered LO decays. The adjusted cross sections are 12.08 pb for the TT production and 7.32 (1.01) pb for the ST Hut (Hct) production.

Additional simulated minimum bias pp interactions within the same or adjacent bunch crossings (pileup) are included in the simulated events, and events are reweighted according to the observed instantaneous luminosity and the total inelastic pp cross section of 69.2 mb [54].

IV. EVENT SELECTION AND SEARCH STRATEGY

This analysis considers events with at least two leptons (electron or muon) with the SS electric charge and at least one jet. The main backgrounds are from detector effects

(namely, nonprompt leptons and charge-misidentified leptons) and SM processes that produce an SS lepton pair, including processes producing multiple gauge bosons and/or top quarks. Backgrounds are suppressed by making requirements on the kinematic variables of reconstructed physics objects, the same as those presented in Refs. [55–57].

Events are reconstructed using the particle-flow (PF) algorithm [58], which combines information from the CMS subdetectors to identify charged and neutral hadrons, photons, electrons, and muons, collectively referred to as PF candidates. These candidates are associated with reconstructed vertices. The primary vertex is taken to be the vertex corresponding to the hardest scattering in the event, evaluated using tracking information alone, as described in Sec. 9.4.1 of Ref. [59]. The physics objects used include jets clustered from PF candidates associated with the PV and the magnitude of missing transverse momentum, $\vec{p}_T^{\text{miss}}$ [60]. The $\vec{p}_T^{\text{miss}}$ is computed as the negative vector sum of the transverse momentum ($\vec{p}_T$) of all the PF candidates, excluding charged-hadron candidates that do not originate from the PV. The magnitude of this vector is referred to as p_T^{miss} .

Electron candidates are reconstructed by combining clusters of energy deposits in the ECAL with tracks [61]. The electron identification is performed using shower shape variables, track-cluster matching variables, and track quality variables. To reject electrons originating from photon conversions inside the detector, electron candidates are required to have at most one missing measurement in the innermost tracker layers and to be incompatible with any conversion-like secondary vertices. Muon candidates are reconstructed by geometrically matching tracks from measurements in the muon system and tracker, and fitting them to form a global muon track. Good muon candidates are selected using the qualities of the geometrical matching and of the track [62].

Selected electrons (muons) are required to have $p_T > 20$ GeV, $|\eta| < 2.4$ (2.5) and originate from the PV. Additionally, electrons in the transition region $1.442 < |\eta| < 1.556$, between the barrel and end caps of the ECAL, are excluded, since the reconstruction of an electron object in this region is not optimal. Leptons are required to be isolated using a logical combination of three isolation variables: the energy surrounding the lepton candidate in a fixed cone size $\Delta R = 0.4$, the energy surrounding the lepton candidate in a cone size that depends on the candidate p_T , and the transverse momentum of the lepton candidate relative to the residual momentum of the nearest jet after lepton momentum subtraction. This definition is designed to distinguish leptons produced in decays of W or Z bosons (“prompt leptons”) from leptons produced in hadron decays, in conversions of photons in jets, or hadrons misidentified as leptons (“nonprompt leptons”). Lepton selection efficiencies are in the ranges

of 45%–80% (70%–90%) for electrons (muons), increasing as a function of the lepton p_T and reaching a maximum value for $p_T > 60$ GeV. Details of the lepton isolation requirements can be found in Ref. [55].

Hadronic jets are clustered from neutral and charged PF candidates associated with the PV, using the anti- k_T algorithm [63,64] and a distance parameter of 0.4. The jet momentum is determined as the vector sum of all PF candidate momenta in the jet. Jet energy corrections are derived from simulation studies so that the average measured energy of jets becomes identical to that of particle level jets. *In situ* measurements of the momentum balance in dijet, γ + jets, Z + jets, and multijet events are used to determine any residual differences between the observed and simulated jet energy scale, and appropriate corrections are made [65]. Additional selection criteria are applied to each jet to remove jets potentially dominated by instrumental effects or reconstruction failures. The $\vec{p}_T^{\text{miss}}$ is modified to account for corrections to the energy scale of the reconstructed jets in the event. The H_T is defined as the scalar p_T sum of jets in an event.

Selected jets must have $p_T > 25$ GeV, $|\eta| < 2.4$, and be separated from isolated leptons by $\Delta R = \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2} > 0.4$, where ϕ is the azimuthal angle in radians. Jets containing the decay of a b hadron are identified as bottom quark jets (b -tagged jets) using a deep neural network algorithm, DeepJet [66–68]. The discriminator working point is chosen so that the misidentification rate to tag light-flavor or gluon jets is approximately 1%. This choice results in an efficiency to identify a bottom quark jet in the range 75%–85% for jets with p_T of 25–400 GeV, and a misidentification rate of about 15% for jets originating from a charm quark. Jets failing the b tagging requirement are further required to have $p_T > 30$ GeV to improve signal purity. The DeepJet algorithm is also used to identify jets containing the decay of a c -flavored hadron (c -tagged jets) [69]. The DeepJet algorithm is a multiclassifier, allowing for a b tagging discriminator score and a c tagging discriminator score to be returned by the same algorithm. Jets arising from b and c hadrons tend to be among the hardest jets in the event, and thus the b and c tagging discriminator scores for the leading three jets are used for event classification.

Events containing at least three leptons, referred to as multilepton events, or a pair of leptons with the same-sign electric charges are selected using a logical OR of triggers requiring the presence of two isolated leptons. The trigger efficiency for electrons is 90%–98%, reaching its maximum value for $p_T > 30$ GeV. For muons, the trigger efficiency is around 92%. The uncertainty in the trigger efficiency measurement is 1%–5% per trigger lepton. The trigger requirements are summarized in Table I.

Events are vetoed if any pair of leptons in the events is consistent with coming from a known resonance. Events with a pair of leptons with an invariant mass less than

TABLE I. Summary of the trigger thresholds used to select the analysis dataset. The triggers require two isolated leptons, with different p_T requirements depending on their flavors. For each trigger, the p_T threshold 1 corresponds to the lepton listed first, and the p_T threshold 2 corresponds to the lepton listed last.

Trigger	$p_{T,1}$ threshold	$p_{T,2}$ threshold
ee	23 GeV	12 GeV
$e\mu$	23 GeV	8 GeV
μe	23 GeV	12 GeV
$\mu\mu$	17 GeV	8 GeV

8 GeV are vetoed, irrespective of lepton flavor or charge. Additionally, events with a pair of same-flavor leptons of any charge are vetoed if the invariant mass of the pair is greater than 12 GeV. Finally, events with a pair of electrons with the same-sign electric charge are vetoed if the invariant mass of the pair is between 75 and 105 GeV. A baseline analysis selection defined in terms of requirements on these objects is summarized in Table II. The main SM processes that contribute at this stage of the selection are dibosons, associated production of gauge bosons with top quarks, $t\bar{t}$, W + jets, and Drell-Yan.

Events passing the baseline selection are classified using a boosted decision tree (BDT) trained on simulated samples of signal and background processes. Training is performed using a mixture of the two signal production modes weighted according to the cross sections in Sec. III. Two BDTs are trained: one for identifying the Hut signal and one for the Hct signal. Both BDTs are trained using the XGBOOST [70] framework with 33 input features, which were selected for their expected differences between signal and background events:

- (1) The number of electrons, jets, and b -tagged jets in the event.
- (2) Kinematic features of up to three leptons including the p_T , $|\eta|$, transverse and longitudinal impact

TABLE II. Baseline analysis selections.

Physics objects	Selection criteria
Lepton	Pair of isolated SS leptons (e or μ), Lead $p_T > 25$ GeV, else $p_T > 20$ GeV, $ \eta_e < 2.4$, $ \eta_\mu < 2.5$
Jet	≥ 2 in SS events or ≥ 1 in multilepton events, $p_T > 30$ GeV, $ \eta < 2.4$
b -tagged jet	$p_T > 25$ GeV, $ \eta < 2.4$
$m_{\ell\ell}$ (SF)	> 12 GeV
$m_{\ell\ell}$ (any flavor, any charge)	> 8 GeV
m_{ee} (SS)	< 75 or > 105 GeV

parameters, and the transverse mass of the lepton and the p_T^{miss} .

- (3) Features of the leading three jets: p_T , b , and c tagging discriminator score.
- (4) Invariant mass of the two p_T -leading leptons.
- (5) p_T of the jet with the largest $|\eta|$.
- (6) b tagging discriminator score of the p_T -leading b -tagged jet.
- (7) p_T of the jet with the highest b tagging discriminator score.
- (8) p_T^{miss} .
- (9) H_T .

The input features above are primarily numbers, kinematics, and other properties of selected leptons and jets. These are among the most important discriminating variables between signal and backgrounds that are nearly entirely from processes containing one or more top quarks. Separate trainings for the ST and TT signal modes were evaluated and did not yield significant improvement.

Search regions (SRs) are defined by bins in the BDT discriminator value. Bin edges are determined using the SCIKITLEARN [71] quantile transformation function so that the signal acceptance is approximately uniform across SRs, reducing the effects of outlier events. Expected yields of the signal process in these SRs are determined from simulation after applying scale factors (SFs) that correct for differences between data and simulation in the efficiencies of the applied triggers, lepton selection, and b tagging.

V. BACKGROUND ESTIMATION

Events containing an SS lepton pair and jets arise from several SM processes. The first category consists of events that contain one or more nonprompt leptons. Events containing a pair of prompt leptons with the SS electric charge arise from SM processes including diboson and triboson production and the associated production of a boson with a $t\bar{t}$. This background is subdominant and is estimated from simulation. The smallest category of background consists of dilepton events from $t\bar{t}$, Drell-Yan, and WW processes with a charge-misidentified prompt electron. Descriptions of the methods used to estimate each category of background and the validation studies follow.

Semileptonic $t\bar{t}$ and leptonic W + jets processes with an additional nonprompt lepton with the same-sign electric charge as a prompt lepton constitute the largest background in this search. This background is estimated using the “tight-to-loose” (TL) ratio method [55]. The tight identification and isolation requirements used to select prompt leptons are relaxed to define a loose lepton selection that is enriched in nonprompt leptons. The efficiency, ϵ_{TL} , for a nonprompt lepton that satisfies the loose selection to also pass the tight requirement is measured in a control sample of single-lepton events, as a function of the lepton flavor, p_T , and $|\eta|$. Contamination from processes producing a prompt lepton, mostly W + jets and followed by Drell-Yan,

is subtracted using the simulation. The loose-lepton definition was optimized to achieve an ϵ_{TL} that is approximately the same for lepton candidates arising from heavy or light flavor hadrons. Furthermore, for leptons that fail the tight selection, the lepton p_T is redefined as the sum of the lepton p_T and the energy in the isolation cone, where the isolation cone is an angular distance $\Delta R = 0.4$ from the lepton p_T . The redefinition accounts for the momentum of the parent parton. Together, the criteria allow constructing an ϵ_{TL} that is approximately independent of the sample and SR. See Ref. [55] for further details. For each SR, a control region (CR) is constructed with the same selection criteria as the SR, but requiring that at least one lepton pass the loose selection but fail the tight requirement. The number of events with a nonprompt lepton in each SR is estimated by weighting each loose-not-tight lepton in a corresponding CR event by a factor of $\epsilon_{\text{TL}}/(1 - \epsilon_{\text{TL}})$.

The simulation is used to evaluate the performance of the method. A TL efficiency, measured from simulated samples of multijet production, is used to predict the number of events with a nonprompt lepton expected to enter the SRs. The estimate is compared with the observed number of events with a nonprompt lepton in simulated $t\bar{t}$ and W + jets samples. The predicted and observed rates of events with a nonprompt lepton are compared in each SR and as functions of kinematic properties. These rates are found to agree within 30%, which is taken as a flat systematic uncertainty in the final nonprompt-lepton background estimate.

The second category of background consists of SM processes that produce a pair of prompt SS leptons. Diboson and triboson processes and the associated production of a boson with $t\bar{t}$ are the most significant processes in this background category. Smaller contributions arise from processes including a genuine photon such as $W\gamma$, $Z\gamma$, $t\gamma$ via photon conversion, and “rare” processes, such as tWZ and $t\bar{t}t\bar{t}$.

As it is not possible to construct a CR enriched in these processes with a large number of events and high purity, the backgrounds are estimated from simulation. Expected yields are estimated after applying SFs that account for small differences between data and simulation in the measured trigger, lepton selection, and b -tagging efficiencies, with associated systematic uncertainties described in Sec. VI.

The smallest category of background consists of dilepton $t\bar{t}$ and Drell-Yan events where the charge of an electron is misidentified, thus misclassifying a pair of prompt leptons with opposite-sign electric charge as an SS pair. Referred to as the “charge flip” background, it is estimated using a method similar to that described above for estimating the nonprompt-lepton background. The probability, ϵ_q , to misidentify the charge of an electron is estimated in simulation as a function of the electron p_T and $|\eta|$. This probability ranges between 10^{-5} and 10^{-3} for electrons and

is at least an order of magnitude smaller for muons. For each SR requiring two SS leptons, a CR is constructed with the same selections, except that the two leptons have opposite electric charge. The number of events with a lepton whose charge is misidentified is estimated by scaling each CR event by a weight obtained by summing terms of $\epsilon_q/(1 - \epsilon_q)$ for each lepton in the event.

Because the charge misidentification rate is estimated using simulation, the performance is evaluated in a CR enriched in $Z \rightarrow e^+e^-$ events with the charge of the electron or positron misidentified. For each data collection year, a single SF inclusive in p_T and $|\eta|$ is derived from a comparison of the observed and estimated number of such electron pairs. For 2016 (2017–2018), the correction factor is approximately 1.1 (1.4). A flat 30% uncertainty in the estimate is assumed in all regions based on these and other studies described in the following section.

VI. SYSTEMATIC UNCERTAINTIES

Sources of systematic uncertainties related to signal and background processes and their impact on the results are summarized in Table III. The change in SR yields is reported as a one-standard-deviation range. A description of the uncertainties considered are summarized in this section, first in backgrounds estimated using CRs (charge-misidentified and nonprompt-lepton), followed by yields estimated from simulation.

The nonprompt-lepton background is assigned an uncertainty of 30% based on the agreement observed in closure tests of the TL method using simulated QCD multijet, $t\bar{t}$, and $W + \text{jets}$ samples. The simulation is used to subtract contamination from prompt leptons, which is less than 1% in the CR, but is typically between 10% and 20% in the ϵ_{TL} measurement control sample, with uncertainties in ϵ_{TL} as large as 50% in the least statistically significant bins. This

uncertainty leads to a 7%–10% impact on the predicted yields in the SR. Uncertainties in the subtracted prompt contamination are considered separately for electrons and muons and correlated across bins of ϵ_{TL} for each lepton flavor. The charge-misidentified lepton background is assigned an uncertainty of 30% based on the agreement observed between the estimate and data in a control sample enriched in $Z \rightarrow e^+e^-$ events with one electron or positron having a misidentified charge. An uncertainty $< 5\%$ in the rate at which the electron charge is misidentified results from the limited number of events in the simulated samples in which this rate is measured. The statistical uncertainty in the CRs used to estimate the charge-misidentified and nonprompt-lepton backgrounds is included in the total uncertainty. The statistical uncertainties in the nonprompt-lepton background and the charge-misidentified lepton background are treated as fully uncorrelated. The other uncertainties in these backgrounds are treated as correlated between SR bins but uncorrelated between data-taking periods. The uncertainty in the estimate of the contribution of processes with a nonprompt lepton is the dominant uncertainty in the background.

The remaining uncertainties described here apply only for the estimate of yields of the signal process and backgrounds arising from SM processes with a prompt, SS lepton pair, which are estimated using simulation. Statistical uncertainties originating from the finite size of simulated samples are accounted for in each SR bin, and for signal and background separately [72]. The integrated luminosities of the 2016, 2017, and 2018 data-taking periods are individually known with uncertainties in the 1.2%–2.5% range [73–75], while the total 2016–2018 integrated luminosity has an uncertainty of 1.6%, the improvement in precision reflecting the (uncorrelated) time evolution of some systematic effects. The simulated

TABLE III. Sources of systematic uncertainties in the yields of signal and background processes, as well as their impact on the yields in the SRs. The impact is expressed as a one-standard-deviation range.

Source	Uncertainty in tCH prediction	Uncertainty in tuH prediction	Uncertainty in SM SS prediction	Uncertainty in nonprompt estimate	Uncertainty in charge flip estimate
Estimate normalization	...	...	...	30%	30%
ϵ_{TL}/ϵ_q	...	...	...	7%–10%	$< 5\%$
Integrated luminosity	1.6%	1.6%	1.6%	...	...
Pileup	$< 2\%$	$< 2\%$	$< 2\%$	...	...
Trigger efficiency	2%	2%	2%	...	...
Lepton efficiency	2%–3%	2%–3%	2%–3%	...	...
Jet energy scale	1%–6%	$< 8\%$	$< 5\%$	...	...
b/c tagging	10%–16%	6%–13%	7%–14%	...	...
Theory normalization	6%–10%	6%–10%	5%–25%	...	...
Renormalization and factorization scale shape	7%–9%	2%–6%	10%–15%	...	...
PDF shape	$< 2\%$	$< 2\%$	4%–6%	...	...
Total	14%–16%	11%–14%	20%–28%	31%–35%	29%–31%




FIG. 2. The prefit (upper) and postfit (lower) observed and expected distributions of the BDT score in the SR for 2016–2018 data are shown. The $t \rightarrow Hu$ signal is shown on the left, and $t \rightarrow Hc$ is shown on the right, normalized with a coupling $\kappa_{Hqt} = 0.1$ for illustration. The uncertainty bands include statistical and systematic uncertainties in the estimated backgrounds.

samples are reweighted according to the observed instantaneous luminosity and the minimum bias cross section. The uncertainty in the total inelastic pp cross section leads to changes $<2\%$ in the expected signal and background yields.

The efficiency of the trigger requirements is measured with an uncertainty of 2%, using an independent data sample selected with single-lepton triggers. The efficiencies of the lepton reconstruction and identification requirements are measured using data samples enriched in $Z \rightarrow \ell\ell$ events, with uncertainties of up to 5% (3%) per electron (muon). Varying the lepton efficiency SFs results in a

2%–3% effect on the SR yields. The jet energy scale is varied within its uncertainty, resulting in a 1%–8% effect in signal yields and $<5\%$ in background yields for rare SM processes.

The tagging efficiencies for b , c , and light-flavor jets are measured in dedicated data samples [67]. Varying these efficiencies within their measured uncertainties results in variations between 6%–16% of the SR yields.

Uncertainties in the normalization and shape distribution of events across SRs are considered for each background process estimated from simulation. Flat uncertainties are applied to specific background processes to account for the




FIG. 3. The expected (dashed line) and observed (solid line) limits on the coupling strength (upper) and on the branching fraction (lower) are shown. The green (yellow) bands show the 68% (95%) confidence level ranges of the expected limits. The area to the right and above the solid line is excluded.

uncertainty in the total cross section: 5% for WZ [76], 10% for $SSWW$ [77], 12% for $t\bar{t}W$ [78], and 8% for $t\bar{t}Z$ [78]. These flat uncertainties also account for the normalization changes due to the choice of the renormalization (μ_R) and factorization (μ_F) scales. The uncertainties in the shape distribution of events for each background process from the choices of the μ_R , μ_F , and α_S scales are accounted for

separately and are obtained by taking the envelope of the distributions obtained with modified scales. The typical effect of varying the μ_F and μ_R scales on the shapes of the BDT distributions is 10% to 15%. The impact of variations of the PDFs [79] is 4% to 6%.

For signal events, the total cross section uncertainty in the TT production mode is 6%, estimated from the uncertainty in the $t\bar{t}$ NNLO cross section, caused by the variation of the PDFs and the strong coupling α_S [80–82]. The uncertainty in the cross section for signal production in the ST mode is estimated to be 30%, resulting from missing higher-order corrections. The total impact in the normalization of the signal yields ranges from 6% to 10% across SRs. The typical effect of varying the μ_F and μ_R scales on the shapes of the BDT distributions is 2% to 9% for signal processes. The impact of variations of the PDFs [79] is $< 2\%$.

All systematic uncertainties are correlated between the SR bins. With the exception of the μ_F and μ_R scales and cross section uncertainties, every systematic effect is correlated between signal and the rare SM background. The trigger efficiency uncertainties are assumed as being uncorrelated between the data-taking periods. The uncertainty in the integrated luminosity is partially correlated between years, while all remaining uncertainties are correlated.

VII. RESULTS

A binned likelihood fit is constructed using yields from the signal and control regions, incorporating the theoretical and experimental uncertainties described in Sec. VI as nuisance parameters. The number of observed events and of simulated events in the SRs and CRs are Poisson distributed. Expected yields of signal events are estimated using a mixture of simulated samples of TT and ST production modes weighed according to the cross sections in Sec. III. Figure 2 shows that the estimated backgrounds and observed data are consistent within statistical and systematic uncertainties as a function of the BDT score, before (“prefit”) and after maximizing the likelihood function (“postfit”). Knowledge of the backgrounds, particularly the nonprompt background, is improved by considering the signal and control region yields in the fit. Overlaid are distributions of signal, normalized assuming a coupling strength of 0.1 between the top quark, the Higgs boson, and

TABLE IV. Observed and expected limits on the $t \rightarrow Hu$ and $t \rightarrow Hc$ branching fractions for the three searches in different Higgs boson decay channels performed by the CMS Collaboration. A statistical combination of the results is also reported.

Analysis	95% CL limit on $\mathcal{B}(t \rightarrow Hu)$ observed (expected)	95% CL limit on $\mathcal{B}(t \rightarrow Hc)$ observed (expected)
$H \rightarrow b\bar{b}$ [26]	0.079% (0.11%)	0.094% (0.086%)
$H \rightarrow \gamma\gamma$ [27]	0.019% (0.031%)	0.073% (0.051%)
Leptonic (this analysis)	0.072% (0.059%)	0.043% (0.062%)
Combination	0.019% (0.027%)	0.037% (0.035%)

an up or charm quark. While the presence of FCNC interactions would affect other Higgs boson couplings, existing experimental constraints on FCNC interactions limit the potential impact on the Higgs boson decay modes, rendering the effects negligible.

Results are obtained using the CMS statistical analysis tool Combine [83], which is based on the RooFit [84] and RooStats [85] frameworks. Upper limits on the coupling strengths and branching fractions are set at a 95% confidence level (CL), using the CL_s criterion with the LHC profile likelihood ratio as a test statistic in the asymptotic formulation [86–89]. Observed (expected) limits are 0.072% (0.059%) on $\mathcal{B}(t \rightarrow H u)$ and 0.043% (0.062%) on $\mathcal{B}(t \rightarrow H c)$. The limits can be cast as observed (expected) constraints on the anomalous coupling strengths: $\kappa_{Hut} < 0.071(0.064)$ and $\kappa_{Hct} < 0.055(0.065)$. The limits agree within one standard deviation—see Fig. 3, which shows the expected and observed limits, as well as the one- and two-standard-deviation bands on the coupling strength and on the branching fraction for each anomalous coupling. The exclusion curves shown in Fig. 3 are obtained by interpolating the limits with only a single

coupling present, assuming a linear relationship in the branching fractions.

VIII. COMBINATION

In addition to the results presented in the previous section, the CMS Collaboration has reported the results of two other searches for Higgs-mediated FCNC decays of the top quark, in which the Higgs boson decays to bottom quark pairs [26] or to a pair of photons [27]. The results of these searches and the new search presented are summarized in Table IV. A statistical combination of the results of the three searches is performed. As the three results target different and distinct decay modes of the Higgs boson, there is no overlap between the SRs of the three analyses. Correlations of systematic uncertainties in the signal and background yields are studied and accounted for. Uncertainties are correlated between the three analyses if the object definitions and approaches to measuring uncertainties are the same; otherwise, they are uncorrelated. Uncertainties in the jet energy scale and p_T^{miss} resolution, the integrated luminosity, the lepton identification efficiencies, and per-process theoretical uncertainties are treated as fully correlated. Remaining uncertainties are treated as uncorrelated. The impact of the choice of the correlation scheme on the combination result was studied and found to be $< 1\%$. The results of the combination are reported in Table IV. A summary and comparison of the results of the individual analyses and the combination is shown in Fig. 4.

IX. SUMMARY

This paper presents the results of a search for flavor-changing neutral current interactions of the top quark (t), Higgs boson (H), and an up (u) or charm (c) quark. The search is performed in a final state with a pair of leptons of the same electric charge and at least one jet. Expected yields from backgrounds emerging from detector effects are estimated by extrapolating yields observed in control regions using transfer factors measured in orthogonal data or simulated samples. Expected yields from standard model processes producing a pair of prompt leptons with the same-sign electric charge are estimated from simulation. Two trained boosted decision trees are used to evaluate and classify each event. No excess above the estimated background from standard model processes is observed. The observed (expected) upper limits at the 95% confidence level (CL) on the branching fraction are found to be 0.072% (0.059%) for $\mathcal{B}(t \rightarrow H u)$ and 0.043% (0.062%) for $\mathcal{B}(t \rightarrow H c)$. The limits can be cast as observed (expected) constraints on the anomalous coupling strengths: $\kappa_{Hut} < 0.071(0.064)$ and $\kappa_{Hct} < 0.055(0.065)$.

The ATLAS Collaboration has performed a similar search, including a targeted $H \rightarrow \tau^+ \tau^-$ final state [23]. A combination of ATLAS searches in different final states




FIG. 4. Summary of the observed and expected results from the three individual analyses and their combination. The dotted lines show the expected limits, and the solid red lines show the observed limits. The green and yellow bands show the 68% and 95% confidence level ranges of the expected limits.

obtained observed (expected) limits at the 95% CL of $\mathcal{B}(t \rightarrow H u) < 0.026\%(0.018\%)$ and $\mathcal{B}(t \rightarrow H c) < 0.034\%(0.023\%)$. A statistical combination of the results of the search in leptonic final states with those of previous CMS publications searching for the same phenomena where the Higgs boson decays to a bottom quark-antiquark pair or to a pair of photons is performed. The results of the combination lead to observed (expected) exclusion limits at the 95% CL on the branching fractions $\mathcal{B}(t \rightarrow H u) < 0.019\%(0.027\%)$ and $\mathcal{B}(t \rightarrow H c) < 0.037\%(0.035\%)$ and represent the most stringent constraints on these interactions from the CMS Collaboration.

ACKNOWLEDGMENTS

We congratulate our colleagues in the CERN accelerator departments for the excellent performance of the LHC and thank the technical and administrative staffs at CERN and at other CMS institutes for their contributions to the success of the CMS effort. In addition, we gratefully acknowledge the computing centers and personnel of the Worldwide LHC Computing Grid and other centers for delivering so effectively the computing infrastructure essential to our analyses. Finally, we acknowledge the enduring support for the construction and operation of the LHC, the CMS detector, and the supporting computing infrastructure provided by the following funding agencies: SC (Armenia); BMBWF and FWF (Austria); FNRS and FWO (Belgium); CNPq, CAPES, FAPERJ, FAPERGS, and FAPESP (Brazil); MES and BNSF (Bulgaria); CERN; CAS, MoST, and NSFC (China); MINCIENCIAS (Colombia); MSES and CSF (Croatia); RIF (Cyprus); SENESCYT (Ecuador); ERC PRG, RVTT3, and MoER TK202 (Estonia); Academy of Finland, MEC, and HIP (Finland); CEA and CNRS/IN2P3 (France); SRNSF (Georgia); BMBF, DFG, and HGF (Germany); GSRI (Greece); NKFIH (Hungary); DAE and DST (India); IPM (Iran); SFI (Ireland); INFN (Italy); MSIP and NRF (Republic of Korea); MES (Latvia); LMTLT (Lithuania); MOE and UM (Malaysia); BUAP, CINVESTAV, CONACYT, LNS, SEP, and UASLP-FAI (Mexico); MOS (Montenegro); MBIE (New Zealand); PAEC (Pakistan); MES and NSC (Poland); FCT (Portugal); MESTD (Serbia); MCIN/AEI and PCTI (Spain); MOSTR (Sri Lanka); Swiss Funding Agencies (Switzerland); MST (Taipei); MHESI and NSTDA (Thailand); TUBITAK and TENMAK (Turkey); NASU (Ukraine); STFC (United Kingdom); DOE and NSF (USA). Individuals have received support from the Marie-Curie program and the European Research Council and Horizon 2020 Grant, Contracts No. 675440, No. 724704, No. 752730, No. 758316, No. 765710, No. 824093, No. 101115353, No. 101002207, and COST Action CA16108 (European Union); the Leventis Foundation; the Alfred P. Sloan Foundation; the Alexander

von Humboldt Foundation; the Science Committee, Project No. 22rl-037 (Armenia); the Belgian Federal Science Policy Office; the Fonds pour la Formation à la Recherche dans l'Industrie et dans l'Agriculture (FRIA-Belgium); the F.R.S.-FNRS and FWO (Belgium) under the “Excellence of Science—EOS”—be.h Project No. 30820817; the Beijing Municipal Science & Technology Commission, No. Z191100007219010 and Fundamental Research Funds for the Central Universities (China); the Ministry of Education, Youth and Sports (MEYS) of the Czech Republic; the Shota Rustaveli National Science Foundation, Grant No. FR-22-985 (Georgia); the Deutsche Forschungsgemeinschaft (DFG), among others, under Germany’s Excellence Strategy—EXC 2121 “Quantum Universe”—No. 390833306, and under Project No. 400140256—GRK2497; the Hellenic Foundation for Research and Innovation (HFRI), Project No. 2288 (Greece); the Hungarian Academy of Sciences, the New National Excellence Program—ÚNKP, the NKFIH research Grants No. K 131991, No. K 133046, No. K 138136, No. K 143460, No. K 143477, No. K 146913, No. K 146914, No. K 147048, No. 2020-2.2.1-ED-2021-00181, and No. TKP2021-NKTA-64 (Hungary); the Council of Science and Industrial Research, India; ICSC—National Research Center for High Performance Computing, Big Data and Quantum Computing and FAIR—Future Artificial Intelligence Research, funded by the NextGenerationEU program (Italy); the Latvian Council of Science; the Ministry of Education and Science, Project No. 2022/WK/14, and the National Science Center, contracts Opus No. 2021/41/B/ST2/01369 and No. 2021/43/B/ST2/01552 (Poland); the Fundação para a Ciência e a Tecnologia, Grant No. CEECIND/01334/2018 (Portugal); the National Priorities Research Program by Qatar National Research Fund; MCIN/AEI/10.13039/501100011033, ERDF “a way of making Europe,” and the Programa Estatal de Fomento de la Investigación Científica y Técnica de Excelencia María de Maeztu, Grant No. MDM-2017-0765 and Programa Severo Ochoa del Principado de Asturias (Spain); the Chulalongkorn Academic into Its 2nd Century Project Advancement Project, and the National Science, Research and Innovation Fund via the Program Management Unit for Human Resources & Institutional Development, Research and Innovation, Grant No. B39G670016 (Thailand); the Kavli Foundation; the Nvidia Corporation; the SuperMicro Corporation; the Welch Foundation, Contract No. C-1845; and the Weston Havens Foundation (USA).

DATA AVAILABILITY

Release and preservation of data used by the CMS Collaboration as the basis for publications is guided by the CMS data preservation, reuse, and open access policy [90].

- [1] S. L. Glashow, J. Iliopoulos, and L. Maiani, Weak interactions with lepton-hadron symmetry, *Phys. Rev. D* **2**, 1285 (1970).
- [2] M. Kobayashi and T. Maskawa, CP violation in the renormalizable theory of weak interaction, *Prog. Theor. Phys.* **49**, 652 (1973).
- [3] G. Eilam, J. L. Hewett, and A. Soni, Rare decays of the top quark in the standard and two Higgs doublet models, *Phys. Rev. D* **44**, 1473 (1991); **59**, 039901(E) (1998).
- [4] B. Mele, S. Petrarca, and A. Soddu, A new evaluation of the decay width in the standard model, *Phys. Lett. B* **435**, 401 (1998).
- [5] J. A. Aguilar-Saavedra, Top flavor-changing neutral interactions: Theoretical expectations and experimental detection, *Acta Phys. Pol. B* **35**, 2695 (2004), <https://www.actaphys.uj.edu.pl/R/35/11/2695>.
- [6] C. Zhang and F. Maltoni, Top-quark decay into Higgs boson and a light quark at next-to-leading order in QCD, *Phys. Rev. D* **88**, 054005 (2013).
- [7] A. Azatov, M. Toharia, and L. Zhu, Higgs mediated flavor changing neutral currents in warped extra dimensions, *Phys. Rev. D* **80**, 035016 (2009).
- [8] A. Azatov, G. Panico, G. Perez, and Y. Soreq, On the flavor structure of natural composite Higgs models & top flavor violation, *J. High Energy Phys.* **12** (2014) 082.
- [9] S. Bejar, J. Guasch, and J. Solà, Loop induced flavor changing neutral decays of the top quark in a general two Higgs doublet model, *Nucl. Phys. B* **600**, 21 (2001).
- [10] J. Guasch and J. Solà, FCNC top quark decays in the MSSM: A door to SUSY physics in high luminosity colliders?, *Nucl. Phys. B* **562**, 3 (1999).
- [11] J. J. Cao, G. Eilam, M. Frank, K. Hikasa, G. L. Liu, I. Turan, and J. M. Yang, Supersymmetry-induced flavor-changing neutral-current top-quark processes at the CERN Large Hadron Collider, *Phys. Rev. D* **75**, 075021 (2007).
- [12] J. Cao, C. Han, L. Wu, J. M. Yang, and M. Zhang, SUSY induced top quark FCNC decay $t \rightarrow cH$ after Run I of LHC, *Eur. Phys. J. C* **74**, 3058 (2014).
- [13] G. Eilam, A. Gemintern, T. Han, J. M. Yang, and X. Zhang, Top-quark rare decay $t \rightarrow cH$ in R-parity-violating SUSY, *Phys. Lett. B* **510**, 227 (2001).
- [14] J. A. Aguilar-Saavedra, Effects of mixing with quark singlets, *Phys. Rev. D* **67**, 035003 (2003); **69**, 099901 (2004).
- [15] W.-S. Hou, Tree level $t \rightarrow ch$ or $h \rightarrow tc$ decays, *Phys. Lett. B* **296**, 179 (1992).
- [16] I. Baum, G. Eilam, and S. Bar-Shalom, Scalar flavor changing neutral currents and rare top quark decays in a two Higgs doublet model 'for the top quark', *Phys. Rev. D* **77**, 113008 (2008).
- [17] C. Kao, H.-Y. Cheng, W.-S. Hou, and J. Sayre, Top decays with flavor changing neutral Higgs interactions at the LHC, *Phys. Lett. B* **716**, 225 (2012).
- [18] B. Altunkaynak, W.-S. Hou, C. Kao, M. Kohda, and B. McCoy, Flavor changing heavy Higgs interactions at the LHC, *Phys. Lett. B* **751**, 135 (2015).
- [19] K.-F. Chen, W.-S. Hou, C. Kao, and M. Kohda, When the Higgs meets the top: Search for $t \rightarrow ch^0$ at the LHC, *Phys. Lett. B* **725**, 378 (2013).
- [20] ATLAS Collaboration, Search for top quark decays $t \rightarrow qH$, with $H \rightarrow \gamma\gamma$, in $\sqrt{s} = 13$ TeV pp collisions using the ATLAS detector, *J. High Energy Phys.* **10** (2017) 129.
- [21] ATLAS Collaboration, Search for flavor-changing neutral currents in top quark decays $t \rightarrow Hc$ and $t \rightarrow Hu$ in multilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, *Phys. Rev. D* **98**, 032002 (2018).
- [22] ATLAS Collaboration, Search for top-quark decays $t \rightarrow Hq$ with 36 fb⁻¹ of pp collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector, *J. High Energy Phys.* **05** (2019) 123.
- [23] ATLAS Collaboration, Search for flavour-changing neutral-current couplings between the top quark and the Higgs boson in multi-lepton final states in 13 TeV pp collisions with the ATLAS detector, *Eur. Phys. J. C* **84**, 757 (2024).
- [24] CMS Collaboration, Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $\sqrt{s} = 8$ TeV, *J. High Energy Phys.* **02** (2017) 079.
- [25] CMS Collaboration, Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at $\sqrt{s} = 13$ TeV, *J. High Energy Phys.* **06** (2018) 102.
- [26] CMS Collaboration, Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV, *J. High Energy Phys.* **02** (2022) 169.
- [27] CMS Collaboration, Search for flavor-changing neutral current interactions of the top quark and Higgs boson in final states with two photons in proton-proton collisions at $\sqrt{s} = 13$ TeV, *Phys. Rev. Lett.* **129**, 032001 (2022).
- [28] CMS Collaboration, The CMS experiment at the CERN LHC, *J. Instrum.* **3**, S08004 (2008).
- [29] CMS Collaboration, Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s} = 13$ TeV, *J. Instrum.* **15**, P10017 (2020).
- [30] CMS Collaboration, The CMS trigger system, *J. Instrum.* **12**, P01020 (2016).
- [31] P. Nason, A new method for combining NLO QCD with shower Monte Carlo algorithms, *J. High Energy Phys.* **11** (2004) 040.
- [32] S. Frixione, P. Nason, and C. Oleari, Matching NLO QCD computations with parton shower simulations: The POWHEG method, *J. High Energy Phys.* **11** (2007) 070.
- [33] S. Alioli, P. Nason, C. Oleari, and E. Re, A general framework for implementing NLO calculations in shower Monte Carlo programs: The POWHEG BOX, *J. High Energy Phys.* **06** (2010) 043.
- [34] S. Frixione, P. Nason, and G. Ridolfi, A positive-weight next-to-leading-order Monte Carlo for heavy flavour hadroproduction, *J. High Energy Phys.* **09** (2007) 126.
- [35] P. Nason and G. Zanderighi, W^+W^- , WZ and ZZ production in the POWHEG-BOX-V2, *Eur. Phys. J. C* **74**, 2702 (2014).
- [36] E. Bagnaschi, G. Degrandi, P. Slavich, and A. Vicini, Higgs production via gluon fusion in the POWHEG approach in the SM and in the MSSM, *J. High Energy Phys.* **02** (2012) 088.
- [37] H. B. Hartanto, B. Jager, L. Reina, and D. Wackerroth, Higgs boson production in association with top quarks in the POWHEG BOX, *Phys. Rev. D* **91**, 094003 (2015).

- [38] S. Bolognesi, Y. Gao, A. V. Gritsan, K. Melnikov, M. Schulze, N. V. Tran, and A. Whitbeck, On the spin and parity of a single-produced resonance at the LHC, *Phys. Rev. D* **86**, 095031 (2012).
- [39] E. Re, Single-top Wt-channel production matched with parton showers using the POWHEG method, *Eur. Phys. J. C* **71**, 1547 (2011).
- [40] J. Alwall, R. Frederix, S. Frixione, V. Hirschi, F. Maltoni, O. Mattelaer, H. S. Shao, T. Stelzer, P. Torrielli, and M. Zaro, The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, *J. High Energy Phys.* **07** (2014) 079.
- [41] R. D. Ball *et al.* (NNPDF Collaboration), Parton distributions for the LHC run II, *J. High Energy Phys.* **04** (2015) 040.
- [42] R. D. Ball, V. Bertone, S. Carrazza, L. D. Debbio, S. Forte, P. Groth-Merrild, A. Guffanti, N. P. Hartland, Z. Kassabov, J. I. Latorre, E. R. Nocera, J. Rojo, L. Rottoli, E. Slade, and M. Ubiali, Parton distributions from high-precision collider data, *Eur. Phys. J. C* **77**, 663 (2017).
- [43] T. Sjöstrand, S. Ask, J. R. Christiansen, R. Corke, N. Desai, P. Ilten, S. Mrenna, S. Prestel, C. O. Rasmussen, and P. Z. Skands, An introduction to PYTHIA 8.2, *Comput. Phys. Commun.* **191**, 159 (2015).
- [44] P. Skands, S. Carrazza, and J. Rojo, Tuning PYTHIA 8.1: The Monash 2013 Tune, *Eur. Phys. J. C* **74**, 3024 (2014).
- [45] CMS Collaboration, Event generator tunes obtained from underlying event and multiparton scattering measurements, *Eur. Phys. J. C* **76**, 155 (2016).
- [46] CMS Collaboration, Extraction and validation of a new set of CMS PYTHIA8 tunes from underlying-event measurements, *Eur. Phys. J. C* **80**, 4 (2020).
- [47] J. Alwall *et al.*, Comparative study of various algorithms for the merging of parton showers and matrix elements in hadronic collisions, *Eur. Phys. J. C* **53**, 473 (2008).
- [48] R. Frederix and S. Frixione, Merging meets matching in MC@NLO, *J. High Energy Phys.* **12** (2012) 061.
- [49] S. Agostinelli *et al.* (Geant 4 Collaboration), Geant4—a simulation toolkit, *Nucl. Instrum. Methods Phys. Res., Sect. A* **506**, 250 (2003).
- [50] A. Alloul, N. D. Christensen, C. Degrande, C. Duhr, and B. Fuks, FeynRules 2.0—a complete toolbox for tree-level phenomenology, *Comput. Phys. Commun.* **185**, 2250 (2014).
- [51] C. Degrande, C. Duhr, B. Fuks, D. Grellscheid, O. Mattelaer, and T. Reiter, UFO—the universal FeynRules output, *Comput. Phys. Commun.* **183**, 1201 (2012).
- [52] M. Czakon and A. Mitov, Top ++: A program for the calculation of the top-pair cross-section at hadron colliders, *Comput. Phys. Commun.* **185**, 2930 (2014).
- [53] P. Artoisenet, R. Frederix, O. Mattelaer, and R. Rietkerk, Automatic spin-entangled decays of heavy resonances in Monte Carlo simulations, *J. High Energy Phys.* **03** (2013) 015.
- [54] CMS Collaboration, Pileup mitigation at CMS in 13 TeV data, *J. Instrum.* **15**, P09018 (2020).
- [55] CMS Collaboration, Search for new physics in same-sign dilepton events in proton–proton collisions at $\sqrt{s} = 13$ TeV, *Eur. Phys. J. C* **76**, 439 (2016).
- [56] CMS Collaboration, Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV, *Eur. Phys. J. C* **80**, 752 (2020).
- [57] CMS Collaboration, Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV, *Eur. Phys. J. C* **80**, 75 (2020).
- [58] CMS Collaboration, Particle-flow reconstruction and global event description with the CMS detector, *J. Instrum.* **12**, P10003 (2017).
- [59] CMS Collaboration, Technical proposal for the Phase-II upgrade of the Compact Muon Solenoid, CMS Technical proposal CERN-LHCC-2015-010, CMS-TDR-15-02, 2015, <https://cds.cern.ch/record/2020886>.
- [60] CMS Collaboration, Performance of missing transverse momentum reconstruction in proton-proton collisions at $\sqrt{s} = 13$ TeV using the CMS detector, *J. Instrum.* **14**, P07004 (2019).
- [61] CMS Collaboration, Electron and photon reconstruction and identification with the CMS experiment at the CERN LHC, *J. Instrum.* **16**, P05014 (2020).
- [62] CMS Collaboration, Performance of the CMS muon detector and muon reconstruction with proton-proton collisions at $\sqrt{s} = 13$ TeV, *J. Instrum.* **13**, P06015 (2018).
- [63] M. Cacciari, G. P. Salam, and G. Soyez, The anti- k_T jet clustering algorithm, *J. High Energy Phys.* **04** (2008) 063.
- [64] M. Cacciari, G. P. Salam, and G. Soyez, FastJet user manual, *Eur. Phys. J. C* **72**, 1896 (2012).
- [65] CMS Collaboration, Jet energy scale and resolution in the CMS experiment in pp collisions at 8 TeV, *J. Instrum.* **12**, P02014 (2016).
- [66] CMS Collaboration, Identification of heavy-flavour jets with the CMS detector in pp collisions at 13 TeV, *J. Instrum.* **13**, P05011 (2018).
- [67] E. Bols, J. Kieseler, M. Verzetti, M. Stoye, and A. Stakia, Jet flavour classification using DeepJet, *J. Instrum.* **15**, P12012 (2018).
- [68] CMS Collaboration, Performance of the DeepJet b tagging algorithm using 41.9 fb⁻¹ of data from proton-proton collisions at 13 TeV with Phase-1 CMS detector, CMS Detector Performance Note CMS-DP-2018-058, 2018, <https://cds.cern.ch/record/2646773>.
- [69] CMS Collaboration, A new calibration method for charm jet identification validated with proton-proton collision events at $\sqrt{s} = 13$ TeV, *J. Instrum.* **17**, P03014 (2021).
- [70] T. Chen and C. Guestrin, Xgboost: A scalable tree boosting system, in *Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, KDD '16 (Association for Computing Machinery, New York, NY, USA, 2016), pp. 785–794.
- [71] F. Pedregosa *et al.*, Scikit-learn: Machine learning in Python, *J. Mach. Learn. Res.* **12**, 2825 (2011).
- [72] R. J. Barlow and C. Beeston, Fitting using finite Monte Carlo samples, *Comput. Phys. Commun.* **77**, 219 (1993).
- [73] CMS Collaboration, Precision luminosity measurement in proton-proton collisions at $\sqrt{s} = 13$ TeV in 2015 and 2016 at CMS, *Eur. Phys. J. C* **81**, 800 (2021).

- [74] CMS Collaboration, CMS luminosity measurement for the 2017 data-taking period at $\sqrt{s} = 13$ TeV, CMS Physics Analysis Summary, CMS-PAS-LUM-17-004, 2018, <https://cds.cern.ch/record/2621960>.
- [75] CMS Collaboration, CMS luminosity measurement for the 2018 data-taking period at $\sqrt{s} = 13$ TeV, CMS Physics Analysis Summary, CMS-PAS-LUM-18-002, 2019, <https://cds.cern.ch/record/2676164>.
- [76] CMS Collaboration, Measurement of the inclusive and differential WZ production cross sections, polarization angles, and triple gauge couplings in pp collisions at $\sqrt{s} = 13$ TeV, *J. High Energy Phys.* **07** (2022) 032.
- [77] B. Biedermann, A. Denner, and M. Pellen, Complete NLO corrections to $W^+ W^+$ scattering and its irreducible background at the LHC, *J. High Energy Phys.* **10** (2017) 124.
- [78] D. de Florian *et al.* (LHC Higgs Cross Section Working Group), *Handbook of LHC Higgs Cross Sections: 4. Deciphering the Nature of the Higgs Sector*, CERN Yellow Reports: Monographs (CERN, Geneva, 2017).
- [79] J. Butterworth *et al.*, PDF4LHC recommendations for LHC Run II, *J. Phys. G* **43**, 023001 (2016).
- [80] S. Catani, D. de Florian, M. Grazzini, and P. Nason, Soft gluon resummation for Higgs boson production at hadron colliders, *J. High Energy Phys.* **07** (2003) 028.
- [81] M. Cacciari, S. Frixione, M. L. Mangano, P. Nason, and G. Ridolfi, The t anti- t cross-section at 1.8-TeV and 1.96-TeV: A study of the systematics due to parton densities and scale dependence, *J. High Energy Phys.* **04** (2004) 068.
- [82] A. Kalogeropoulos and J. Alwall, The syscalc code: A tool to derive theoretical systematic uncertainties, [arXiv:1801.08401](https://arxiv.org/abs/1801.08401).
- [83] CMS Collaboration, The CMS statistical analysis and combination tool: Combine, *Comput. Software Big Sci.* **8**, 19 (2024).
- [84] W. Verkerke and D. P. Kirkby, The RooFit toolkit for data modeling, eConf C **0303241**, MOLT007 (2003), <http://inspirehep.net/record/634021>.
- [85] L. Moneta, K. Belasco, K. S. Cranmer, S. Kreiss, A. Lazzaro, D. Piparo, G. Schott, W. Verkerke, and M. Wolf, The RooStats Project, *Proc. Sci. ACAT2010* (**2010**) 057.
- [86] T. Junk, Confidence level computation for combining searches with small statistics, *Nucl. Instrum. Methods Phys. Res., Sect. A* **434**, 435 (1999).
- [87] A. L. Read, Presentation of search results: The CL_s technique, *J. Phys. G* **28**, 2693 (2002).
- [88] G. Cowan, K. Cranmer, E. Gross, and O. Vitells, Asymptotic formulae for likelihood-based tests of new physics, *Eur. Phys. J. C* **71**, 1554 (2011); **73**, 2501 (2013).
- [89] ATLAS, CMS, LHC Higgs Combination Group, Procedure for the LHC Higgs boson search combination in Summer 2011, Technical Report No. CMS-NOTE-2011-005/ATLAS-PHYS-PUB-2011-11, CERN, Geneva, 2011, <https://cds.cern.ch/record/1379837>.
- [90] CMS data availability statement, [10.7483/OPENDATA.CMS.IBNU.8V1W](https://cds.cern.ch/record/107483).

A. Hayrapetyan,¹ A. Tumasyan,^{1,b} W. Adam,² J. W. Andrejkovic,² T. Bergauer,² S. Chatterjee,² K. Damanakis,² M. Dragicevic,² P. S. Hussain,² M. Jeitler,^{2,c} N. Krammer,² A. Li,² D. Liko,² I. Mikulec,² J. Schieck,^{2,c} R. Schöfbeck,² D. Schwarz,² M. Sonawane,² S. Templ,² W. Waltenberger,² C.-E. Wulz,^{2,c} M. R. Darwish,^{3,d} T. Janssen,³ P. Van Mechelen,³ E. S. Bols,⁴ J. D'Hondt,⁴ S. Dansana,⁴ A. De Moor,⁴ M. Delcourt,⁴ S. Lowette,⁴ I. Makarenko,⁴ D. Müller,⁴ S. Tavernier,⁴ M. Tytgat,^{4,e} G. P. Van Onsem,⁴ S. Van Putte,⁴ D. Vannerom,⁴ B. Clerbaux,⁵ A. K. Das,⁵ G. De Lentdecker,⁵ H. Evard,⁵ L. Favart,⁵ P. Giannelis,⁵ D. Hohov,⁵ J. Jaramillo,⁵ A. Khalilzadeh,⁵ F. A. Khan,⁵ K. Lee,⁵ M. Mahdavihorrani,⁵ A. Malara,⁵ S. Paredes,⁵ L. Thomas,⁵ M. Vanden Bemden,⁵ C. Vander Velde,⁵ P. Vanlaer,⁵ M. De Coen,⁶ D. Dobur,⁶ Y. Hong,⁶ J. Knolle,⁶ L. Lambrecht,⁶ G. Mestdach,⁶ K. Mota Amarilo,⁶ C. Rendón,⁶ A. Samalan,⁶ K. Skovpen,⁶ N. Van Den Bossche,⁶ J. van der Linden,⁶ L. Wezenbeek,⁶ A. Benecke,⁷ A. Bethani,⁷ G. Bruno,⁷ C. Caputo,⁷ C. Delaere,⁷ I. S. Donertas,⁷ A. Giammanco,⁷ Sa. Jain,⁷ V. Lemaître,⁷ J. Lidrych,⁷ P. Mastrapasqua,⁷ T. T. Tran,⁷ S. Wertz,⁷ G. A. Alves,⁸ E. Coelho,⁸ C. Hensel,⁸ T. Menezes De Oliveira,⁸ A. Moraes,⁸ P. Rebello Teles,⁸ M. Soeiro,⁸ W. L. Aldá Júnior,⁹ M. Alves Gallo Pereira,⁹ M. Barroso Ferreira Filho,⁹ H. Brandao Malbouisson,⁹ W. Carvalho,⁹ J. Chinellato,^{9,f} E. M. Da Costa,⁹ G. G. Da Silveira,^{9,g} D. De Jesus Damiao,⁹ S. Fonseca De Souza,⁹ R. Gomes De Souza,⁹ J. Martins,^{9,h} C. Mora Herrera,⁹ L. Mundim,⁹ H. Nogima,⁹ J. P. Pinheiro,⁹ A. Santoro,⁹ A. Sznajder,⁹ M. Thiel,⁹ A. Vilela Pereira,⁹ C. A. Bernardes,^{10,g} L. Calligaris,¹⁰ T. R. Fernandez Perez Tomei,¹⁰ E. M. Gregores,¹⁰ P. G. Mercadante,¹⁰ S. F. Novaes,¹⁰ B. Orzari,¹⁰ Sandra S. Padula,¹⁰ A. Aleksandrov,¹¹ G. Antchev,¹¹ R. Hadjiiska,¹¹ P. Iaydjiev,¹¹ M. Misheva,¹¹ M. Shopova,¹¹ G. Sultanov,¹¹ A. Dimitrov,¹² L. Litov,¹² B. Pavlov,¹² P. Petkov,¹² A. Petrov,¹² E. Shumka,¹² S. Keshri,¹³ S. Thakur,¹³ T. Cheng,¹⁴ T. Javaid,¹⁴ L. Yuan,¹⁴ Z. Hu,¹⁵ J. Liu,¹⁵ K. Yi,^{15,i,j} G. M. Chen,^{16,k} H. S. Chen,^{16,k} M. Chen,^{16,k} F. Iemmi,¹⁶ C. H. Jiang,¹⁶ A. Kapoor,^{16,l} H. Liao,¹⁶ Z.-A. Liu,^{16,m} R. Sharma,^{16,n} J. N. Song,^{16,m} J. Tao,¹⁶ C. Wang,^{16,k} J. Wang,¹⁶ Z. Wang,^{16,k} H. Zhang,¹⁶ A. Agapitos,¹⁷ Y. Ban,¹⁷ A. Levin,¹⁷ C. Li,¹⁷ Q. Li,¹⁷ Y. Mao,¹⁷ S. J. Qian,¹⁷ X. Sun,¹⁷ D. Wang,¹⁷ H. Yang,¹⁷ L. Zhang,¹⁷ C. Zhou,¹⁷ Z. You,¹⁸ K. Jaffel,¹⁹ N. Lu,¹⁹

- G. Bauer,^{20,o} X. Gao^{21,p} Z. Lin²² C. Lu²² M. Xiao²² C. Avila²³ D. A. Barbosa Trujillo,²³ A. Cabrera²³ C. Florez²³ J. Fraga²³ J. A. Reyes Vega,²³ J. Mejia Guisao²⁴ F. Ramirez²⁴ M. Rodriguez²⁴ J. D. Ruiz Alvarez²⁴ D. Giljanovic²⁵ N. Godinovic²⁵ D. Lelas²⁵ A. Sculac²⁵ M. Kovac²⁶ T. Sculac²⁶ P. Bargassa²⁷ V. Brigljevic²⁷ B. K. Chitroda²⁷ D. Ferencek²⁷ K. Jakovcic²⁷ S. Mishra²⁷ A. Starodumov^{27,q} T. Susa²⁷ A. Attikis²⁸ K. Christoforou²⁸ A. Hadjiagapiou,²⁸ S. Konstantinou²⁸ J. Mousa²⁸ C. Nicolaou,²⁸ F. Ptochos²⁸ P. A. Razis²⁸ H. Rykaczewski,²⁸ H. Saka²⁸ A. Stepennov²⁸ M. Finger²⁹ M. Finger Jr.²⁹ A. Kveton²⁹ E. Ayala³⁰ E. Carrera Jarrin³¹ A. A. Abdelalim^{32,r,s} E. Salama^{32,t,u} M. Abdullah Al-Mashad³³ M. A. Mahmoud³³ K. Ehataht³⁴ M. Kadastik,³⁴ T. Lange³⁴ S. Nandan³⁴ C. Nielsen³⁴ J. Pata³⁴ M. Raidal³⁴ L. Tani³⁴ C. Veelken³⁴ H. Kirschenmann³⁵ K. Osterberg³⁵ M. Voutilainen³⁵ S. Bharthuar³⁶ E. Brücken³⁶ F. Garcia³⁶ K. T. S. Kallonen³⁶ R. Kinnunen,³⁶ T. Lampén³⁶ K. Lassila-Perini³⁶ S. Lehti³⁶ T. Lindén³⁶ L. Martikainen³⁶ M. Myllymäki³⁶ M. m. Rantanen³⁶ H. Siikonen³⁶ E. Tuominen³⁶ J. Tuominiemi³⁶ P. Luukka³⁷ H. Petrow³⁷ M. Besancon³⁸ F. Couderc³⁸ M. Dejardin³⁸ D. Denegri,³⁸ J. L. Faure,³⁸ F. Ferri³⁸ S. Ganjour³⁸ P. Gras³⁸ G. Hamel de Monchenault³⁸ V. Lohezic³⁸ J. Malcles³⁸ J. Rander,³⁸ A. Rosowsky³⁸ M. Ö. Sahin³⁸ A. Savoy-Navarro^{38,v} P. Simkina³⁸ M. Titov³⁸ M. Tornago³⁸ F. Beaudette³⁹ A. Buchot Perraguin³⁹ P. Busson³⁹ A. Cappati³⁹ C. Charlot³⁹ M. Chiusi³⁹ F. Damas³⁹ O. Davignon³⁹ A. De Wit³⁹ I. T. Ehle³⁹ B. A. Fontana Santos Alves³⁹ S. Ghosh³⁹ A. Gilbert³⁹ R. Granier de Cassagnac³⁹ A. Hakimi³⁹ B. Harikrishnan³⁹ L. Kalipoliti³⁹ G. Liu³⁹ J. Motta³⁹ M. Nguyen³⁹ C. Ochando³⁹ L. Portales³⁹ R. Salerno³⁹ J. B. Sauvan³⁹ Y. Sirois³⁹ A. Tarabini³⁹ E. Vernazza³⁹ A. Zabi³⁹ A. Zghiche³⁹ J.-L. Agram^{40,w} J. Andrea⁴⁰ D. Apparú⁴⁰ D. Bloch⁴⁰ J.-M. Brom⁴⁰ E. C. Chabert⁴⁰ C. Collard⁴⁰ S. Falke⁴⁰ U. Goerlach⁴⁰ C. Grimault⁴⁰ R. Haeblerle⁴⁰ A.-C. Le Bihan⁴⁰ M. Meena⁴⁰ G. Saha⁴⁰ M. A. Sessini⁴⁰ P. Van Hove⁴⁰ S. Beauceron⁴¹ B. Blancon⁴¹ G. Boudoul⁴¹ N. Chanon⁴¹ J. Choi⁴¹ D. Contardo⁴¹ P. Depasse⁴¹ C. Dozen^{41,x} H. El Mamouni,⁴¹ J. Fay⁴¹ S. Gascon⁴¹ M. Gouzevitch⁴¹ C. Greenberg⁴¹ G. Grenier⁴¹ B. Ille⁴¹ I. B. Laktineh,⁴¹ M. Lethuillier⁴¹ L. Mirabito,⁴¹ S. Perries,⁴¹ A. Purohit⁴¹ M. Vander Donckt⁴¹ P. Verdier⁴¹ J. Xiao⁴¹ A. Khvedelidze^{42,q} I. Lomidze⁴² Z. Tsamalaidze^{42,q} V. Botta⁴³ L. Feld⁴³ K. Klein⁴³ M. Lipinski⁴³ D. Meuser⁴³ A. Pauls⁴³ N. Röwert⁴³ M. Teroerde⁴³ S. Diekmann⁴⁴ A. Dodonova⁴⁴ N. Eich⁴⁴ D. Eliseev⁴⁴ F. Engelke⁴⁴ J. Erdmann⁴⁴ M. Erdmann⁴⁴ P. Fackeldey⁴⁴ B. Fischer⁴⁴ T. Hebbeker⁴⁴ K. Hoepfner⁴⁴ F. Ivone⁴⁴ A. Jung⁴⁴ M. y. Lee⁴⁴ F. Mausolf⁴⁴ M. Merschmeyer⁴⁴ A. Meyer⁴⁴ S. Mukherjee⁴⁴ D. Noll⁴⁴ F. Nowotny,⁴⁴ A. Pozdnyakov⁴⁴ Y. Rath,⁴⁴ W. Redjeb⁴⁴ F. Rehm,⁴⁴ H. Reithler⁴⁴ U. Sarkar⁴⁴ V. Sarkisovi⁴⁴ A. Schmidt⁴⁴ A. Sharma⁴⁴ J. L. Spah⁴⁴ A. Stein⁴⁴ F. Torres Da Silva De Araujo^{44,y} S. Wiedenbeck⁴⁴ S. Zaleski,⁴⁴ C. Dziwok⁴⁵ G. Flügge⁴⁵ W. Haj Ahmad^{45,z} T. Kress⁴⁵ A. Nowack⁴⁵ O. Pooth⁴⁵ A. Stahl⁴⁵ T. Ziemons⁴⁵ A. Zotz⁴⁵ H. Aarup Petersen⁴⁶ M. Aldaya Martin⁴⁶ J. Alimena⁴⁶ S. Amoroso,⁴⁶ Y. An⁴⁶ S. Baxter⁴⁶ M. Bayatmakou⁴⁶ H. Becerril Gonzalez⁴⁶ O. Behnke⁴⁶ A. Belvedere⁴⁶ S. Bhattacharya⁴⁶ F. Blekman^{46,aa} K. Borrás^{46,bb} A. Campbell⁴⁶ A. Cardini⁴⁶ C. Cheng⁴⁶ F. Colombina⁴⁶ S. Consuegra Rodríguez⁴⁶ G. Correia Silva⁴⁶ M. De Silva⁴⁶ G. Eckerlin⁴⁶ D. Eckstein⁴⁶ L. I. Estevez Banos⁴⁶ O. Filatov⁴⁶ E. Gallo^{46,aa} A. Geiser⁴⁶ A. Giralddi⁴⁶ V. Guglielmi⁴⁶ M. Guthoff⁴⁶ A. Hinzmann⁴⁶ A. Jafari^{46,cc} L. Jeppe⁴⁶ N. Z. Jomhari⁴⁶ B. Kaech⁴⁶ M. Kasemann⁴⁶ C. Kleinwort⁴⁶ R. Kogler⁴⁶ M. Komm⁴⁶ D. Krücker⁴⁶ W. Lange⁴⁶ D. Leyva Pernia⁴⁶ K. Lipka^{46,dd} W. Lohmann^{46,ee} R. Mankel⁴⁶ I.-A. Melzer-Pellmann⁴⁶ M. Mendizabal Morentin⁴⁶ A. B. Meyer⁴⁶ G. Milella⁴⁶ A. Mussgiller⁴⁶ L. P. Nair⁴⁶ A. Nürnberg⁴⁶ Y. Otari⁴⁶ J. Park⁴⁶ D. Pérez Adán⁴⁶ E. Ranken⁴⁶ A. Raspereza⁴⁶ B. Ribeiro Lopes⁴⁶ J. Rübenach,⁴⁶ A. Saggio⁴⁶ M. Scham^{46,ff,bb} S. Schnake^{46,bb} P. Schütze⁴⁶ C. Schwanenberger^{46,aa} D. Selivanova⁴⁶ K. Sharfo⁴⁶ M. Shchedrolosiev⁴⁶ R. E. Sosa Ricardo⁴⁶ D. Stafford⁴⁶ F. Vazzoler⁴⁶ A. Ventura Barroso⁴⁶ R. Walsh⁴⁶ Q. Wang⁴⁶ Y. Wen⁴⁶ K. Wichmann⁴⁶ L. Wiens^{46,bb} C. Wissing⁴⁶ Y. Yang⁴⁶ A. Zimmermann Castro Santos⁴⁶ A. Albrecht⁴⁷ S. Albrecht⁴⁷ M. Antonello⁴⁷ S. Bein⁴⁷ L. Benato⁴⁷ S. Bollweg,⁴⁷ M. Bonanomi⁴⁷ P. Connor⁴⁷ K. El Morabit⁴⁷ Y. Fischer⁴⁷ E. Garutti⁴⁷ A. Grohsjean⁴⁷ J. Haller⁴⁷ H. R. Jabusch⁴⁷ G. Kasieczka⁴⁷ P. Keicher⁴⁷ R. Klanner⁴⁷ W. Korcari⁴⁷ T. Kramer⁴⁷ V. Kutzner⁴⁷ F. Labe⁴⁷ J. Lange⁴⁷ A. Lobanov⁴⁷ C. Matthies⁴⁷ A. Mehta⁴⁷ L. Moureaux⁴⁷ M. Mrowietz,⁴⁷ A. Nigamova⁴⁷ Y. Nissan,⁴⁷ A. Paasch⁴⁷ K. J. Pena Rodriguez⁴⁷ T. Quadfasel⁴⁷ B. Raciti⁴⁷ M. Rieger⁴⁷ D. Savoiu⁴⁷ J. Schindler⁴⁷ P. Schleper⁴⁷ M. Schröder⁴⁷ J. Schwandt⁴⁷ M. Sommerhalder⁴⁷ H. Stadie⁴⁷ G. Steinbrück⁴⁷ A. Tews⁴⁷

- M. Wolf⁴⁷, S. Brommer⁴⁸, M. Burkart⁴⁸, E. Butz⁴⁸, T. Chwalek⁴⁸, A. Dierlamm⁴⁸, A. Droll⁴⁸, N. Faltermann⁴⁸, M. Giffels⁴⁸, A. Gottmann⁴⁸, F. Hartmann^{48,gg}, R. Hofsaess⁴⁸, M. Horzela⁴⁸, U. Husemann⁴⁸, J. Kieseler⁴⁸, M. Klute⁴⁸, R. Koppenhöfer⁴⁸, J. M. Lawhorn⁴⁸, M. Link⁴⁸, A. Lintuluoto⁴⁸, S. Maier⁴⁸, S. Mitra⁴⁸, M. Mormile⁴⁸, Th. Müller⁴⁸, M. Neukum⁴⁸, M. Oh⁴⁸, E. Pfeffer⁴⁸, M. Presilla⁴⁸, G. Quast⁴⁸, K. Rabbertz⁴⁸, B. Regnery⁴⁸, N. Shadskiy⁴⁸, I. Shvetsov⁴⁸, H. J. Simonis⁴⁸, M. Toms⁴⁸, N. Trevisani⁴⁸, R. F. Von Cube⁴⁸, M. Wassmer⁴⁸, S. Wieland⁴⁸, F. Wittig⁴⁸, R. Wolf⁴⁸, X. Zuo⁴⁸, G. Anagnostou⁴⁹, G. Daskalakis⁴⁹, A. Kyriakis⁴⁹, A. Papadopoulos^{49,gg}, A. Stakia⁴⁹, P. Kontaxakis⁵⁰, G. Melachroinos⁵⁰, Z. Painesis⁵⁰, A. Panagiotou⁵⁰, I. Papavergou⁵⁰, I. Paraskevas⁵⁰, N. Saoulidou⁵⁰, K. Theofilatos⁵⁰, E. Tziaferi⁵⁰, K. Vellidis⁵⁰, I. Zisopoulos⁵⁰, G. Bakas⁵¹, T. Chatzistavrou⁵¹, G. Karapostoli⁵¹, K. Kousouris⁵¹, I. Papakrivopoulos⁵¹, E. Siamarkou⁵¹, G. Tsiopolitis⁵¹, A. Zacharopoulou⁵¹, K. Adamidis⁵², I. Bestintzanos⁵², I. Evangelou⁵², C. Foudas⁵², C. Kamtsikis⁵², P. Katsoulis⁵², P. Kokkas⁵², P. G. Kosmoglou Kioseoglou⁵², N. Manthos⁵², I. Papadopoulos⁵², J. Strologas⁵², M. Bartók^{53,hh}, C. Hajdu⁵³, D. Horvath^{53,ii,jj}, K. Márton⁵³, A. J. Rádl^{53,kk}, F. Sikler⁵³, V. Veszpremi⁵³, M. Csanád⁵⁴, K. Farkas⁵⁴, M. M. A. Gadallah^{54,ll}, Á. Kadlecsek⁵⁴, P. Major⁵⁴, K. Mandal⁵⁴, G. Pásztor⁵⁴, G. I. Veres⁵⁴, P. Raics⁵⁵, B. Ujvari⁵⁵, G. Zilizi⁵⁵, G. Bencze⁵⁶, S. Czellar⁵⁶, J. Molnar⁵⁶, Z. Szillasi⁵⁶, T. Csorgo^{57,mm}, F. Nemes^{57,nn}, T. Novak⁵⁷, J. Babbar⁵⁸, S. Bansal⁵⁸, S. B. Beri⁵⁸, V. Bhatnagar⁵⁸, G. Chaudhary⁵⁸, S. Chauhan⁵⁸, N. Dhingra^{58,nn}, A. Kaur⁵⁸, A. Kaur⁵⁸, H. Kaur⁵⁸, M. Kaur⁵⁸, S. Kumar⁵⁸, K. Sandeep⁵⁸, T. Sheokand⁵⁸, J. B. Singh⁵⁸, A. Singla⁵⁸, A. Ahmed⁵⁹, A. Bhardwaj⁵⁹, A. Chhetri⁵⁹, B. C. Choudhary⁵⁹, A. Kumar⁵⁹, A. Kumar⁵⁹, M. Naimuddin⁵⁹, K. Ranjan⁵⁹, S. Saumya⁵⁹, S. Baradia⁶⁰, S. Barman^{60,oo}, S. Bhattacharya⁶⁰, S. Dutta⁶⁰, S. Dutta⁶⁰, S. Sarkar⁶⁰, M. M. Ameen⁶¹, P. K. Behera⁶¹, S. C. Behera⁶¹, S. Chatterjee⁶¹, P. Jana⁶¹, P. Kalbhor⁶¹, J. R. Komaragiri^{61,pp}, D. Kumar^{61,pp}, P. R. Pujahari⁶¹, N. R. Saha⁶¹, A. Sharma⁶¹, A. K. Sikdar⁶¹, S. Verma⁶¹, S. Dugad⁶², M. Kumar⁶², G. B. Mohanty⁶², P. Suryadevara⁶², A. Bala⁶³, S. Banerjee⁶³, R. M. Chatterjee⁶³, R. K. Dewanjee^{63,qq}, M. Guchait⁶³, Sh. Jain⁶³, A. Jaiswal⁶³, S. Karmakar⁶³, S. Kumar⁶³, G. Majumder⁶³, K. Mazumdar⁶³, S. Parolia⁶³, A. Thachayath⁶³, S. Bahinipati^{64,rr}, C. Kar⁶⁴, D. Maity^{64,ss}, P. Mal⁶⁴, T. Mishra⁶⁴, V. K. Muraleedharan Nair Bindhu^{64,ss}, K. Naskar^{64,ss}, A. Nayak^{64,ss}, P. Sadangi⁶⁴, S. K. Swain⁶⁴, S. Varghese^{64,ss}, D. Vats^{64,ss}, S. Acharya^{65,tt}, A. Alpina⁶⁵, S. Dube⁶⁵, B. Gomer^{65,tt}, B. Kansal⁶⁵, A. Laha⁶⁵, B. Sahu^{65,tt}, S. Sharma⁶⁵, K. Y. Vaish⁶⁵, H. Bakhshiansohi^{66,uu}, E. Khazaie^{66,vv}, M. Zeinali^{66,ww}, S. Chenarani^{67,xx}, S. M. Etesami⁶⁷, M. Khakzad⁶⁷, M. Mohammadi Najafabadi⁶⁷, M. Grunewald⁶⁸, M. Abbrescia^{69a,69b}, R. Aly^{69a,69c,r}, A. Colaleo^{69a,69b}, D. Creanza^{69a,69c}, B. D'Anzi^{69a,69b}, N. De Filippis^{69a,69c}, M. De Palma^{69a,69b}, A. Di Florio^{69a,69c}, W. Elmetenawee^{69a,69b,rr}, L. Fiore^{69a}, G. Iaselli^{69a,69c}, M. Louka^{69a,69b}, G. Maggi^{69a,69c}, M. Maggi^{69a}, I. Margjeka^{69a,69b}, V. Mastrapasqua^{69a,69b}, S. My^{69a,69b}, S. Nuzzo^{69a,69b}, A. Pellecchia^{69a,69b}, A. Pompili^{69a,69b}, G. Pugliese^{69a,69c}, R. Radogna^{69a}, G. Ramirez-Sanchez^{69a,69c}, D. Ramos^{69a}, A. Ranieri^{69a}, L. Silvestris^{69a}, F. M. Simone^{69a,69b}, Ü. Sözbilir^{69a}, A. Stamerra^{69a}, R. Venditti^{69a}, P. Verwilligen^{69a}, A. Zaza^{69a,69b}, G. Abbiendi^{70a}, C. Battilana^{70a,70b}, D. Bonacorsi^{70a,70b}, L. Borgonovi^{70a}, R. Campanini^{70a,70b}, P. Capiluppi^{70a,70b}, A. Castro^{70a,70b}, M. Cuffiani^{70a,70b}, G. M. Dallavalle^{70a}, T. Diotallevi^{70a,70b}, F. Fabbri^{70a}, A. Fanfani^{70a,70b}, D. Fasanella^{70a,70b}, P. Giacomelli^{70a}, L. Giommi^{70a,70b}, C. Grandi^{70a}, L. Guiducci^{70a,70b}, S. Lo Meo^{70a,yy}, L. Lunerti^{70a,70b}, S. Marcellini^{70a}, G. Masetti^{70a}, F. L. Navarria^{70a,70b}, A. Perrotta^{70a}, F. Primavera^{70a,70b}, A. M. Rossi^{70a,70b}, T. Rovelli^{70a,70b}, G. P. Siroli^{70a,70b}, S. Costa^{71a,71b,zz}, A. Di Mattia^{71a}, R. Potenza^{71a,71b}, A. Tricomi^{71a,71b,zz}, C. Tuve^{71a,71b}, P. Assiouras^{72a}, G. Barbagli^{72a}, G. Bardelli^{72a,72b}, B. Camaiani^{72a,72b}, A. Cassese^{72a}, R. Ceccarelli^{72a}, V. Ciulli^{72a,72b}, C. Civinini^{72a}, R. D'Alessandro^{72a,72b}, E. Focardi^{72a,72b}, T. Kello^{72a}, G. Latino^{72a,72b}, P. Lenzi^{72a,72b}, M. Lizzo^{72a}, M. Meschini^{72a}, S. Paoletti^{72a}, A. Papanastassiou^{72a,72b}, G. Sguazzoni^{72a}, L. Viliani^{72a}, L. Benussi⁷³, S. Bianco⁷³, S. Meola^{73,aaa}, D. Piccolo⁷³, P. Chatagnon^{74a}, F. Ferro^{74a}, E. Robutti^{74a}, S. Tosi^{74a,74b}, A. Benaglia^{75a}, G. Boldrini^{75a,75b}, F. Brivio^{75a}, F. Cetorelli^{75a}, F. De Guio^{75a,75b}, M. E. Dinardo^{75a,75b}, P. Dini^{75a}, S. Gennai^{75a}, R. Gerosa^{75a,75b}, A. Ghezzi^{75a,75b}, P. Govoni^{75a,75b}, L. Guzzi^{75a}, M. T. Lucchini^{75a,75b}, M. Malberti^{75a}, S. Malvezzi^{75a}, A. Massironi^{75a}, D. Menasce^{75a}, L. Moroni^{75a}, M. Paganoni^{75a,75b}, D. Pedrini^{75a}, B. S. Pinolini^{75a}, S. Ragazzi^{75a,75b}, T. Tabarelli de Fatis^{75a,75b}, D. Zuolo^{75a}, S. Buontempo^{76a}, A. Cagnotta^{76a,76b}, F. Carnevali^{76a,76b}, N. Cavallo^{76a,76b}, F. Fabozzi^{76a,76c}, A. O. M. Iorio^{76a,76b}, L. Lista^{76a,76b,bbb}, P. Paolucci^{76a,gg}, B. Rossi^{76a}, C. Sciacca^{76a,76b}, R. Ardino^{77a}, P. Azzi^{77a}, N. Bacchetta^{77a,ccc}, D. Bisello^{77a,77b}, P. Bortignon^{77a}, G. Bortolato^{77a,77b}

A. Bragagnolo^{77a,77b} R. Carlin^{77a,77b} P. Checchia^{77a} T. Dorigo^{77a} U. Gasparini^{77a,77b} A. Gozzelino^{77a}
 M. Gulmini^{77a,ddd} E. Lusiani^{77a} M. Margoni^{77a,77b} F. Marini^{77a} A. T. Meneguzzo^{77a,77b} M. Migliorini^{77a,77b}
 J. Pazzini^{77a,77b} P. Ronchese^{77a,77b} R. Rossin^{77a,77b} F. Simonetto^{77a,77b} G. Strong^{77a} M. Tosi^{77a,77b}
 A. Triossi^{77a,77b} S. Ventura^{77a} H. Yarar^{77a,77b} P. Zotto^{77a,77b} A. Zucchetta^{77a,77b} G. Zumerle^{77a,77b}
 S. Abu Zeid^{78a,u} C. Aimè^{78a,78b} A. Braghieri^{78a} S. Calzaferri^{78a} D. Fiorina^{78a} P. Montagna^{78a,78b} V. Re^{78a}
 C. Riccardi^{78a,78b} P. Salvini^{78a} I. Vai^{78a,78b} P. Vitulo^{78a,78b} S. Ajmal^{79a,79b} G. M. Bilei^{79a} D. Ciangottini^{79a,79b}
 L. Fanò^{79a,79b} M. Magherini^{79a,79b} G. Mantovani^{79a,79b} V. Mariani^{79a,79b} M. Menichelli^{79a} F. Moscatelli^{79a,eee}
 A. Rossi^{79a,79b} A. Santocchia^{79a,79b} D. Spiga^{79a} T. Tedeschi^{79a,79b} P. Asenov^{80a,80b} P. Azzurri^{80a}
 G. Bagliesi^{80a} R. Bhattacharya^{80a} L. Bianchini^{80a,80b} T. Boccali^{80a} E. Bossini^{80a} D. Bruschini^{80a,80c}
 R. Castaldi^{80a} M. A. Ciocci^{80a,80b} M. Cipriani^{80a,80b} V. D'Amante^{80a,80d} R. Dell'Orso^{80a} S. Donato^{80a}
 A. Giassi^{80a} F. Ligabue^{80a,80c} D. Matos Figueiredo^{80a} A. Messineo^{80a,80b} M. Musich^{80a,80b} F. Palla^{80a}
 A. Rizzi^{80a,80b} G. Rolandi^{80a,80c} S. Roy Chowdhury^{80a} T. Sarkar^{80a} A. Scribano^{80a} P. Spagnolo^{80a}
 R. Tenchini^{80a} G. Tonelli^{80a,80b} N. Turini^{80a,80d} F. Vaselli^{80a,80c} A. Venturi^{80a} P. G. Verdini^{80a}
 C. Baldenegro Barrera^{81a,81b} P. Barria^{81a} C. Basile^{81a,81b} M. Campana^{81a,81b} F. Cavallari^{81a}
 L. Cunqueiro Mendez^{81a,81b} D. Del Re^{81a,81b} E. Di Marco^{81a} M. Diemoz^{81a} F. Errico^{81a,81b} E. Longo^{81a,81b}
 P. Meridiani^{81a} J. Mijuskovic^{81a,81b} G. Organtini^{81a,81b} F. Pandolfi^{81a} R. Paramatti^{81a,81b} C. Quaranta^{81a,81b}
 S. Rahatlou^{81a,81b} C. Rovelli^{81a} F. Santanastasio^{81a,81b} L. Soffi^{81a} N. Amapane^{82a,82b} R. Arcidiacono^{82a,82c}
 S. Argiro^{82a,82b} M. Arneodo^{82a,82c} N. Bartosik^{82a} R. Bellan^{82a,82b} A. Bellora^{82a,82b} C. Biino^{82a} C. Borca^{82a,82b}
 N. Cartiglia^{82a} M. Costa^{82a,82b} R. Covarelli^{82a,82b} N. Demaria^{82a} L. Finco^{82a} M. Grippo^{82a,82b} B. Kiani^{82a,82b}
 F. Legger^{82a} F. Luongo^{82a,82b} C. Mariotti^{82a} L. Markovic^{82a,82b} S. Maselli^{82a} A. Mecca^{82a,82b}
 E. Migliore^{82a,82b} M. Monteno^{82a} R. Mulargia^{82a} M. M. Obertino^{82a,82b} G. Ortona^{82a} L. Pacher^{82a,82b}
 N. Pastrone^{82a} M. Pelliccioni^{82a} M. Ruspa^{82a,82c} F. Siviero^{82a,82b} V. Sola^{82a,82b} A. Solano^{82a,82b} A. Staiano^{82a}
 C. Tarricone^{82a,82b} D. Trocino^{82a} G. Umoret^{82a,82b} E. Vlasov^{82a,82b} R. White^{82a} S. Belforte^{83a}
 V. Candelise^{83a,83b} M. Casarsa^{83a} F. Cossutti^{83a} K. De Leo^{83a} G. Della Ricca^{83a,83b} S. Dogra⁸⁴ J. Hong⁸⁴
 C. Huh⁸⁴ B. Kim⁸⁴ D. H. Kim⁸⁴ J. Kim⁸⁴ H. Lee⁸⁴ S. W. Lee⁸⁴ C. S. Moon⁸⁴ Y. D. Oh⁸⁴ M. S. Ryu⁸⁴
 S. Sekmen⁸⁴ Y. C. Yang⁸⁴ M. S. Kim⁸⁵ G. Bak⁸⁶ P. Gwak⁸⁶ H. Kim⁸⁶ D. H. Moon⁸⁶ E. Asilar⁸⁷
 D. Kim⁸⁷ T. J. Kim⁸⁷ J. A. Merlin⁸⁷ S. Choi⁸⁸ S. Han⁸⁸ B. Hong⁸⁸ K. Lee⁸⁸ K. S. Lee⁸⁸ S. Lee⁸⁸ J. Park⁸⁸
 S. K. Park⁸⁸ J. Yoo⁸⁸ J. Goh⁸⁹ S. Yang⁸⁹ H. S. Kim⁹⁰ Y. Kim⁹⁰ S. Lee⁹⁰ J. Almond⁹¹ J. H. Bhyun⁹¹ J. Choi⁹¹
 W. Jun⁹¹ J. Kim⁹¹ S. Ko⁹¹ H. Kwon⁹¹ H. Lee⁹¹ J. Lee⁹¹ J. Lee⁹¹ B. H. Oh⁹¹ S. B. Oh⁹¹ H. Seo⁹¹
 U. K. Yang⁹¹ I. Yoon⁹¹ W. Jang⁹² D. Y. Kang⁹² Y. Kang⁹² S. Kim⁹² B. Ko⁹² J. S. H. Lee⁹² Y. Lee⁹²
 I. C. Park⁹² Y. Roh⁹² I. J. Watson⁹² S. Ha⁹³ H. D. Yoo⁹³ M. Choi⁹⁴ M. R. Kim⁹⁴ H. Lee⁹⁴ Y. Lee⁹⁴ I. Yu⁹⁴
 T. Beyrouthy⁹⁵ K. Dreimanis⁹⁶ A. Gaile⁹⁶ G. Pikurs⁹⁶ A. Potrebko⁹⁶ M. Seidel⁹⁶ N. R. Strautnieks⁹⁷
 M. Ambrozias⁹⁸ A. Juodagalvis⁹⁸ A. Rinkevicius⁹⁸ G. Tamulaitis⁹⁸ N. Bin Norjoharuddeen⁹⁹ I. Yusuff^{99,fff}
 Z. Zolkapli⁹⁹ J. F. Benitez¹⁰⁰ A. Castaneda Hernandez¹⁰⁰ H. A. Encinas Acosta¹⁰⁰ L. G. Gallegos Maríñez¹⁰⁰
 M. León Coello¹⁰⁰ J. A. Murillo Quijada¹⁰⁰ A. Sehrawat¹⁰⁰ L. Valencia Palomo¹⁰⁰ G. Ayala¹⁰¹
 H. Castilla-Valdez¹⁰¹ H. Crotte Ledesma¹⁰¹ E. De La Cruz-Burelo¹⁰¹ I. Heredia-De La Cruz^{101,ggg}
 R. Lopez-Fernandez¹⁰¹ C. A. Mondragon Herrera¹⁰¹ A. Sánchez Hernández¹⁰¹ C. Oropeza Barrera¹⁰²
 M. Ramírez García¹⁰² I. Bautista¹⁰³ I. Pedraza¹⁰³ H. A. Salazar Ibarguen¹⁰³ C. Uribe Estrada¹⁰³ I. Bujanja¹⁰⁴
 N. Raicevic¹⁰⁴ P. H. Butler¹⁰⁵ A. Ahmad¹⁰⁶ M. I. Asghar¹⁰⁶ A. Awais¹⁰⁶ M. I. M. Awan¹⁰⁶ H. R. Hoorani¹⁰⁶
 W. A. Khan¹⁰⁶ V. Avati¹⁰⁷ L. Grzanka¹⁰⁷ M. Malawski¹⁰⁷ H. Bialkowska¹⁰⁸ M. Bluj¹⁰⁸ B. Boimska¹⁰⁸
 M. Górski¹⁰⁸ M. Kazana¹⁰⁸ M. Szeleper¹⁰⁸ P. Zalewski¹⁰⁸ K. Bunkowski¹⁰⁹ K. Doroba¹⁰⁹ A. Kalinowski¹⁰⁹
 M. Konecki¹⁰⁹ J. Krolikowski¹⁰⁹ A. Muhammad¹⁰⁹ K. Pozniak¹¹⁰ W. Zabolotny¹¹⁰ M. Araujo¹¹¹
 D. Bastos¹¹¹ C. Beirão Da Cruz E Silva¹¹¹ A. Boletti¹¹¹ M. Bozzo¹¹¹ T. Camporesi¹¹¹ G. Da Molin¹¹¹
 P. Faccioli¹¹¹ M. Gallinaro¹¹¹ J. Hollar¹¹¹ N. Leonardo¹¹¹ T. Niknejad¹¹¹ A. Petrilli¹¹¹ M. Pisano¹¹¹
 J. Seixas¹¹¹ J. Varela¹¹¹ J. W. Wulff¹¹¹ P. Adzic¹¹² P. Milenovic¹¹² M. Dordevic¹¹³ J. Milosevic¹¹³
 V. Rekovic¹¹³ M. Aguilar-Benitez¹¹⁴ J. Alcaraz Maestre¹¹⁴ Cristina F. Bedoya¹¹⁴ Oliver M. Carretero¹¹⁴
 M. Cepeda¹¹⁴ M. Cerrada¹¹⁴ N. Colino¹¹⁴ B. De La Cruz¹¹⁴ A. Delgado Peris¹¹⁴ A. Escalante Del Valle¹¹⁴
 D. Fernández Del Val¹¹⁴ J. P. Fernández Ramos¹¹⁴ J. Flix¹¹⁴ M. C. Fouz¹¹⁴ O. Gonzalez Lopez¹¹⁴
 S. Goy Lopez¹¹⁴ J. M. Hernandez¹¹⁴ M. I. Josa¹¹⁴ D. Moran¹¹⁴ C. M. Morcillo Perez¹¹⁴ Á. Navarro Tobar¹¹⁴

C. Perez Dengra¹¹⁴, A. Pérez-Calero Yzquierdo¹¹⁴, J. Puerta Pelayo¹¹⁴, I. Redondo¹¹⁴, D. D. Redondo Ferrero¹¹⁴, L. Romero¹¹⁴, S. Sánchez Navas¹¹⁴, L. Urda Gómez¹¹⁴, J. Vazquez Escobar¹¹⁴, C. Willmott¹¹⁴, J. F. de Trocóniz¹¹⁵, B. Alvarez Gonzalez¹¹⁶, J. Cuevas¹¹⁶, J. Fernandez Menendez¹¹⁶, S. Folgueras¹¹⁶, I. Gonzalez Caballero¹¹⁶, J. R. González Fernández¹¹⁶, P. Leguina¹¹⁶, E. Palencia Cortezon¹¹⁶, C. Ramón Álvarez¹¹⁶, V. Rodríguez Bouza¹¹⁶, A. Soto Rodríguez¹¹⁶, A. Trapote¹¹⁶, C. Vico Villalba¹¹⁶, P. Vischia¹¹⁶, S. Bhowmik¹¹⁷, S. Blanco Fernández¹¹⁷, J. A. Brochero Cifuentes¹¹⁷, I. J. Cabrillo¹¹⁷, A. Calderon¹¹⁷, J. Duarte Campderros¹¹⁷, M. Fernandez¹¹⁷, G. Gomez¹¹⁷, C. Lasasoa García¹¹⁷, C. Martinez Rivero¹¹⁷, P. Martinez Ruiz del Arbol¹¹⁷, F. Matorras¹¹⁷, P. Matorras Cuevas¹¹⁷, E. Navarrete Ramos¹¹⁷, J. Piedra Gomez¹¹⁷, L. Scodellaro¹¹⁷, I. Vila¹¹⁷, J. M. Vizan Garcia¹¹⁷, M. K. Jayananda¹¹⁸, B. Kailasapathy^{118,hhh}, D. U. J. Sonnadara¹¹⁸, D. D. C. Wickramaratna¹¹⁸, W. G. D. Dharmaratna^{119,iii}, K. Liyanage¹¹⁹, N. Perera¹¹⁹, N. Wickramage¹¹⁹, D. Abbaneo¹²⁰, C. Amendola¹²⁰, E. Auffray¹²⁰, G. Auzinger¹²⁰, J. Baechler¹²⁰, D. Barney¹²⁰, A. Bermúdez Martínez¹²⁰, M. Bianco¹²⁰, B. Bilin¹²⁰, A. A. Bin Anuar¹²⁰, A. Bocci¹²⁰, C. Botta¹²⁰, E. Brondolin¹²⁰, C. Caillol¹²⁰, G. Cerminara¹²⁰, N. Chernyavskaya¹²⁰, D. d'Enterria¹²⁰, A. Dabrowski¹²⁰, A. David¹²⁰, A. De Roeck¹²⁰, M. M. Defranchis¹²⁰, M. Deile¹²⁰, M. Dobson¹²⁰, L. Forthomme¹²⁰, G. Franzoni¹²⁰, W. Funk¹²⁰, S. Giani¹²⁰, D. Gigi¹²⁰, K. Gill¹²⁰, F. Glege¹²⁰, L. Gouskos¹²⁰, M. Haranko¹²⁰, J. Hegeman¹²⁰, B. Huber¹²⁰, V. Innocente¹²⁰, T. James¹²⁰, P. Janot¹²⁰, O. Kaluzinska¹²⁰, S. Laurila¹²⁰, P. Lecoq¹²⁰, E. Leutgeb¹²⁰, C. Lourenço¹²⁰, B. Maier¹²⁰, L. Malgeri¹²⁰, M. Mannelli¹²⁰, A. C. Marini¹²⁰, M. Matthewman¹²⁰, F. Meijers¹²⁰, S. Mersi¹²⁰, E. Meschi¹²⁰, V. Milosevic¹²⁰, F. Monti¹²⁰, F. Moortgat¹²⁰, M. Mulders¹²⁰, I. Neutelings¹²⁰, S. Orfanelli¹²⁰, F. Pantaleo¹²⁰, G. Petrucciani¹²⁰, A. Pfeiffer¹²⁰, M. Pierini¹²⁰, D. Piparo¹²⁰, H. Qu¹²⁰, D. Rabady¹²⁰, G. Reales Gutiérrez¹²⁰, M. Rovere¹²⁰, H. Sakulin¹²⁰, S. Scarfi¹²⁰, C. Schwick¹²⁰, M. Selvaggi¹²⁰, A. Sharma¹²⁰, K. Shchelina¹²⁰, P. Silva¹²⁰, P. Sphicas^{120,ijj}, A. G. Stahl Leitner¹²⁰, A. Steen¹²⁰, S. Summers¹²⁰, D. Treille¹²⁰, P. Tropea¹²⁰, A. Tsiros¹²⁰, D. Walter¹²⁰, J. Wanczyk^{120,kkk}, J. Wang¹²⁰, S. Wuchterl¹²⁰, P. Zehetner¹²⁰, P. Zejdl¹²⁰, W. D. Zeuner¹²⁰, T. Bevilacqua^{121,iii}, L. Caminada^{121,iii}, A. Ebrahimi¹²¹, W. Erdmann¹²¹, R. Horisberger¹²¹, Q. Ingram¹²¹, H. C. Kaestli¹²¹, D. Kotlinski¹²¹, C. Lange¹²¹, M. Missiroli^{121,iii}, L. Noehte^{121,iii}, T. Rohe¹²¹, T. K. Aarrestad¹²², K. Androsov^{122,kkk}, M. Backhaus¹²², A. Calandri¹²², C. Cazzaniga¹²², K. Datta¹²², A. De Cosa¹²², G. Dissertori¹²², M. Dittmar¹²², M. Donegà¹²², F. Eble¹²², M. Galli¹²², K. Gedia¹²², F. Glessgen¹²², C. Grab¹²², N. Härringer¹²², D. Hits¹²², W. Lustermann¹²², A.-M. Lyon¹²², R. A. Manzoni¹²², M. Marchegiani¹²², L. Marchese¹²², C. Martin Perez¹²², A. Mascellani^{122,kkk}, F. Nessi-Tedaldi¹²², F. Pauss¹²², V. Perovic¹²², S. Pigazzini¹²², C. Reissel¹²², T. Reitenspiess¹²², B. Ristic¹²², F. Riti¹²², R. Seidita¹²², J. Steggemann^{122,kkk}, D. Valsecchi¹²², R. Wallny¹²², C. Amsler^{123,mmm}, P. Bärtzsch¹²³, M. F. Canelli¹²³, K. Cormier¹²³, J. K. Heikkilä¹²³, M. Huwiler¹²³, W. Jin¹²³, A. Jofrehei¹²³, B. Kilminster¹²³, S. Leontsinis¹²³, S. P. Liechti¹²³, A. Macchiolo¹²³, P. Meiring¹²³, U. Molinatti¹²³, A. Reimers¹²³, P. Robmann¹²³, S. Sanchez Cruz¹²³, M. Senger¹²³, F. Stäger¹²³, Y. Takahashi¹²³, R. Tramontano¹²³, C. Adloff^{124,nnn}, D. Bhowmik¹²⁴, C. M. Kuo¹²⁴, W. Lin¹²⁴, P. K. Rout¹²⁴, P. C. Tiwari^{124,pp}, S. S. Yu¹²⁴, L. Ceard¹²⁵, Y. Chao¹²⁵, K. F. Chen¹²⁵, P. s. Chen¹²⁵, Z. g. Chen¹²⁵, A. De Iorio¹²⁵, W.-S. Hou¹²⁵, T. h. Hsu¹²⁵, Y. w. Kao¹²⁵, R. Khurana¹²⁵, G. Kole¹²⁵, Y. y. Li¹²⁵, R.-S. Lu¹²⁵, E. Paganis¹²⁵, X. f. Su¹²⁵, J. Thomas-Wilsker¹²⁵, L. s. Tsai¹²⁵, H. y. Wu¹²⁵, E. Yazgan¹²⁵, C. Asawatangkuldee¹²⁶, N. Srimanobhas¹²⁶, V. Wachirapusanand¹²⁶, D. Agyel¹²⁷, F. Boran¹²⁷, Z. S. Demiroglu¹²⁷, F. Dolek¹²⁷, I. Dumanoglu^{127,ooo}, E. Eskut¹²⁷, Y. Guler^{127,ppp}, E. Gurpinar Guler^{127,ppp}, C. Isik¹²⁷, O. Kara¹²⁷, A. Kayis Topaksu¹²⁷, U. Kiminsu¹²⁷, G. Onengut¹²⁷, K. Ozdemir^{127,qqq}, A. Polatoz¹²⁷, B. Tali^{127,rrr}, U. G. Tok¹²⁷, S. Turkcpar¹²⁷, E. Uslan¹²⁷, I. S. Zorbakir¹²⁷, M. Yalvac^{128,sss}, B. Akgun¹²⁹, I. O. Atakisi¹²⁹, E. Gülmez¹²⁹, M. Kaya^{129,ttt}, O. Kaya^{129,uuu}, S. Tekten^{129,vvv}, A. Cakir¹³⁰, K. Cankocak^{130,ooo,www}, G. G. Dincer¹³⁰, Y. Komurcu¹³⁰, S. Sen^{130,xxx}, O. Aydilek^{131,z}, S. Cerci^{131,rrr}, V. Epshteyn¹³¹, B. Haciasahinoglu¹³¹, I. Hos^{131,yyy}, B. Kaynak¹³¹, S. Ozkorucuklu¹³¹, O. Potok¹³¹, H. Sert¹³¹, C. Simsek¹³¹, C. Zorbilmez¹³¹, B. Isildak^{132,zzz}, D. Sunar Cerci^{132,rrr}, A. Boyaryntsev¹³³, B. Grynyov¹³³, L. Levchuk¹³⁴, D. Anthony¹³⁵, J. J. Brooke¹³⁵, A. Bundock¹³⁵, F. Bury¹³⁵, E. Clement¹³⁵, D. Cussans¹³⁵, H. Flacher¹³⁵, M. Glowacki¹³⁵, J. Goldstein¹³⁵, H. F. Heath¹³⁵, M.-L. Holmberg¹³⁵, L. Kreczko¹³⁵, S. Paramesvaran¹³⁵, L. Robertshaw¹³⁵, S. Seif El Nasr-Storey¹³⁵, V. J. Smith¹³⁵, N. Stylianou^{135,aaaa}, K. Walkingshaw Pass¹³⁵, A. H. Ball¹³⁶, K. W. Bell¹³⁶, A. Belyaev^{136,bbbb}, C. Brew¹³⁶, R. M. Brown¹³⁶, D. J. A. Cockerill¹³⁶, C. Cooke¹³⁶, K. V. Ellis¹³⁶, K. Harder¹³⁶, S. Harper¹³⁶, J. Linacre¹³⁶, K. Manolopoulos¹³⁶

- D. M. Newbold¹³⁶, E. Olaiya¹³⁶, D. Petyt¹³⁶, T. Reis¹³⁶, A. R. Sahasransu¹³⁶, G. Salvi¹³⁶, T. Schuh¹³⁶,
 C. H. Shepherd-Themistocleous¹³⁶, I. R. Tomalin¹³⁶, T. Williams¹³⁶, R. Bainbridge¹³⁷, P. Bloch¹³⁷,
 C. E. Brown¹³⁷, O. Buchmuller¹³⁷, V. Cacchio¹³⁷, C. A. Carrillo Montoya¹³⁷, G. S. Chahal^{137,cccc}, D. Colling¹³⁷,
 J. S. Dancu¹³⁷, I. Das¹³⁷, P. Dauncey¹³⁷, G. Davies¹³⁷, J. Davies¹³⁷, M. Della Negra¹³⁷, S. Fayer¹³⁷, G. Fedi¹³⁷,
 G. Hall¹³⁷, M. H. Hassanshahi¹³⁷, A. Howard¹³⁷, G. Iles¹³⁷, M. Knight¹³⁷, J. Langford¹³⁷, J. León Holgado¹³⁷,
 L. Lyons¹³⁷, A.-M. Magnan¹³⁷, S. Malik¹³⁷, M. Mieskolainen¹³⁷, J. Nash^{137,ddd}, M. Pesaresi¹³⁷,
 B. C. Radburn-Smith¹³⁷, A. Richards¹³⁷, A. Rose¹³⁷, K. Savva¹³⁷, C. Seez¹³⁷, R. Shukla¹³⁷, A. Tapper¹³⁷,
 K. Uchida¹³⁷, G. P. Uttley¹³⁷, L. H. Vague¹³⁷, T. Virdee^{137,gg}, M. Vojinovic¹³⁷, N. Wardle¹³⁷, D. Winterbottom¹³⁷,
 K. Coldham¹³⁸, J. E. Cole¹³⁸, A. Khan¹³⁸, P. Kyberd¹³⁸, I. D. Reid¹³⁸, S. Abdullin¹³⁹, A. Brinkerhoff¹³⁹,
 B. Caraway¹³⁹, E. Collins¹³⁹, J. Dittmann¹³⁹, K. Hatakeyama¹³⁹, J. Hiltbrand¹³⁹, B. McMaster¹³⁹,
 M. Saunders¹³⁹, S. Sawant¹³⁹, C. Sutantawibul¹³⁹, J. Wilson¹³⁹, R. Bartek¹⁴⁰, A. Dominguez¹⁴⁰,
 C. Huerta Escamilla¹⁴⁰, A. E. Simsek¹⁴⁰, R. Uniyal¹⁴⁰, A. M. Vargas Hernandez¹⁴⁰, B. Bam¹⁴¹, R. Chudasama¹⁴¹,
 S. I. Cooper¹⁴¹, S. V. Gleyzer¹⁴¹, C. U. Perez¹⁴¹, P. Rumerio^{141,eeee}, E. Usai¹⁴¹, R. Yi¹⁴¹, A. Akpinar¹⁴²,
 D. Arcaro¹⁴², C. Cosby¹⁴², Z. Demiragli¹⁴², C. Erice¹⁴², C. Fangmeier¹⁴², C. Fernandez Madrazo¹⁴²,
 E. Fontanesi¹⁴², D. Gastler¹⁴², F. Golf¹⁴², S. Jeon¹⁴², I. Reed¹⁴², J. Rohlf¹⁴², K. Salyer¹⁴², D. Sperka¹⁴²,
 D. Spitzbart¹⁴², I. Suarez¹⁴², A. Tsatsos¹⁴², S. Yuan¹⁴², A. G. Zecchinelli¹⁴², G. Benelli¹⁴³, X. Coubez^{143,bb},
 D. Cutts¹⁴³, M. Hadley¹⁴³, U. Heintz¹⁴³, J. M. Hogan^{143,fff}, T. Kwon¹⁴³, G. Landsberg¹⁴³, K. T. Lau¹⁴³,
 D. Li¹⁴³, J. Luo¹⁴³, S. Mondal¹⁴³, M. Narain^{143,a}, N. Pervan¹⁴³, S. Sagir^{143,gggg}, F. Simpson¹⁴³,
 M. Stamenkovic¹⁴³, X. Yan¹⁴³, W. Zhang¹⁴³, S. Abbott¹⁴⁴, J. Bonilla¹⁴⁴, C. Brainerd¹⁴⁴, R. Breedon¹⁴⁴,
 H. Cai¹⁴⁴, M. Calderon De La Barca Sanchez¹⁴⁴, M. Chertok¹⁴⁴, M. Citron¹⁴⁴, J. Conway¹⁴⁴, P. T. Cox¹⁴⁴,
 R. Erbacher¹⁴⁴, F. Jensen¹⁴⁴, O. Kukral¹⁴⁴, G. Mocellin¹⁴⁴, M. Mulhearn¹⁴⁴, D. Pellett¹⁴⁴, W. Wei¹⁴⁴,
 Y. Yao¹⁴⁴, F. Zhang¹⁴⁴, M. Bachtis¹⁴⁵, R. Cousins¹⁴⁵, A. Datta¹⁴⁵, G. Flores Avila¹⁴⁵, J. Hauser¹⁴⁵,
 M. Ignatenko¹⁴⁵, M. A. Iqbal¹⁴⁵, T. Lam¹⁴⁵, E. Manca¹⁴⁵, A. Nunez Del Prado¹⁴⁵, D. Saltzberg¹⁴⁵, V. Valuev¹⁴⁵,
 R. Clare¹⁴⁶, J. W. Gary¹⁴⁶, M. Gordon¹⁴⁶, G. Hanson¹⁴⁶, W. Si¹⁴⁶, S. Wimpenny^{146,a}, J. G. Branson¹⁴⁷,
 S. Cittolin¹⁴⁷, S. Cooperstein¹⁴⁷, D. Diaz¹⁴⁷, J. Duarte¹⁴⁷, L. Giannini¹⁴⁷, J. Guiang¹⁴⁷, R. Kansal¹⁴⁷,
 V. Krutelyov¹⁴⁷, R. Lee¹⁴⁷, J. Letts¹⁴⁷, M. Masciovecchio¹⁴⁷, F. Mokhtar¹⁴⁷, S. Mukherjee¹⁴⁷, M. Pieri¹⁴⁷,
 M. Quinnan¹⁴⁷, B. V. Sathia Narayanan¹⁴⁷, V. Sharma¹⁴⁷, M. Tadel¹⁴⁷, E. Vourliotis¹⁴⁷, F. Würthwein¹⁴⁷,
 Y. Xiang¹⁴⁷, A. Yagil¹⁴⁷, A. Barzdukas¹⁴⁸, L. Brennan¹⁴⁸, C. Campagnari¹⁴⁸, J. Incandela¹⁴⁸, J. Kim¹⁴⁸,
 A. J. Li¹⁴⁸, P. Masterson¹⁴⁸, H. Mei¹⁴⁸, J. Richman¹⁴⁸, U. Sarica¹⁴⁸, R. Schmitz¹⁴⁸, F. Setti¹⁴⁸, J. Sheplock¹⁴⁸,
 D. Stuart¹⁴⁸, T. Á. Vami¹⁴⁸, S. Wang¹⁴⁸, A. Bornheim¹⁴⁹, O. Cerri¹⁴⁹, A. Latorre¹⁴⁹, J. Mao¹⁴⁹, H. B. Newman¹⁴⁹,
 M. Spiropulu¹⁴⁹, J. R. Vlimant¹⁴⁹, C. Wang¹⁴⁹, S. Xie¹⁴⁹, R. Y. Zhu¹⁴⁹, J. Alison¹⁵⁰, S. An¹⁵⁰, M. B. Andrews¹⁵⁰,
 P. Bryant¹⁵⁰, M. Cremonesi¹⁵⁰, V. Dutta¹⁵⁰, T. Ferguson¹⁵⁰, A. Harilal¹⁵⁰, C. Liu¹⁵⁰, T. Mudholkar¹⁵⁰,
 S. Murthy¹⁵⁰, P. Palit¹⁵⁰, M. Paulini¹⁵⁰, A. Roberts¹⁵⁰, A. Sanchez¹⁵⁰, W. Terrill¹⁵⁰, J. P. Cumalat¹⁵¹,
 W. T. Ford¹⁵¹, A. Hart¹⁵¹, A. Hassani¹⁵¹, G. Karathanasis¹⁵¹, N. Manganelli¹⁵¹, A. Perloff¹⁵¹, C. Savard¹⁵¹,
 N. Schonbeck¹⁵¹, K. Stenson¹⁵¹, K. A. Ulmer¹⁵¹, S. R. Wagner¹⁵¹, N. Zipper¹⁵¹, J. Alexander¹⁵²,
 S. Bright-Thonney¹⁵², X. Chen¹⁵², D. J. Cranshaw¹⁵², J. Fan¹⁵², X. Fan¹⁵², S. Hogan¹⁵², P. Kotamnives¹⁵²,
 J. Monroy¹⁵², M. Oshiro¹⁵², J. R. Patterson¹⁵², J. Reichert¹⁵², M. Reid¹⁵², A. Ryd¹⁵², J. Thom¹⁵², P. Wittich¹⁵²,
 R. Zou¹⁵², M. Albrow¹⁵³, M. Alyari¹⁵³, O. Amram¹⁵³, G. Apollinari¹⁵³, A. Apresyan¹⁵³, L. A. T. Bauerdick¹⁵³,
 D. Berry¹⁵³, J. Berryhill¹⁵³, P. C. Bhat¹⁵³, K. Burkett¹⁵³, J. N. Butler¹⁵³, A. Canepa¹⁵³, G. B. Cerati¹⁵³,
 H. W. K. Cheung¹⁵³, F. Chlebana¹⁵³, G. Cummings¹⁵³, J. Dickinson¹⁵³, I. Dutta¹⁵³, V. D. Elvira¹⁵³, Y. Feng¹⁵³,
 J. Freeman¹⁵³, A. Gandrakota¹⁵³, Z. Gecse¹⁵³, L. Gray¹⁵³, D. Green¹⁵³, A. Grummer¹⁵³, S. Grünendahl¹⁵³,
 D. Guerrero¹⁵³, O. Gutsche¹⁵³, R. M. Harris¹⁵³, R. Heller¹⁵³, T. C. Herwig¹⁵³, J. Hirschauer¹⁵³, L. Horyn¹⁵³,
 B. Jayatilaka¹⁵³, S. Jindariani¹⁵³, M. Johnson¹⁵³, U. Joshi¹⁵³, T. Klijsma¹⁵³, B. Klima¹⁵³, K. H. M. Kwok¹⁵³,
 S. Lammel¹⁵³, D. Lincoln¹⁵³, R. Lipton¹⁵³, T. Liu¹⁵³, C. Madrid¹⁵³, K. Maeshima¹⁵³, C. Mantilla¹⁵³,
 D. Mason¹⁵³, P. McBride¹⁵³, P. Merkel¹⁵³, S. Mrenna¹⁵³, S. Nahn¹⁵³, J. Ngadiuba¹⁵³, D. Noonan¹⁵³,
 V. Papadimitriou¹⁵³, N. Pastika¹⁵³, K. Pedro¹⁵³, C. Pena^{153,hhhh}, F. Ravera¹⁵³, A. Reinsvold Hall^{153,iiii},
 L. Ristori¹⁵³, E. Sexton-Kennedy¹⁵³, N. Smith¹⁵³, A. Soha¹⁵³, L. Spiegel¹⁵³, S. Stoynev¹⁵³, J. Strait¹⁵³,
 L. Taylor¹⁵³, S. Tkaczyk¹⁵³, N. V. Tran¹⁵³, L. Uplegger¹⁵³, E. W. Vaandering¹⁵³, A. Whitbeck¹⁵³, I. Zoi¹⁵³,
 C. Aruta¹⁵⁴, P. Avery¹⁵⁴, D. Bourilkov¹⁵⁴, L. Cadamuro¹⁵⁴, P. Chang¹⁵⁴, V. Cherepanov¹⁵⁴, R. D. Field¹⁵⁴

E. Koenig¹⁵⁴ M. Kolosova¹⁵⁴ J. Konigsberg¹⁵⁴ A. Korytov¹⁵⁴ K. Matchev¹⁵⁴ N. Menendez¹⁵⁴
 G. Mitselmakher¹⁵⁴ K. Mohrman¹⁵⁴ A. Muthirakalayil Madhu¹⁵⁴ N. Rawal¹⁵⁴ D. Rosenzweig¹⁵⁴
 S. Rosenzweig¹⁵⁴ J. Wang¹⁵⁴ T. Adams¹⁵⁵ A. Al Kadhimi¹⁵⁵ A. Askew¹⁵⁵ S. Bower¹⁵⁵ R. Habibullah¹⁵⁵
 V. Hagopian¹⁵⁵ R. Hashmi¹⁵⁵ R. S. Kim¹⁵⁵ S. Kim¹⁵⁵ T. Kolberg¹⁵⁵ G. Martinez¹⁵⁵ H. Prosper¹⁵⁵
 P. R. Prova¹⁵⁵ M. Wulansatiti¹⁵⁵ R. Yohay¹⁵⁵ J. Zhang¹⁵⁵ B. Alsufyani¹⁵⁶ M. M. Baarmand¹⁵⁶ S. Butalla¹⁵⁶
 S. Das¹⁵⁶ T. Elkafrawy^{156,u} M. Hohlmann¹⁵⁶ R. Kumar Verma¹⁵⁶ M. Rahmani¹⁵⁶ E. Yanes¹⁵⁶ M. R. Adams¹⁵⁷
 A. Baty¹⁵⁷ C. Bennett¹⁵⁷ R. Cavanaugh¹⁵⁷ R. Escobar Franco¹⁵⁷ O. Evdokimov¹⁵⁷ C. E. Gerber¹⁵⁷
 A. Hingrajiya¹⁵⁷ D. J. Hofman¹⁵⁷ J. h. Lee¹⁵⁷ D. S. Lemos¹⁵⁷ A. H. Merrit¹⁵⁷ C. Mills¹⁵⁷ S. Nanda¹⁵⁷
 G. Oh¹⁵⁷ B. Ozek¹⁵⁷ D. Pilipovic¹⁵⁷ R. Pradhan¹⁵⁷ E. Prifti¹⁵⁷ T. Roy¹⁵⁷ S. Rudrabhatla¹⁵⁷ M. B. Tonjes¹⁵⁷
 N. Varelas¹⁵⁷ Z. Ye¹⁵⁷ J. Yoo¹⁵⁷ M. Alhusseini¹⁵⁸ D. Blend¹⁵⁸ K. Dilsiz^{158,ijii} L. Emediato¹⁵⁸ G. Karaman¹⁵⁸
 O. K. Köseyan¹⁵⁸ J.-P. Merlo¹⁵⁸ A. Mestvirishvili^{158,kkkk} J. Nachtman¹⁵⁸ O. Neogi¹⁵⁸ H. Ogul^{158,llll} Y. Onel¹⁵⁸
 A. Penzo¹⁵⁸ C. Snyder¹⁵⁸ E. Tiras^{158,mmmm} B. Blumenfeld¹⁵⁹ L. Corcodilos¹⁵⁹ J. Davis¹⁵⁹ A. V. Gritsan¹⁵⁹
 L. Kang¹⁵⁹ S. Kyriacou¹⁵⁹ P. Maksimovic¹⁵⁹ M. Roguljic¹⁵⁹ J. Roskes¹⁵⁹ S. Sekhar¹⁵⁹ M. Swartz¹⁵⁹
 A. Abreu¹⁶⁰ L. F. Alcerro Alcerro¹⁶⁰ J. Anguiano¹⁶⁰ P. Baringer¹⁶⁰ A. Bean¹⁶⁰ Z. Flowers¹⁶⁰ D. Grove¹⁶⁰
 J. King¹⁶⁰ G. Krintiras¹⁶⁰ M. Lazarovits¹⁶⁰ C. Le Mahieu¹⁶⁰ J. Marquez¹⁶⁰ N. Minafra¹⁶⁰ M. Murray¹⁶⁰
 M. Nickel¹⁶⁰ M. Pitt¹⁶⁰ S. Popescu^{160,nnnn} C. Rogan¹⁶⁰ C. Royon¹⁶⁰ R. Salvatico¹⁶⁰ S. Sanders¹⁶⁰
 C. Smith¹⁶⁰ Q. Wang¹⁶⁰ G. Wilson¹⁶⁰ B. Allmond¹⁶¹ A. Ivanov¹⁶¹ K. Kaadze¹⁶¹ A. Kalogeropoulos¹⁶¹
 D. Kim¹⁶¹ Y. Maravin¹⁶¹ J. Natoli¹⁶¹ D. Roy¹⁶¹ G. Sorrentino¹⁶¹ F. Rebassoo¹⁶² D. Wright¹⁶² A. Baden¹⁶³
 A. Belloni¹⁶³ Y. M. Chen¹⁶³ S. C. Eno¹⁶³ N. J. Hadley¹⁶³ S. Jabeen¹⁶³ R. G. Kellogg¹⁶³ T. Koeth¹⁶³
 Y. Lai¹⁶³ S. Lascio¹⁶³ A. C. Mignerey¹⁶³ S. Nabili¹⁶³ C. Palmer¹⁶³ C. Papageorgakis¹⁶³ M. M. Paranjpe¹⁶³
 L. Wang¹⁶³ J. Bendavid¹⁶⁴ I. A. Cali¹⁶⁴ M. D'Alfonso¹⁶⁴ J. Eysermans¹⁶⁴ C. Freer¹⁶⁴ G. Gomez-Ceballos¹⁶⁴
 M. Goncharov¹⁶⁴ G. Grosso¹⁶⁴ P. Harris¹⁶⁴ D. Hoang¹⁶⁴ D. Kovalskyi¹⁶⁴ J. Krupa¹⁶⁴ L. Lavezzo¹⁶⁴ Y.-J. Lee¹⁶⁴
 K. Long¹⁶⁴ A. Novak¹⁶⁴ C. Paus¹⁶⁴ D. Rankin¹⁶⁴ C. Roland¹⁶⁴ G. Roland¹⁶⁴ S. Rothman¹⁶⁴
 G. S. F. Stephans¹⁶⁴ Z. Wang¹⁶⁴ B. Wyslouch¹⁶⁴ T. J. Yang¹⁶⁴ B. Crossman¹⁶⁵ B. M. Joshi¹⁶⁵ C. Kapsiak¹⁶⁵
 M. Krohn¹⁶⁵ D. Mahon¹⁶⁵ J. Mans¹⁶⁵ B. Marzocchi¹⁶⁵ S. Pandey¹⁶⁵ M. Revering¹⁶⁵ R. Rusack¹⁶⁵
 R. Saradhy¹⁶⁵ N. Schroeder¹⁶⁵ N. Strobbe¹⁶⁵ M. A. Wadud¹⁶⁵ L. M. Cremaldi¹⁶⁶ K. Bloom¹⁶⁷
 D. R. Claes¹⁶⁷ G. Haza¹⁶⁷ J. Hossain¹⁶⁷ C. Joo¹⁶⁷ I. Kravchenko¹⁶⁷ J. E. Siado¹⁶⁷ W. Tabb¹⁶⁷
 A. Vagnerini¹⁶⁷ A. Wightman¹⁶⁷ F. Yan¹⁶⁷ D. Yu¹⁶⁷ H. Bandyopadhyay¹⁶⁸ L. Hay¹⁶⁸ I. Iashvili¹⁶⁸
 A. Kharchilava¹⁶⁸ M. Morris¹⁶⁸ D. Nguyen¹⁶⁸ S. Rappoccio¹⁶⁸ H. Rejeb Sfar¹⁶⁸ A. Williams¹⁶⁸
 G. Alverson¹⁶⁹ E. Barberis¹⁶⁹ J. Dervan¹⁶⁹ Y. Haddad¹⁶⁹ Y. Han¹⁶⁹ A. Krishna¹⁶⁹ J. Li¹⁶⁹ M. Lu¹⁶⁹
 G. Madigan¹⁶⁹ R. McCarthy¹⁶⁹ D. M. Morse¹⁶⁹ V. Nguyen¹⁶⁹ T. Orimoto¹⁶⁹ A. Parker¹⁶⁹ L. Skinnari¹⁶⁹
 B. Wang¹⁶⁹ D. Wood¹⁶⁹ S. Bhattacharya¹⁷⁰ J. Bueghly¹⁷⁰ Z. Chen¹⁷⁰ S. Dittmer¹⁷⁰ K. A. Hahn¹⁷⁰ Y. Liu¹⁷⁰
 Y. Miao¹⁷⁰ D. G. Monk¹⁷⁰ M. H. Schmitt¹⁷⁰ A. Taliencio¹⁷⁰ M. Velasco¹⁷⁰ G. Agarwal¹⁷¹ R. Band¹⁷¹
 R. Bucci¹⁷¹ S. Castells¹⁷¹ A. Das¹⁷¹ R. Goldouzian¹⁷¹ M. Hildreth¹⁷¹ K. W. Ho¹⁷¹ K. Hurtado Anampa¹⁷¹
 T. Ivanov¹⁷¹ C. Jessop¹⁷¹ K. Lannon¹⁷¹ J. Lawrence¹⁷¹ N. Loukas¹⁷¹ L. Lutton¹⁷¹ J. Mariano¹⁷¹
 N. Marinelli¹⁷¹ I. Mcalister¹⁷¹ T. McCauley¹⁷¹ C. Mcgrady¹⁷¹ C. Moore¹⁷¹ Y. Musienko^{171,q} H. Nelson¹⁷¹
 M. Osherson¹⁷¹ A. Piccinelli¹⁷¹ R. Ruchti¹⁷¹ A. Townsend¹⁷¹ Y. Wan¹⁷¹ M. Wayne¹⁷¹ H. Yockey¹⁷¹
 M. Zarucki¹⁷¹ L. Zygala¹⁷¹ A. Basnet¹⁷² B. Bylsma¹⁷² M. Carrigan¹⁷² L. S. Durkin¹⁷² C. Hill¹⁷²
 M. Joyce¹⁷² M. Nunez Ornelas¹⁷² K. Wei¹⁷² B. L. Winer¹⁷² B. R. Yates¹⁷² F. M. Addesa¹⁷³
 H. Bouchamaoui¹⁷³ P. Das¹⁷³ G. Dezoort¹⁷³ P. Elmer¹⁷³ A. Frankenthal¹⁷³ B. Greenberg¹⁷³ N. Haubrich¹⁷³
 G. Kopp¹⁷³ S. Kwan¹⁷³ D. Lange¹⁷³ A. Loeliger¹⁷³ D. Marlow¹⁷³ I. Ojalvo¹⁷³ J. Olsen¹⁷³ A. Shevelev¹⁷³
 D. Stickland¹⁷³ C. Tully¹⁷³ S. Malik¹⁷⁴ A. S. Bakshi¹⁷⁵ V. E. Barnes¹⁷⁵ S. Chandra¹⁷⁵ R. Chawla¹⁷⁵
 A. Gu¹⁷⁵ L. Gutay¹⁷⁵ M. Jones¹⁷⁵ A. W. Jung¹⁷⁵ D. Kondratyev¹⁷⁵ A. M. Koshy¹⁷⁵ M. Liu¹⁷⁵ G. Negro¹⁷⁵
 N. Neumeister¹⁷⁵ G. Paspalaki¹⁷⁵ S. Piperov¹⁷⁵ V. Scheurer¹⁷⁵ J. F. Schulte¹⁷⁵ M. Stojanovic¹⁷⁵ J. Thieman¹⁷⁵
 A. K. Viridi¹⁷⁵ F. Wang¹⁷⁵ W. Xie¹⁷⁵ J. Dolen¹⁷⁶ N. Parashar¹⁷⁶ A. Pathak¹⁷⁶ D. Acosta¹⁷⁷ T. Carnahan¹⁷⁷
 K. M. Ecklund¹⁷⁷ P. J. Fernández Manteca¹⁷⁷ S. Freed¹⁷⁷ P. Gardner¹⁷⁷ F. J. M. Geurts¹⁷⁷ W. Li¹⁷⁷
 O. Miguel Colin¹⁷⁷ B. P. Padley¹⁷⁷ R. Redjimi¹⁷⁷ J. Rotter¹⁷⁷ E. Yigitbasi¹⁷⁷ Y. Zhang¹⁷⁷ A. Bodek¹⁷⁸
 P. de Barbaro¹⁷⁸ R. Demina¹⁷⁸ J. L. Dulemba¹⁷⁸ A. Garcia-Bellido¹⁷⁸ O. Hindrichs¹⁷⁸ A. Khukhunaishvili¹⁷⁸
 N. Parmar¹⁷⁸ P. Parygin^{178,q} E. Popova^{178,q} R. Taus¹⁷⁸ K. Goulianos¹⁷⁹ B. Chiarito¹⁸⁰ J. P. Chou¹⁸⁰

S. V. Clark¹⁸⁰, D. Gadkari¹⁸⁰, Y. Gershtein¹⁸⁰, E. Halkiadakis¹⁸⁰, M. Heindl¹⁸⁰, C. Houghton¹⁸⁰,
D. Jaroslawski¹⁸⁰, O. Karacheban^{180,ee}, I. Laflotte¹⁸⁰, A. Lath¹⁸⁰, R. Montalvo¹⁸⁰, K. Nash¹⁸⁰, H. Routray¹⁸⁰,
P. Saha¹⁸⁰, S. Salur¹⁸⁰, S. Schnetzer¹⁸⁰, S. Somalwar¹⁸⁰, R. Stone¹⁸⁰, S. A. Thayil¹⁸⁰, S. Thomas¹⁸⁰, J. Vora¹⁸⁰,
H. Wang¹⁸⁰, H. Acharya¹⁸¹, D. Ally¹⁸¹, A. G. Delannoy¹⁸¹, S. Fiorendi¹⁸¹, S. Higginbotham¹⁸¹, T. Holmes¹⁸¹,
A. R. Kanuganti¹⁸¹, N. Karunarathna¹⁸¹, L. Lee¹⁸¹, E. Nibigira¹⁸¹, S. Spanier¹⁸¹, D. Aebi¹⁸², M. Ahmad¹⁸²,
O. Bouhali^{182,oooo}, R. Eusebi¹⁸², J. Gilmore¹⁸², T. Huang¹⁸², T. Kamon^{182,pppp}, H. Kim¹⁸², S. Luo¹⁸²,
R. Mueller¹⁸², D. Overton¹⁸², D. Rathjens¹⁸², A. Safonov¹⁸², N. Akchurin¹⁸³, J. Damgov¹⁸³, V. Hegde¹⁸³,
A. Hussain¹⁸³, Y. Kazhykarim¹⁸³, K. Lamichhane¹⁸³, S. W. Lee¹⁸³, A. Mankel¹⁸³, T. Peltola¹⁸³, I. Volobouev¹⁸³,
E. Appelt¹⁸⁴, Y. Chen¹⁸⁴, S. Greene¹⁸⁴, A. Gurrola¹⁸⁴, W. Johns¹⁸⁴, R. Kunnawalkam Elayavalli¹⁸⁴, A. Melo¹⁸⁴,
F. Romeo¹⁸⁴, P. Sheldon¹⁸⁴, S. Tuo¹⁸⁴, J. Velkovska¹⁸⁴, J. Viinikainen¹⁸⁴, B. Cardwell¹⁸⁵, B. Cox¹⁸⁵,
J. Hakala¹⁸⁵, R. Hirosky¹⁸⁵, A. Ledovskoy¹⁸⁵, C. Neu¹⁸⁵, C. E. Perez Lara¹⁸⁵, P. E. Karchin¹⁸⁶, A. Aravind¹⁸⁷,
S. Banerjee¹⁸⁷, K. Black¹⁸⁷, T. Bose¹⁸⁷, S. Dasu¹⁸⁷, I. De Bruyn¹⁸⁷, P. Everaerts¹⁸⁷, C. Galloni¹⁸⁷, H. He¹⁸⁷,
M. Herndon¹⁸⁷, A. Herve¹⁸⁷, C. K. Koraka¹⁸⁷, A. Lanaro¹⁸⁷, R. Loveless¹⁸⁷, J. Madhusudanan Sreekala¹⁸⁷,
A. Mallampalli¹⁸⁷, A. Mohammadi¹⁸⁷, S. Mondal¹⁸⁷, G. Parida¹⁸⁷, L. Pétré¹⁸⁷, D. Pinna¹⁸⁷, A. Savin¹⁸⁷,
V. Shang¹⁸⁷, V. Sharma¹⁸⁷, W. H. Smith¹⁸⁷, D. Teague¹⁸⁷, H. F. Tsoi¹⁸⁷, W. Vetens¹⁸⁷, A. Warden¹⁸⁷,
S. Afanasiev¹⁸⁸, D. Budkowski¹⁸⁸, I. Golutvin¹⁸⁸, I. Gorbunov¹⁸⁸, V. Karjavine¹⁸⁸, V. Korenkov¹⁸⁸, A. Lanev¹⁸⁸,
A. Malakhov¹⁸⁸, V. Matveev^{188,q}, V. Palichik¹⁸⁸, V. Perelygin¹⁸⁸, M. Savina¹⁸⁸, V. Shalaev¹⁸⁸, S. Shmatov¹⁸⁸,
S. Shulha¹⁸⁸, V. Smirnov¹⁸⁸, O. Teryaev¹⁸⁸, N. Voytishin¹⁸⁸, B. S. Yuldashev^{188,qqqq}, A. Zarubin¹⁸⁸, I. Zhizhin¹⁸⁸,
G. Gavrilo¹⁸⁸, V. Golovtsov¹⁸⁸, Y. Ivanov¹⁸⁸, V. Kim^{188,q}, P. Levchenko^{188,rrrr}, V. Murzin¹⁸⁸, V. Oreshkin¹⁸⁸,
D. Sosnov¹⁸⁸, V. Sulimov¹⁸⁸, L. Uvarov¹⁸⁸, A. Vorobyev^{188,a}, Yu. Andreev¹⁸⁸, A. Dermenev¹⁸⁸, S. Gninenko¹⁸⁸,
N. Golubev¹⁸⁸, A. Karneyeu¹⁸⁸, D. Kirpichnikov¹⁸⁸, M. Kirsanov¹⁸⁸, N. Krasnikov¹⁸⁸, I. Tlisova¹⁸⁸,
A. Toropin¹⁸⁸, T. Aushev¹⁸⁸, V. Gavrilo¹⁸⁸, N. Lychkovskaya¹⁸⁸, A. Nikitenko^{188,ssss,tttt}, V. Popov¹⁸⁸,
A. Zhokin¹⁸⁸, R. Chistov^{188,q}, M. Danilov^{188,q}, S. Polikarpov^{188,q}, V. Andreev¹⁸⁸, M. Azarkin¹⁸⁸,
M. Kirakosyan¹⁸⁸, A. Terkulov¹⁸⁸, A. Belyaev¹⁸⁸, E. Boos¹⁸⁸, V. Bunichev¹⁸⁸, M. Dubinin^{188,hhhh}, L. Dudko¹⁸⁸,
A. Ershov¹⁸⁸, A. Gribushin¹⁸⁸, V. Klyukhin¹⁸⁸, S. Obraztsov¹⁸⁸, M. Perfilov¹⁸⁸, V. Savrin¹⁸⁸, P. Volkov¹⁸⁸,
G. Vorotnikov¹⁸⁸, V. Blinov^{188,q}, T. Dimova^{188,q}, A. Kozyrev^{188,q}, O. Radchenko^{188,q}, Y. Skovpen^{188,q},
I. Azhgirey¹⁸⁸, V. Kachanov¹⁸⁸, D. Konstantinov¹⁸⁸, R. Ryutin¹⁸⁸, S. Slabospitskii¹⁸⁸, A. Uzunian¹⁸⁸,
A. Babaev¹⁸⁸, V. Borshch¹⁸⁸, D. Druzhkin^{188,uuuu}, E. Tcherniaev¹⁸⁸, V. Chekhovsky¹⁸⁹, and V. Makarenko¹⁸⁹

(CMS Collaboration)

¹*Yerevan Physics Institute, Yerevan, Armenia*²*Institut für Hochenergiephysik, Vienna, Austria*³*Universiteit Antwerpen, Antwerpen, Belgium*⁴*Vrije Universiteit Brussel, Brussel, Belgium*⁵*Université Libre de Bruxelles, Bruxelles, Belgium*⁶*Ghent University, Ghent, Belgium*⁷*Université Catholique de Louvain, Louvain-la-Neuve, Belgium*⁸*Centro Brasileiro de Pesquisas Físicas, Rio de Janeiro, Brazil*⁹*Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil*¹⁰*Universidade Estadual Paulista, Universidade Federal do ABC, São Paulo, Brazil*¹¹*Institute for Nuclear Research and Nuclear Energy, Bulgarian Academy of Sciences, Sofia, Bulgaria*¹²*University of Sofia, Sofia, Bulgaria*¹³*Instituto De Alta Investigación, Universidad de Tarapacá, Casilla 7 D, Arica, Chile*¹⁴*Beihang University, Beijing, China*¹⁵*Department of Physics, Tsinghua University, Beijing, China*¹⁶*Institute of High Energy Physics, Beijing, China*¹⁷*State Key Laboratory of Nuclear Physics and Technology, Peking University, Beijing, China*¹⁸*Sun Yat-Sen University, Guangzhou, China*¹⁹*University of Science and Technology of China, Hefei, China*²⁰*Nanjing Normal University, Nanjing, China*²¹*Institute of Modern Physics and Key Laboratory of Nuclear Physics and Ion-beam Application (MOE) - Fudan University, Shanghai, China*

- ²²Zhejiang University, Hangzhou, Zhejiang, China
²³Universidad de Los Andes, Bogota, Colombia
²⁴Universidad de Antioquia, Medellin, Colombia
²⁵University of Split, Faculty of Electrical Engineering, Mechanical Engineering and Naval Architecture, Split, Croatia
²⁶University of Split, Faculty of Science, Split, Croatia
²⁷Institute Rudjer Boskovic, Zagreb, Croatia
²⁸University of Cyprus, Nicosia, Cyprus
²⁹Charles University, Prague, Czech Republic
³⁰Escuela Politecnica Nacional, Quito, Ecuador
³¹Universidad San Francisco de Quito, Quito, Ecuador
³²Academy of Scientific Research and Technology of the Arab Republic of Egypt, Egyptian Network of High Energy Physics, Cairo, Egypt
³³Center for High Energy Physics (CHEP-FU), Fayoum University, El-Fayoum, Egypt
³⁴National Institute of Chemical Physics and Biophysics, Tallinn, Estonia
³⁵Department of Physics, University of Helsinki, Helsinki, Finland
³⁶Helsinki Institute of Physics, Helsinki, Finland
³⁷Lappeenranta-Lahti University of Technology, Lappeenranta, Finland
³⁸IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette, France
³⁹Laboratoire Leprince-Ringuet, CNRS/IN2P3, Ecole Polytechnique, Institut Polytechnique de Paris, Palaiseau, France
⁴⁰Université de Strasbourg, CNRS, IPHC UMR 7178, Strasbourg, France
⁴¹Institut de Physique des 2 Infinis de Lyon (IP2I), Villeurbanne, France
⁴²Georgian Technical University, Tbilisi, Georgia
⁴³RWTH Aachen University, I. Physikalisches Institut, Aachen, Germany
⁴⁴RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany
⁴⁵RWTH Aachen University, III. Physikalisches Institut B, Aachen, Germany
⁴⁶Deutsches Elektronen-Synchrotron, Hamburg, Germany
⁴⁷University of Hamburg, Hamburg, Germany
⁴⁸Karlsruher Institut fuer Technologie, Karlsruhe, Germany
⁴⁹Institute of Nuclear and Particle Physics (INPP), NCSR Demokritos, Aghia Paraskevi, Greece
⁵⁰National and Kapodistrian University of Athens, Athens, Greece
⁵¹National Technical University of Athens, Athens, Greece
⁵²University of Ioánnina, Ioánnina, Greece
⁵³HUN-REN Wigner Research Centre for Physics, Budapest, Hungary
⁵⁴MTA-ELTE Lendület CMS Particle and Nuclear Physics Group, Eötvös Loránd University, Budapest, Hungary
⁵⁵Faculty of Informatics, University of Debrecen, Debrecen, Hungary
⁵⁶HUN-REN ATOMKI - Institute of Nuclear Research, Debrecen, Hungary
⁵⁷Karoly Robert Campus, MATE Institute of Technology, Gyongyos, Hungary
⁵⁸Panjab University, Chandigarh, India
⁵⁹University of Delhi, Delhi, India
⁶⁰Saha Institute of Nuclear Physics, HBNI, Kolkata, India
⁶¹Indian Institute of Technology Madras, Madras, India
⁶²Tata Institute of Fundamental Research-A, Mumbai, India
⁶³Tata Institute of Fundamental Research-B, Mumbai, India
⁶⁴National Institute of Science Education and Research, An OCC of Homi Bhabha National Institute, Bhubaneswar, Odisha, India
⁶⁵Indian Institute of Science Education and Research (IISER), Pune, India
⁶⁶Isfahan University of Technology, Isfahan, Iran
⁶⁷Institute for Research in Fundamental Sciences (IPM), Tehran, Iran
⁶⁸University College Dublin, Dublin, Ireland
^{69a}INFN Sezione di Bari, Bari, Italy
^{69b}Università di Bari, Bari, Italy
^{69c}Politecnico di Bari, Bari, Italy
^{70a}INFN Sezione di Bologna, Bologna, Italy
^{70b}Università di Bologna, Bologna, Italy
^{71a}INFN Sezione di Catania, Catania, Italy
^{71b}Università di Catania, Catania, Italy
^{72a}INFN Sezione di Firenze, Firenze, Italy

- ^{72b}Università di Firenze, Firenze, Italy
- ⁷³INFN Laboratori Nazionali di Frascati, Frascati, Italy
- ^{74a}INFN Sezione di Genova, Genova, Italy
- ^{74b}Università di Genova, Genova, Italy
- ^{75a}INFN Sezione di Milano-Bicocca, Milano, Italy
- ^{75b}Università di Milano-Bicocca, Milano, Italy
- ^{76a}INFN Sezione di Napoli, Napoli, Italy
- ^{76b}Università di Napoli 'Federico II', Napoli, Italy
- ^{76c}Università della Basilicata, Potenza, Italy
- ^{76d}Scuola Superiore Meridionale (SSM), Napoli, Italy
- ^{77a}INFN Sezione di Padova, Padova, Italy
- ^{77b}Università di Padova, Padova, Italy
- ^{77c}Università di Trento, Trento, Italy
- ^{78a}INFN Sezione di Pavia, Pavia, Italy
- ^{78b}Università di Pavia, Pavia, Italy
- ^{79a}INFN Sezione di Perugia, Perugia, Italy
- ^{79b}Università di Perugia, Perugia, Italy
- ^{80a}INFN Sezione di Pisa, Pisa, Italy
- ^{80b}Università di Pisa, Pisa, Italy
- ^{80c}Scuola Normale Superiore di Pisa, Pisa, Italy
- ^{80d}Università di Siena, Siena, Italy
- ^{81a}INFN Sezione di Roma, Roma, Italy
- ^{81b}Sapienza Università di Roma, Roma, Italy
- ^{82a}INFN Sezione di Torino, Torino, Italy
- ^{82b}Università di Torino, Torino, Italy
- ^{82c}Università del Piemonte Orientale, Novara, Italy
- ^{83a}INFN Sezione di Trieste, Trieste, Italy
- ^{83b}Università di Trieste, Trieste, Italy
- ⁸⁴Kyungpook National University, Daegu, Korea
- ⁸⁵Department of Mathematics and Physics—GWNu, Gangneung, Korea
- ⁸⁶Chonnam National University, Institute for Universe and Elementary Particles, Kwangju, Korea
- ⁸⁷Hanyang University, Seoul, Korea
- ⁸⁸Korea University, Seoul, Korea
- ⁸⁹Kyung Hee University, Department of Physics, Seoul, Korea
- ⁹⁰Sejong University, Seoul, Korea
- ⁹¹Seoul National University, Seoul, Korea
- ⁹²University of Seoul, Seoul, Korea
- ⁹³Yonsei University, Department of Physics, Seoul, Korea
- ⁹⁴Sungkyunkwan University, Suwon, Korea
- ⁹⁵College of Engineering and Technology, American University of the Middle East (AUM), Dasman, Kuwait
- ⁹⁶Riga Technical University, Riga, Latvia
- ⁹⁷University of Latvia (LU), Riga, Latvia
- ⁹⁸Vilnius University, Vilnius, Lithuania
- ⁹⁹National Centre for Particle Physics, Universiti Malaya, Kuala Lumpur, Malaysia
- ¹⁰⁰Universidad de Sonora (UNISON), Hermosillo, Mexico
- ¹⁰¹Centro de Investigación y de Estudios Avanzados del IPN, Mexico City, Mexico
- ¹⁰²Universidad Iberoamericana, Mexico City, Mexico
- ¹⁰³Benemerita Universidad Autónoma de Puebla, Puebla, Mexico
- ¹⁰⁴University of Montenegro, Podgorica, Montenegro
- ¹⁰⁵University of Canterbury, Christchurch, New Zealand
- ¹⁰⁶National Centre for Physics, Quaid-I-Azam University, Islamabad, Pakistan
- ¹⁰⁷AGH University of Krakow, Faculty of Computer Science, Electronics and Telecommunications, Krakow, Poland
- ¹⁰⁸National Centre for Nuclear Research, Swierk, Poland
- ¹⁰⁹Institute of Experimental Physics, Faculty of Physics, University of Warsaw, Warsaw, Poland
- ¹¹⁰Warsaw University of Technology, Warsaw, Poland
- ¹¹¹Laboratório de Instrumentação e Física Experimental de Partículas, Lisboa, Portugal
- ¹¹²Faculty of Physics, University of Belgrade, Belgrade, Serbia
- ¹¹³VINCA Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia

- ¹¹⁴*Centro de Investigaciones Energéticas Medioambientales y Tecnológicas (CIEMAT), Madrid, Spain*
¹¹⁵*Universidad Autónoma de Madrid, Madrid, Spain*
¹¹⁶*Universidad de Oviedo, Instituto Universitario de Ciencias y Tecnologías Espaciales de Asturias (ICTEA), Oviedo, Spain*
¹¹⁷*Instituto de Física de Cantabria (IFCA), CSIC-Universidad de Cantabria, Santander, Spain*
¹¹⁸*University of Colombo, Colombo, Sri Lanka*
¹¹⁹*University of Ruhuna, Department of Physics, Matara, Sri Lanka*
¹²⁰*CERN, European Organization for Nuclear Research, Geneva, Switzerland*
¹²¹*PSI Center for Neutron and Muon Sciences, Villigen, Switzerland*
¹²²*ETH Zurich - Institute for Particle Physics and Astrophysics (IPA), Zurich, Switzerland*
¹²³*Universität Zürich, Zurich, Switzerland*
¹²⁴*National Central University, Chung-Li, Taiwan*
¹²⁵*National Taiwan University (NTU), Taipei, Taiwan*
¹²⁶*High Energy Physics Research Unit, Department of Physics, Faculty of Science, Chulalongkorn University, Bangkok, Thailand*
¹²⁷*Çukurova University, Physics Department, Science and Art Faculty, Adana, Turkey*
¹²⁸*Middle East Technical University, Physics Department, Ankara, Turkey*
¹²⁹*Bogazici University, Istanbul, Turkey*
¹³⁰*Istanbul Technical University, Istanbul, Turkey*
¹³¹*Istanbul University, Istanbul, Turkey*
¹³²*Yildiz Technical University, Istanbul, Turkey*
¹³³*Institute for Scintillation Materials of National Academy of Science of Ukraine, Kharkiv, Ukraine*
¹³⁴*National Science Centre, Kharkiv Institute of Physics and Technology, Kharkiv, Ukraine*
¹³⁵*University of Bristol, Bristol, United Kingdom*
¹³⁶*Rutherford Appleton Laboratory, Didcot, United Kingdom*
¹³⁷*Imperial College, London, United Kingdom*
¹³⁸*Brunel University, Uxbridge, United Kingdom*
¹³⁹*Baylor University, Waco, Texas, USA*
¹⁴⁰*Catholic University of America, Washington, DC, USA*
¹⁴¹*The University of Alabama, Tuscaloosa, Alabama, USA*
¹⁴²*Boston University, Boston, Massachusetts, USA*
¹⁴³*Brown University, Providence, Rhode Island, USA*
¹⁴⁴*University of California, Davis, Davis, California, USA*
¹⁴⁵*University of California, Los Angeles, California, USA*
¹⁴⁶*University of California, Riverside, Riverside, California, USA*
¹⁴⁷*University of California, San Diego, La Jolla, California, USA*
¹⁴⁸*University of California, Santa Barbara - Department of Physics, Santa Barbara, California, USA*
¹⁴⁹*California Institute of Technology, Pasadena, California, USA*
¹⁵⁰*Carnegie Mellon University, Pittsburgh, Pennsylvania, USA*
¹⁵¹*University of Colorado Boulder, Boulder, Colorado, USA*
¹⁵²*Cornell University, Ithaca, New York, USA*
¹⁵³*Fermi National Accelerator Laboratory, Batavia, Illinois, USA*
¹⁵⁴*University of Florida, Gainesville, Florida, USA*
¹⁵⁵*Florida State University, Tallahassee, Florida, USA*
¹⁵⁶*Florida Institute of Technology, Melbourne, Florida, USA*
¹⁵⁷*University of Illinois Chicago, Chicago, Illinois, USA*
¹⁵⁸*The University of Iowa, Iowa City, Iowa, USA*
¹⁵⁹*Johns Hopkins University, Baltimore, Maryland, USA*
¹⁶⁰*The University of Kansas, Lawrence, Kansas, USA*
¹⁶¹*Kansas State University, Manhattan, Kansas, USA*
¹⁶²*Lawrence Livermore National Laboratory, Livermore, California, USA*
¹⁶³*University of Maryland, College Park, Maryland, USA*
¹⁶⁴*Massachusetts Institute of Technology, Cambridge, Massachusetts, USA*
¹⁶⁵*University of Minnesota, Minneapolis, Minnesota, USA*
¹⁶⁶*University of Mississippi, Oxford, Mississippi, USA*
¹⁶⁷*University of Nebraska-Lincoln, Lincoln, Nebraska, USA*
¹⁶⁸*State University of New York at Buffalo, Buffalo, New York, USA*
¹⁶⁹*Northeastern University, Boston, Massachusetts, USA*
¹⁷⁰*Northwestern University, Evanston, Illinois, USA*
¹⁷¹*University of Notre Dame, Notre Dame, Indiana, USA*

- ¹⁷²*The Ohio State University, Columbus, Ohio, USA*
¹⁷³*Princeton University, Princeton, New Jersey, USA*
¹⁷⁴*University of Puerto Rico, Mayaguez, Puerto Rico, USA*
¹⁷⁵*Purdue University, West Lafayette, Indiana, USA*
¹⁷⁶*Purdue University Northwest, Hammond, Indiana, USA*
¹⁷⁷*Rice University, Houston, Texas, USA*
¹⁷⁸*University of Rochester, Rochester, New York, USA*
¹⁷⁹*The Rockefeller University, New York, New York, USA*
¹⁸⁰*Rutgers, The State University of New Jersey, Piscataway, New Jersey, USA*
¹⁸¹*University of Tennessee, Knoxville, Tennessee, USA*
¹⁸²*Texas A&M University, College Station, Texas, USA*
¹⁸³*Texas Tech University, Lubbock, Texas, USA*
¹⁸⁴*Vanderbilt University, Nashville, Tennessee, USA*
¹⁸⁵*University of Virginia, Charlottesville, Virginia, USA*
¹⁸⁶*Wayne State University, Detroit, Michigan, USA*
¹⁸⁷*University of Wisconsin—Madison, Madison, Wisconsin, USA*
¹⁸⁸*An institute or international laboratory covered by a cooperation agreement with CERN*
¹⁸⁹*An institute formerly covered by a cooperation agreement with CERN*

^aDeceased.

^bAlso at Yerevan State University, Yerevan, Armenia.

^cAlso at TU Wien, Vienna, Austria.

^dAlso at Institute of Basic and Applied Sciences, Faculty of Engineering, Arab Academy for Science, Technology and Maritime Transport, Alexandria, Egypt.

^eAlso at Ghent University, Ghent, Belgium.

^fAlso at Universidade Estadual de Campinas, Campinas, Brazil.

^gAlso at Federal University of Rio Grande do Sul, Porto Alegre, Brazil.

^hAlso at UFMS, Nova Andradina, Brazil.

ⁱAlso at Nanjing Normal University, Nanjing, China.

^jAlso at The University of Iowa, Iowa City, Iowa, USA.

^kAlso at University of Chinese Academy of Sciences, Beijing, China.

^lAlso at China Center of Advanced Science and Technology, Beijing, China.

^mAlso at University of Chinese Academy of Sciences, Beijing, China.

ⁿAlso at China Spallation Neutron Source, Guangdong, China.

^oAlso at Henan Normal University, Xinxiang, China.

^pAlso at Université Libre de Bruxelles, Bruxelles, Belgium.

^qAlso at Another institute or international laboratory covered by a cooperation agreement with CERN.

^rAlso at Helwan University, Cairo, Egypt.

^sAlso at Zewail City of Science and Technology, Zewail, Egypt.

^tAlso at British University in Egypt, Cairo, Egypt.

^uAlso at Ain Shams University, Cairo, Egypt.

^vAlso at Purdue University, West Lafayette, Indiana, USA.

^wAlso at Université de Haute Alsace, Mulhouse, France.

^xAlso at Istinye University, Istanbul, Turkey.

^yAlso at The University of the State of Amazonas, Manaus, Brazil.

^zAlso at Erzincan Binali Yildirim University, Erzincan, Turkey.

^{aa}Also at University of Hamburg, Hamburg, Germany.

^{bb}Also at RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany.

^{cc}Also at Isfahan University of Technology, Isfahan, Iran.

^{dd}Also at Bergische University Wuppertal (BUW), Wuppertal, Germany.

^{ee}Also at Brandenburg University of Technology, Cottbus, Germany.

^{ff}Also at Forschungszentrum Jülich, Jülich, Germany.

^{gg}Also at CERN, European Organization for Nuclear Research, Geneva, Switzerland.

^{hh}Also at Institute of Physics, University of Debrecen, Debrecen, Hungary.

ⁱⁱAlso at HUN-REN ATOMKI—Institute of Nuclear Research, Debrecen, Hungary.

^{jj}Also at Universitatea Babeș-Bolyai—Facultatea de Fizică, Cluj-Napoca, Romania.

^{kk}Also at MTA-ELTE Lendület CMS Particle and Nuclear Physics Group, Eötvös Loránd University, Budapest, Hungary.

^{ll}Also at Physics Department, Faculty of Science, Assiut University, Assiut, Egypt.

^{mm}Also at HUN-REN Wigner Research Centre for Physics, Budapest, Hungary.

ⁿⁿAlso at Punjab Agricultural University, Ludhiana, India.

- ^{oo}Also at University of Visva-Bharati, Santiniketan, India.
- ^{pp}Also at Indian Institute of Science (IISc), Bangalore, India.
- ^{qq}Also at Birla Institute of Technology, Mesra, Mesra, India.
- ^{rr}Also at IIT Bhubaneswar, Bhubaneswar, India.
- ^{ss}Also at Institute of Physics, Bhubaneswar, India.
- ^{tt}Also at University of Hyderabad, Hyderabad, India.
- ^{uu}Also at Deutsches Elektronen-Synchrotron, Hamburg, Germany.
- ^{vv}Also at Department of Physics, Isfahan University of Technology, Isfahan, Iran.
- ^{ww}Also at Sharif University of Technology, Tehran, Iran.
- ^{xx}Also at Department of Physics, University of Science and Technology of Mazandaran, Behshahr, Iran.
- ^{yy}Also at Italian National Agency for New Technologies, Energy and Sustainable Economic Development, Bologna, Italy.
- ^{zz}Also at Centro Siciliano di Fisica Nucleare e di Struttura Della Materia, Catania, Italy.
- ^{aaa}Also at Università degli Studi Guglielmo Marconi, Roma, Italy.
- ^{bbb}Also at Scuola Superiore Meridionale, Università di Napoli 'Federico II', Napoli, Italy.
- ^{ccc}Also at Fermi National Accelerator Laboratory, Batavia, Illinois, USA.
- ^{ddd}Also at Laboratori Nazionali di Legnaro dell'INFN, Legnaro, Italy.
- ^{eee}Also at Consiglio Nazionale delle Ricerche—Istituto Officina dei Materiali, Perugia, Italy.
- ^{fff}Also at Department of Applied Physics, Faculty of Science and Technology, Universiti Kebangsaan Malaysia, Bangi, Malaysia.
- ^{ggg}Also at Consejo Nacional de Ciencia y Tecnología, Mexico City, Mexico.
- ^{hhh}Also at Trincomalee Campus, Eastern University, Sri Lanka, Nilaveli, Sri Lanka.
- ⁱⁱⁱAlso at Saegis Campus, Nugegoda, Sri Lanka.
- ^{jjj}Also at National and Kapodistrian University of Athens, Athens, Greece.
- ^{kkk}Also at Ecole Polytechnique Fédérale Lausanne, Lausanne, Switzerland.
- ^{lll}Also at Universität Zürich, Zurich, Switzerland.
- ^{mmm}Also at Stefan Meyer Institute for Subatomic Physics, Vienna, Austria.
- ⁿⁿⁿAlso at Laboratoire d'Annecy-le-Vieux de Physique des Particules, IN2P3-CNRS, Annecy-le-Vieux, France.
- ^{ooo}Also at Near East University, Research Center of Experimental Health Science, Mersin, Turkey.
- ^{ppp}Also at Konya Technical University, Konya, Turkey.
- ^{qqq}Also at Izmir Bakircay University, Izmir, Turkey.
- ^{rrr}Also at Adiyaman University, Adiyaman, Turkey.
- ^{sss}Also at Bozok Universitetesi Rektörlüğü, Yozgat, Turkey.
- ^{ttt}Also at Marmara University, Istanbul, Turkey.
- ^{uuu}Also at Milli Savunma University, Istanbul, Turkey.
- ^{vvv}Also at Kafkas University, Kars, Turkey.
- ^{www}Also at Istanbul Okan University, Istanbul, Turkey.
- ^{xxx}Also at Hacettepe University, Ankara, Turkey.
- ^{yyy}Also at Istanbul University—Cerrahpasa, Faculty of Engineering, Istanbul, Turkey.
- ^{zzz}Also at Yildiz Technical University, Istanbul, Turkey.
- ^{aaa}Also at Vrije Universiteit Brussel, Brussel, Belgium.
- ^{bbb}Also at School of Physics and Astronomy, University of Southampton, Southampton, United Kingdom.
- ^{ccc}Also at IPPP Durham University, Durham, United Kingdom.
- ^{ddd}Also at Monash University, Faculty of Science, Clayton, Australia.
- ^{eee}Also at Università di Torino, Torino, Italy.
- ^{fff}Also at Bethel University, St. Paul, Minnesota, USA.
- ^{ggg}Also at Karamanoğlu Mehmetbey University, Karaman, Turkey.
- ^{hhh}Also at California Institute of Technology, Pasadena, California, USA.
- ⁱⁱⁱAlso at United States Naval Academy, Annapolis, Maryland, USA.
- ^{jjj}Also at Bingol University, Bingol, Turkey.
- ^{kkk}Also at Georgian Technical University, Tbilisi, Georgia.
- ^{lll}Also at Sinop University, Sinop, Turkey.
- ^{mmm}Also at Erciyes University, Kayseri, Turkey.
- ⁿⁿⁿAlso at Horia Hulubei National Institute of Physics and Nuclear Engineering (IFIN-HH), Bucharest, Romania.
- ^{ooo}Also at Texas A&M University at Qatar, Doha, Qatar.
- ^{ppp}Also at Kyungpook National University, Daegu, Korea.
- ^{qqq}Also at Institute of Nuclear Physics of the Uzbekistan Academy of Sciences, Tashkent, Uzbekistan.
- ^{rrr}Also at Northeastern University, Boston, Massachusetts, USA.
- ^{sss}Also at Imperial College, London, United Kingdom.
- ^{ttt}Also at Yerevan Physics Institute, Yerevan, Armenia.
- ^{uuu}Also at Universiteit Antwerpen, Antwerpen, Belgium.