

- a systematic review. In *Amm Bowel Dis* 2007;13:629-38.
8. Timmermans S, Christiaans M, Abdul-Hamid M, et al. Granulomatous interstitial nephritis and Crohn disease. *Clin Kidney J* 2016;9:556-9.
 9. Tokuyama H, Wakino S, Konishi K, et al. Acute interstitial nephritis associated with ulcerative colitis. *Clin Exp Nephrol* 2010;14:483-6.
 10. Ambruzs JM, Walker PD, Larsen CP. The histopathologic spectrum of kidney biopsies in patients with inflammatory bowel disease. *Clin J Am Soc Nephrol* 2014;9:265-70.
 11. Izzedine H, Simon J, Piette AM, et al. Primary chronic interstitial nephritis in Crohn's disease. *Gastroenterology* 2002;123:1436-40.
 12. Poulou AC, Goumas KE, Dandakis DC, et al. Microproteinuria in patients with inflammatory bowel disease: is it associated with the disease activity or the treatment with 5-aminosalicylic acid? *World J Gastroenterol* 2006;12:739-46.
 13. Fraser JS, Muller AF, Smith DJ, et al. Renal tubular injury is present in acute inflammatory bowel disease prior to the introduction of drug therapy. *Aliment Pharmacol Ther* 2001;15:1131-7.
 14. La Manna G, Ghinatti G, Tazzari PL, et al. Neutrophil gelatinase-associated lipocalin increases HLA-G+/Fox P3+ T-regulatory cell population in an in vitro model of PBMC. *PLoS One* 2014;9:1-9.
 15. Thorsvik S, Damås JK, Granlund AV, et al. Fecal neutrophil gelatinase-associated lipocalin as a biomarker for inflammatory bowel disease. *J Gastroenterol Hepatol* 2017;32:128-35.

Non-commercial use only