



ALMA MATER STUDIORUM
UNIVERSITÀ DI BOLOGNA

ARCHIVIO ISTITUZIONALE
DELLA RICERCA

Alma Mater Studiorum Università di Bologna Archivio istituzionale della ricerca

Changing trends of ocular trauma in the time of COVID-19 pandemic

This is the final peer-reviewed author's accepted manuscript (postprint) of the following publication:

Published Version:

Pellegrini M., Roda M., Di Geronimo N., Lupardi E., Giannaccare G., Schiavi C. (2020). Changing trends of ocular trauma in the time of COVID-19 pandemic. *EYE*, 34(7), 1248-1250 [10.1038/s41433-020-0933-x].

Availability:

This version is available at: <https://hdl.handle.net/11585/795885> since: 2024-06-04

Published:

DOI: <http://doi.org/10.1038/s41433-020-0933-x>

Terms of use:

Some rights reserved. The terms and conditions for the reuse of this version of the manuscript are specified in the publishing policy. For all terms of use and more information see the publisher's website.

This item was downloaded from IRIS Università di Bologna (<https://cris.unibo.it/>).
When citing, please refer to the published version.

(Article begins on next page)

1 **Changing trends of ocular trauma in the time of COVID-19 pandemic**

2 Marco Pellegrini, MD,¹ Matilde Roda, MD,¹ Natalie Di Geronimo, MD,¹ Enrico Lupardi, MD¹,
3 Giuseppe Giannaccare, PhD,² Costantino Schiavi, MD.¹

4 ¹ *Ophthalmology Unit, S.Orsola-Malpighi University Hospital, University of Bologna, Bologna, Italy.*

5 ² *Department of Ophthalmology, University of “Magna Graecia”, Catanzaro, Italy.*

6

7 **Corresponding Author:**

8 *Marco Pellegrini, MD*

9 *Ophthalmology Unit, S.Orsola-Malpighi University Hospital, University of Bologna, Italy*

10 *Address: Via Palagi 9, 40138, Bologna, Italy*

11 *Tel: +39 051 2142845*

12 *Fax: +39 051 342821*

13 *E-mail: marco.pellegrini@hotmail.it*

14

15 **Conflict of Interest:** The authors declare no conflict of interest.

16 Dear Editor,

17 To reduce the spread of the novel coronavirus (2019-nCoV), countries have promoted a range of
18 unprecedented public health responses. These measures aim at reducing the final size of the epidemic
19 as well as its peak in order to decrease the acute pressure on the health-care system.¹ In Italy, the
20 government ordered people to stay home, restricting movements with the exception of work, urgent
21 matters and health reasons. Furthermore, all commercial and productive activities, except those
22 providing essential services, were obligated to remain closed.²

23 Ocular trauma represents a serious public health problem and leading cause of visual impairment.^{3,4}
24 The COVID-19 social distancing measures might have a significant impact on the risk of ocular
25 trauma. In this study, we retrospectively reviewed the charts of all patients presenting to an Italian
26 ophthalmological emergency department (the Ophthalmology Unit of the S.Orsola-Malpighi
27 University Hospital in Bologna) to identify all eye injuries. Data were analysed from 10th March
28 2020 (i.e. the day in which the quarantine measures were applied in our city) to 10th April 2020, and
29 confronted with those of the same period of the previous year (from 10th March 2019 to 10th April
30 2019).

31 In the 2019 study period, there were 354 eye injuries (15.6% of all patients presenting to the
32 emergency department). In the 2020 study period, eye injuries decreased to 112 (19.9% of all
33 patients). The characteristics of eye injuries in the two study periods are reported in Table 1. During
34 quarantine, the proportion of children and adolescents with eye injuries decreased (from 14.7% to
35 8.0%, Figure 1A), while the proportion of males increased (from 66.7% to 75.0%, Figure 1B).
36 Regarding the mechanisms of injury, the percentage of falls and sport injuries had the highest
37 decrease (respectively, from 6.5% to 0.9% and from 5.9% to 2.7%), while injuries during home
38 activities and injuries with plants had the highest increase (respectively, from 12.4% to 17.0% and
39 from 8.5% to 10.7%, Figure 1C). The percentage of minor injuries with low risk of vision loss

40 increased (from 93.2% to 94.6%), while major injuries requiring monitoring decreased (from 6.8%
41 to 5.4%, Figure 1D).

42 There was a striking 68.4% decrease in the number of eye injuries seen in our Unit during the last
43 month. Behavioural changes during the quarantine could be associated with lower risk of trauma. The
44 decreases of sport injuries and of injuries in children during school closure seem to support this
45 hypothesis. However, the drop of patients seeking emergency care affected all injuries, including
46 serious ones potentially associated with vision loss. We believe that some patients may intentionally
47 avoid urgent care rather than risking coronavirus exposure at hospitals. Anecdotal reports suggest
48 that this is also happening for life-threatening medical emergencies such as myocardial infarction and
49 stroke.^{5,6} Since ocular trauma is a major cause of vision loss, the importance of not delaying or
50 avoiding treatment should be stressed to all patients to prevent ocular morbidities.

51

52 **Conflict of Interest:** The authors declare no conflict of interest.

53 **Acknowledgements:** None.

54 **References**

- 55 1. Wilder-Smith A, Chiew CJ, Lee VJ. Can we contain the COVID-19 outbreak with the same
56 measures as for SARS?. *Lancet Infect Dis* 2020; e-pub ahead of print 5 March 2020;
57 doi:10.1016/S1473-3099(20)30129-8
- 58 2. Italian Government, decreto del presidente del Consiglio dei ministri (DPCM) March 11,
59 2020. [http://www.governo.it/it/articolo/coronavirus-conte-firma-il-dpcm-11-marzo-](http://www.governo.it/it/articolo/coronavirus-conte-firma-il-dpcm-11-marzo-2020/14299)
60 [2020/14299](http://www.governo.it/it/articolo/coronavirus-conte-firma-il-dpcm-11-marzo-2020/14299).
- 61 3. Matsa E, Shi J, Wheeler KK, McCarthy T, McGregor ML, Leonard JC. Trends in US
62 Emergency Department Visits for Pediatric Acute Ocular Injury. *JAMA Ophthalmol* 2018;
63 **136**: 895-903.
- 64 4. Négrel AD, Thylefors B. The global impact of eye injuries. *Ophthalmic Epidemiol* 1998; **5**:
65 143-169.
- 66 5. Krumholz HM. Where Have All the Heart Attacks Gone? *New York Times*; published
67 online 6 April 2020. [https://www.nytimes.com/2020/04/06/well/live/coronavirus-doctors-](https://www.nytimes.com/2020/04/06/well/live/coronavirus-doctors-hospitals-emergency-care-heart-attack-stroke.html)
68 [hospitals-emergency-care-heart-attack-stroke.html](https://www.nytimes.com/2020/04/06/well/live/coronavirus-doctors-hospitals-emergency-care-heart-attack-stroke.html)
- 69 6. American Heart Association. Health emergency? Don't hesitate to get help. Published online
70 30 March 2020. [https://www.heart.org/en/news/2020/03/30/health-emergency-dont-hesitate-](https://www.heart.org/en/news/2020/03/30/health-emergency-dont-hesitate-to-get-help)
71 [to-get-help](https://www.heart.org/en/news/2020/03/30/health-emergency-dont-hesitate-to-get-help).

72

73 **Figure legends**

74 **Figure 1:** Number of eye injuries in the 2019 study period (from 10th March 2019 to 10th April,
75 2019) and 2020 study period (from 10th March 2020 to 10th April 2020) according to categories of
76 age (**A**), sex (**B**), mechanism of trauma (**C**) and minor/major injuries (**D**).

77

78 **Table legends**

79 **Table 1.** Characteristics of eye injuries in the 2019 study period (from 10th March 2019 to 10th April,
80 2019) and 2020 study period (from 10th March 2020 to 10th April 2020).