





























- Front Med 7:329.
- Wang W, Li D, 2017. Structure identification and variable selection in geographically weighted regression models. *J Statist Computat Simulat* 87:2050-2068.
- WHO, 2020a. Report of the WHO-China Joint Mission on Coronavirus Disease 2019 (COVID-19). Available from: <https://www.who.int/docs/default-source/coronaviruse/who-china-joint-mission-on-covid-19-final-report.pdf>
- WHO, 2020b. Coronavirus disease (COVID-19) outbreak. Available from: <https://www.who.int/westernpacific/health-topics/coronavirus>
- Worldometers, "COVID-19 CORONAVIRUS PANDEMIC," 2021. Accessed: 07-April-2022. Available: <https://www.worldometers.info/coronavirus/>
- Yang T-C, Teng HW, Haran M. 2009. The impacts of social capital on infant mortality in the U.S.: A spatial investigation. *Applied Spatial Analysis and Policy* 2:211-227.
- Yang TC, Matthews SA, 2012. Understanding the non-stationary associations between distrust of the health care system, health conditions, and self-rated health in the elderly: a geographically weighted regression approach. *Health Place* 18:576-85.
- Young, L.J., Gotway, C.A., 2010. Using geostatistical methods in the analysis of public health data: the final frontier. *geoENV VII-Geostatistics for Environmental Applications* 16, 89–98.
- Zelege AJ, Moscato S, Miglio R, Chiari L, 2022. Length of stay analysis of COVID-19 hospitalizations using a count regression model and quantile regression: a study in Bologna, Italy. *Int J Environ Res Public Health* 19:2224.
- Zhang H, Liu Y, Chen F, Mi B, Zeng L, Pei L, 2021. The effect of sociodemographic factors on COVID-19 incidence of 342 cities in China: a geographically weighted regression model analysis. *BMC Infect Dis* 21:428.
- Zhao F, Park N, 2004. Using geographically weighted regression models to estimate annual average daily traffic. In: *Transportation Research Record* 1879. Washington, DC: Transportation Research Board, National Research Council: 99-107.
- Zheng X, Qin G, Tu D, 2017. A generalized partially linear mean-covariance regression model for longitudinal proportional data, with applications to the analysis of quality of life data from cancer clinical trials. *Stat Med* 36:1884-1894.
- Zhou YB, Wang QX, Liang S, Gong YH, Yang MX, Chen Y, Nie SJ, Nan L, Yang AH, Liao Q, Yang Y, Song XX, Jiang QW, 2015. Geographical variations in risk factors associated with HIV infection among drug users in a prefecture in Southwest China. *Infect Dis Poverty* 4:38.

Non-commercial use only