Aryl diazonium salts and benzene derivatives bearing two electrondonor substituents: chemical and mechanistic behaviour

Gabriele Micheletti,*a Carla Bogaa

^a.Department of Industrial Chemistry, Alma Mater Studiorum – Università di Bologna, Via Gobetti 85, 40129 Bologna, Italy

* Corresponding authors: Gabriele Micheletti gabriele.micheletti3@unibo.it.



Fig. S1: ¹H-NMR spectrum of compound 6a in CDCl₃.



Fig. S2: ¹³C-NMR spectrum of compound 6a in CDCl₃.



Fig. S3: DEPT spectrum of compound 6a in CDCl₃.



Fig. S4: ESI-MS⁺ (m/z) spectrum of compound **6a**.



Fig. S5: UV-Vis spectrum of compound 6a in CHCl₃.



Fig. S6: ¹H-NMR spectrum of compound 6b in CDCl₃.



Fig. S7: ¹³C-NMR spectrum of compound **6b** in CDCl₃.



Fig. S8: DEPT spectrum of compound 6b in CDCl₃.







Fig. S10: ESI-MS⁺ (m/z) spectrum of compound **6b**.



Fig. S11: UV-Vis spectrum of compound $\mathbf{6b}$ in CHCl₃.



Fig. S12: ¹H-NMR spectrum of compound **6c** in CDCl₃.



Fig. S13: ¹³C-NMR spectrum of compound 6c in CDCl₃.



Fig. S14: DEPT spectrum of compound 6c in CDCl₃.







Fig. S16: ESI-MS⁺ (m/z) spectrum of compound **6c**.



Fig. S17: UV-Vis spectrum of compound 6c in CHCl₃.



Fig. S18: ¹H-NMR spectrum of compound 7a in CDCl₃.



Fig. S19: ¹³C-NMR spectrum of compound 7a in CDCl₃.



Fig. S20: DEPT spectrum of compound 7a in CDCl₃.



Fig. S21: ESI-MS⁺ (m/z) spectrum of compound **7a**.







Fig. S23: ¹H-NMR spectrum of compound **7b** in CDCl₃.



Fig. S24: ¹³C-NMR spectrum of compound **7b** in CDCl₃.



Fig. S25: DEPT spectrum of compound 7b in CDCl₃.



Fig. S26: ESI-MS⁺ (m/z) spectrum of compound **7b**.



Fig. S27: UV-Vis spectrum of compound 7b in CHCl₃.



Fig. S28: ¹H-NMR spectrum of compound 7c in CDCl₃.



Fig. S29: ¹³C-NMR spectrum of compound 7c in CDCl₃.



Fig. S30: DEPT spectrum of compound 7c in CDCl₃.



Fig. S31: ESI-MS⁺ (m/z) spectrum of compound **7c**.



Fig. S32: UV-Vis spectrum of compound 7c in CHCl₃.



Fig. S33: ¹H-NMR spectrum of compound 8a in CDCl₃.



Fig. S34: ¹³C-NMR spectrum of compound 8a in CDCl₃.



Fig. S35: DEPT spectrum of compound 8a in CDCl₃.



Fig. S36: ESI-MS⁺ (m/z) spectrum of compound **8a**.



Fig. S37: UV-Vis spectrum of compound 9a in CHCl₃.



Fig. S38: ¹H-NMR spectrum of compound 8b in CDCl₃.



Fig. S39: ¹³C-NMR spectrum of compound **8b** in CDCl₃.



Fig. S40: DEPT spectrum of compound 8b in CDCl₃.



Fig. S41: ESI-MS⁺ (m/z) spectrum of compound **8b**.



Fig. S42: UV-Vis spectrum of compound 8b in CHCl₃.



Fig. S43: ¹H-NMR spectrum of compound 8c in CDCl₃.



Fig. S44: ¹³C-NMR spectrum of compound 8c in CDCl₃.



Fig. S45: DEPT spectrum of compound 8c in CDCl₃.



Fig. S46: ESI-MS⁺ (m/z) spectrum of compound **8c**.



Fig. S47: UV-Vis spectrum of compound 8c in CHCl₃.



Fig. S48: ¹H-NMR spectrum of compound **9a** in CDCl₃.



Fig. S49: ¹³C-NMR spectrum of compound **9a** in CDCl₃.



Fig. S50: DEPT spectrum of compound 9a in CDCl₃.



Fig. S51: ESI-MS⁺ (m/z) spectrum of compound **9a**.



Fig. S52: UV-Vis spectrum of compound 9a in CHCl₃.



Fig. S53: ¹H-NMR spectrum of compound **9b** in CDCl₃.



Fig. S54: ¹³H-NMR spectrum of compound **9b** in CDCl₃.



Fig. S55: ESI-MS⁺ (m/z) spectrum of compound **9b**.



Fig. S56: UV-Vis spectrum of compound $\mathbf{9b}$ in CHCl₃.



Fig. S57: COSY spectrum of the protonation reaction of compound **3**.



Fig. S58: ¹H-NMR spectrum of compound **3** in CD₃CN.