

Article

Curcumin-Functionalized Gelatin Films: Antioxidant Materials with Modulated Physico-Chemical Properties

Katia Rubini, Elisa Boanini * , Silvia Parmeggiani and Adriana Bigi 

Department of Chemistry “Giacomo Ciamician”, Alma Mater Studiorum, University of Bologna, Via Selmi 2, 40126 Bologna, Italy; katia.rubini@unibo.it (K.R.); silvia.parmeggiani@unibo.it (S.P.); adriana.biggi@unibo.it (A.B.)
* Correspondence: elisa.boanini@unibo.it

Abstract: In this paper we used curcumin as a functionalizing agent of gelatin films with the aim to get antioxidant materials with modulated physico-chemical properties. To this aim, we prepared gelatin films at different contents of curcumin up to about 1.2 wt%. The as-prepared films, as well as glutaraldehyde crosslinked films, were submitted to several tests: swelling, water solubility, differential scanning calorimetry, X-ray diffraction, mechanical tests and curcumin release. The radical scavenging activity of the as-prepared films is similar to that of free curcumin, indicating remarkable antioxidant properties. All the other tested properties vary as a function of curcumin content and/or the presence of the crosslinking agent. In particular, the films exhibit sustained curcumin release in different solvents. Thanks to its biocompatibility, biodegradability and lack of antigenicity, gelatin uses span from food processing to packaging and biomaterials. It follows that the modulated properties exhibited by the functionalized materials developed in this work can be usefully employed in different application fields.

Keywords: gelatin; curcumin; swelling; water solubility; DSC; release; antioxidant; radical scavenging activity



Citation: Rubini, K.; Boanini, E.; Parmeggiani, S.; Bigi, A. Curcumin-Functionalized Gelatin Films: Antioxidant Materials with Modulated Physico-Chemical Properties. *Polymers* **2021**, *13*, 1824. <https://doi.org/10.3390/polym13111824>

Academic Editor:
Valentina Grumezescu

Received: 10 May 2021
Accepted: 28 May 2021
Published: 31 May 2021

Publisher’s Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Copyright: © 2021 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

1. Introduction

Curcumin—(1E,6E)-1,7-bis(4-hydroxy-3-methoxyphenyl)-1,6-heptadiene-3,5-dione—is a natural polyphenol extracted from the rhizomatous plant *Curcuma Longa* (Turmeric) of the Ginger family [1] (Figure 1). In solution it exhibits a keto-enol tautomerism and shows polymorphism in the solid state, where it exists just as the keto-enol tautomer [2].




Figure 1. Picture of curcumin orange-colored powder and its molecular structure.

Curcumin solutions are generally yellow at $\text{pH} \leq 7$ and change to red at $\text{pH} \geq 8.5$ [3]. However, due to its hydrophobicity, it is barely soluble in water. Poor solubility, together with rapid metabolism and systemic elimination, results in poor bioavailability in physiologic conditions [4,5]. On the other hand, curcumin is utilized not only as a spice and

coloring agent in food [6], but also in a number of pharmaceutical applications due to its numerous biological activities, including antioxidant, anticancer, anti-inflammatory and antimicrobial properties [4–8]. These desirable characteristics stimulated research aimed to develop polymeric films added with curcumin with the purpose of getting materials with antioxidant and antimicrobial properties [3,9–11].

We have previously shown that functionalization of gelatin films with a polyphenol, namely quercetin, provides materials with remarkable antioxidant properties, tailored swelling and mechanical properties [12]. In fact, polyphenols can stabilize proteins through interactions involving hydrogen and covalent bonding, as well as ionic and hydrophobic interactions [13–17]. This is of particular interest in the case of gelatin since this biopolymer, which is abundant, cheap, non-antigenic and biocompatible, is highly soluble in water. It follows that its potential applications, which span from food processing to packaging to biomaterials and pharmaceuticals, are severely limited by this drawback. Chemical or physical crosslinking is the strategy usually employed to improve the performances of gelatin materials [18–21].

Herein, we explored the possibility of imbuing gelatin films with antioxidant properties through functionalization with curcumin. To this aim, we functionalized gelatin films through interaction with water/ethanol solutions at increasing curcumin content. Water solubility, swelling, mechanical and antioxidant properties, as well as curcumin release, were investigated on as-prepared films as well as on films after crosslinking with glutaraldehyde.

2. Materials and Methods

2.1. Films Preparation

Gelatin from pig skin (280 Bloom, Italgelatine S.p.A.) was used for preparing films with different curcumin contents: 5 g of gelatin were dissolved in 100 mL of water under stirring for 30 min at 40 °C. Films were obtained on the bottom of Petri dishes (diameter = 6 cm) from 7.4 mL of gelatin solution after water evaporation at room temperature. Before complete drying, 7.4 mL of a solution of curcumin (Merck) in water/ethanol (50/50) was placed into each Petri dish that was then sealed for 24 h. Afterwards, curcumin solution was removed, and films were washed with distilled water and completely dried under laminar flow hood. Different amounts of curcumin were used: 0.2, 0.5 and 1 g/L; and obtained films were respectively labeled as G-02, G-05, and G-1. Films without curcumin were prepared as control samples and labeled G-0.

Crosslinked films were prepared following the above procedure until the curcumin solution was removed. After washing each film with water, 7.4 mL of a phosphate buffer solution 0.1 M at pH 7.4 (PBS) containing glutaraldehyde (GTA) 0.15%wt was placed into each Petri dish. After 24 h the solution was removed and films in the dishes were repeatedly washed with glycine solution 1M. Complete drying was attained under laminar flow hood and obtained films were labeled as GTA-02, GTA-05 and GTA-1, as a function of the respective curcumin solution. Crosslinked films without curcumin were prepared as control samples and labeled GTA-0.

2.2. Film Characterization

2.2.1. Curcumin Content and Release

For determination of curcumin content, about 100 mg of film was dissolved in 100 mL H₂O/EtOH 1:1. Absorption spectra were collected with a Varian Cary50Bio instrument ($\lambda = 430$ nm). Each analysis was performed in triplicate.

Curcumin release was determined on weighted G or GTA samples (1 cm × 1 cm) placed at the bottom of a vial and added with 5 mL of PBS 0.1M (pH 7.4) or physiological solution (NaCl 0.9%) or H₂O/EtOH 1:1. Each experiment was performed in triplicate. The release was monitored up to 48 h at room temperature, collecting absorption spectra on supernatant. The spectra were recorded at selected times and the solution was refreshed

after each absorbance measurement. Absorption spectra were collected with a Varian Cary50Bio instrument ($\lambda = 430$ nm).

2.2.2. Swelling and Water Solubility

For swelling experiments, films were cut into portions of 1 cm \times 1cm and were weighted in air-dried conditions. Afterwards they were immersed in PBS 0.1 M pH 7.4 for different periods of time. Wet samples were wiped with filter paper to remove excess liquid and weighed. The amount of absorbed water was calculated as

$$W (\%) = [(W_w - W_d)/W_d] \times 100 \quad (1)$$

where W_w and W_d are the weights of the wet and the air-dried samples.

For water solubility determination [22], portions of the films (2 cm \times 2 cm) were placed into glass containers with 15 mL of distilled water and subjected to gentle stirring at 65 rpm for 15 h at room temperature. Filtration on filter paper was used to recover the remainder of the undissolved film, which was desiccated at 105 °C for 24 h. The film solubility was calculated as

$$FS (\%) = [(W_0 - W_f)/W_0] \times 100 \quad (2)$$

where W_0 is the initial weight of the film expressed as dry matter and W_f is the weight of the desiccated undissolved rest of the film. Each measurement was performed in triplicate.

2.2.3. Thermal Analysis

Calorimetric measurements were performed using a Perkin Elmer Pyris Diamond differential scanning calorimeter equipped with a model ULSP 90 intra-cooler. Temperature and enthalpy calibration were performed by using high-purity standards (n-decane and indium). The measurements were carried out on dried samples, hermetically sealed in aluminum pans. Heating was carried out at 5 °C min⁻¹ in the temperature range from 40 °C to 120 °C. Denaturation temperature was determined as the peak value of the corresponding endothermic phenomena. The value of denaturation enthalpy was calculated with respect to the sample weight.

2.2.4. Mechanical Tests

For mechanical tests, films were immersed into PBS 0.1 M pH 7.4 for 1 min and cut into stripes (3 mm \times 30 mm), where thickness was carefully measured for each stripe (values around 0.12 mm) using a Leitz SMLUX- POL microscope.

Stress–strain curves of strip-shaped films were recorded using an INSTRON Testing Machine 4465 with a crosshead speed of 5 mm min⁻¹ and the Series IX software package. The Young's modulus E , the stress at break σ_b and the strain at break ϵ_b of the strips were measured.

2.2.5. X-Ray Diffraction

X-ray diffraction analysis was carried out by means of a Panalytical X'Ceerator powder diffractometer. Cu K α radiation was used (40 mA, 40 kV). The 2θ range was from 5° to 40° with a step size of 0.1° and time per step of 200 s.

2.2.6. Radical Scavenging Assay

Antioxidant activity was determined on the basis of curcumin ability to act as radical scavengers toward the 2,2-diphenyl-1-picrylhydrazyl free radical, (DPPH•) (Sigma) [23]. Solutions of GEL-02, GEL-05 and GEL-1 were prepared by dissolving the solid samples in MilliQ water/EtOH and thereafter they were diluted, based on their known curcumin contents, in order to get 10 μ M, 30 μ M and 50 μ M of curcumin concentrations. Dilutions of pure curcumin (Merck), 10 μ M, 30 μ M and 50 μ M, were prepared and used as reference samples. For the assay, 6 mL of each solution (samples and references) were added to 0.2 mL

of 1mM DPPH• solution in ethanol, previously clarified by centrifugation (10,000 rpm for 10 min). After an incubation for 30 min at room temperature in darkness, absorbance values (A) were spectrophotometrically measured at 517 nm.

The radical scavenging activity (RSA) was determined through the following equation:

$$\% \text{ RSA} = (A_0 - A_x) / A_0 \times 100 \quad (3)$$

where A_0 is the absorbance of the control (containing DPPH• solution without curcumin), and A_x is the absorbance in the presence of curcumin (as reference) or of curcumin-containing samples.

2.2.7. Statistical Analysis

Statistical evaluation of data was performed using GraphPad Prism version 5.00 for Windows (GraphPad Software, San Diego, CA, USA). One-way analysis of variance (ANOVA) followed by Dunnett's Multiple comparison test was used to determine significant differences ($p < 0.05$) among experimental groups and reference samples.

3. Results and Discussion

Curcumin solubility in water is very poor, whereas it is soluble in several organic solvents, including ethanol and dimethylsulfoxide [3]. Cooling of gelatin aqueous solutions provokes a partial regain of the triple helix structure characteristic of collagen [24]. The use of DMSO as a solvent hinders this process and prevents gelatin gelification, whereas water/ethanol as a solvent for gelatin yields opaque and non-homogeneous films [12]. Therefore, we utilized a two-step procedure: (i) preparation of gelatin films from an aqueous solution, and (ii) loading of curcumin from a water/ethanol solution.

3.1. Curcumin Content

The images in Figure 2a provide a qualitative evaluation of curcumin content of gelatin films submitted to interaction with water/ethanol solutions at different concentrations of the polyphenol. G-0 films are transparent and colorless. Curcumin imbues a yellow color to the films, which becomes more intense when passing from G-02 to G-1.




Figure 2. Photographs of films at different curcumin content made from (a) gelatin and curcumin; (b) gelatin, curcumin and crosslinked with glutaraldehyde solution.

A further increase of the color intensity occurs after crosslinking with glutaraldehyde (GTA), as shown in Figure 2b. GTA is among the most utilized chemical crosslinking agents for collagenous materials. Although a relatively high content of GTA can be cytotoxic, the low concentration of GTA used in this work does not induce cytotoxicity, whereas it improves mechanical properties and stability of gelatin films [18].

Curcumin quantitative content was determined through spectrophotometric analysis. Curcumin exhibits an absorption band in the UV region with a maximum at about 265 nm [1] and a further strong absorption band in the visible region, which in water/ethanol solutions falls around 430 nm [25]. The absorption spectra of films dissolved in a water/ethanol mixture reported in Figure 3 clearly show the increase of the intensity of the absorption band in the visible region as a function of curcumin concentration.




Figure 3. Absorption spectra of film solutions in water/ethanol 1:1.

Curcumin content determined from evaluation of the absorption spectra (Table 1) increases with its concentration in solution up to about 1.2 wt%. Curcumin content in GTA samples was not measured since the films are not soluble after crosslinking. However, since GTA treatment was performed after curcumin adsorption, it is reasonable to assume the same values as those of G samples.

Table 1. Curcumin content and water solubility of the functionalized films.

Sample	Curcumin Content (wt%)	FS (%)
G-0		94 ± 5
G-02	0.20 ± 0.02	89 ± 4
G-05	0.55 ± 0.05	86 ± 5
G-1	1.20 ± 0.10	46 ± 3 ^a
GTA-0		22 ± 1
GTA-02	0.20 ± 0.02	20.3 ± 0.4
GTA-05	0.55 ± 0.05	21.3 ± 0.6
GTA-1	1.20 ± 0.10	19 ± 1 ^a

^a G-1 vs. G-0, G-02, G-05 ($p < 0.05$); GTA-1 vs. GTA-0 ($p < 0.05$).

3.2. Swelling and Water Solubility

Gelatin undergoes a remarkable swelling in aqueous solution, as shown by the graph reported in Figure 4. Swelling of pristine gelatin films, GEL-0, amounts to about 1700% after 48 h in PBS and further prolongation of immersion time results in complete dissolution of the films. The same trend is observed for G-02, although the presence of curcumin decreases the maximum value of swelling before dissolution down to around 1400%. A further increase of curcumin content not only provokes a further decrease of swelling degree (Figure 4a) but stabilizes the films which maintain their compactness even after a week in PBS. The reduction of swelling in functionalized samples suggests the occur-

rence of chemical interactions between the functional groups of curcumin and those of gelatin [13–15].




Figure 4. Swelling curves of (a) G films and (b) GTA films. Each value was determined in triplicate. Standard deviations are comprised of the size of the symbols.

A much greater effect on swelling is observed after crosslinking with glutaraldehyde. In the present work, swelling of films crosslinked with GTA reaches a plateau in 24 h, when it assumes remarkably reduced values in comparison with those observed before crosslinking (Figure 4b). The influence of GTA far exceeds that of curcumin so that the values measured for samples at increasing polyphenol content tend to decrease, but are not significantly different.

GTA exerts a great influence also on water solubility: the value of FS (%) of pristine gelatin films decreases down to about one-fifth after crosslinking (Table 1). Moreover, the values of water solubility of crosslinked functionalized samples do not show significant difference as a function of curcumin content, and just the value of GTA-1 is significantly different from that of GTA-0. On the contrary, the influence of the polyphenol is clearly appreciable in non-crosslinked films, which exhibit significantly decreasing FS values when passing from G-0 to G-1. (Table 1).

3.3. Differential Scanning Calorimetry

The DSC plot of G-0 films exhibits an endothermic peak centered at 97 °C (denaturation temperature, T_d), with a denaturation enthalpy (ΔH_d) of 23 J/g. The endothermic transition (denaturation) is due to disruption of the portions of triple helix to random coils. In particular, T_d and ΔH_d are associated with thermal stability and extent of the triple helix structure, respectively [26]. The endothermic peak shows a modest, but appreciable, shift to higher temperatures in functionalized G films, in agreement with an increase of gelatin stability (Figure 5, Table 2), which suggests possible chemical interactions between gelatin and curcumin.

GTA crosslinking provokes a further increase of denaturation temperature and a remarkable reduction of the denaturation enthalpy (Table 2), which can be ascribed to a variation of the relative amounts of hydrogen bonds and covalent crosslinks [26]. As observed for swelling, the effect of GTA crosslinking on denaturation parameters does not allow appreciating any variation due to the presence of curcumin.




Figure 5. DSC thermograms recorded from (a) G films and (b) GTA films show the presence of an endothermic peak due to collagen triple helix denaturation.

Table 2. Microcalorimetric data: DSC enthalpy variation and temperature of the endothermic transition.

Sample	T_d (°C)	ΔH_d (J/g)	Sample	T_d (°C)	ΔH_d (J/g)
G-0	97	23	GTA-0	103	13
G-02	98	23	GTA-02	103	11
G-05	99	23	GTA-05	103	11
G-1	99	24	GTA-1	102	11

3.4. Curcumin Release

Curcumin release from the different samples was determined from analysis of the UV-vis absorption spectra. In particular, release was measured in different solvents: water/ethanol, physiological solution and PBS solution.

Due to the relatively high solubility of curcumin in H₂O/EtOH, its release in this solution is fast and almost quantitative. The graph of cumulative release reported in Figure 6a shows that it reaches a plateau in just a couple of hours. The release increases as curcumin initial content increases, and corresponds to complete removal of the polyphenol from the different samples.




Figure 6. Cont.




Figure 6. Curcumin cumulative release, expressed as a percentage of the initial content, from G films incubated in (a) H₂O/EtOH solution (1:1); (b) physiological solution and (c) PBS.

At variance, release in physiological solution increases with time up to 0.08 g/g% during the first hours, and reaches values of about 0.10 g/g% in 24 h. In this case, the released amount of curcumin from the different samples does not vary significantly, but it corresponds to different percentages of the polyphenol initial content: up to about 52%, 22% and 12% for G-02, G-05 and G-1, respectively (Figure 6b).

Much smaller values of curcumin release were measured in PBS solution, most likely because the ionic strength of PBS reduces gelatin swelling in comparison to physiological solution [27]. Cumulative release increases with time to reach a steady state in 15–24 h, and indeed it corresponds to small percentages of the initial content of curcumin: about 5.5%, 3.4% and 2.6% for G-02, G-05 and G-1, respectively (Figure 6c).

As expected, GTA crosslinking dramatically reduces curcumin release. The amount of polyphenol released after 24 h in H₂O/EtOH is less than 7 wt%, while in physiological solution, as well as in PBS, it just reaches about 3 wt% (Figure 7a–c).




Figure 7. Curcumin cumulative release, expressed as a percentage of the initial content, from GTA films incubated in (a) H₂O/EtOH solution (1:1); (b) physiological solution and (c) PBS.

3.5. X-Ray Diffraction Analysis

The X-ray diffraction patterns of un-crosslinked films exhibit two peaks, as shown in Figure 8a: a sharp one at a low angle (about $7.5^\circ/2\theta$) and a broad one at about $20^\circ/2\theta$, which are due to the characteristic structure of gelatin [28]. The patterns do not show significant modifications as a function of curcumin content.




Figure 8. X-rays diffraction patterns of (a) G films and (b) GTA films.

The low angle peak at about $7.5^\circ/2\theta$, which is related to the diameter of the triple helix portions of gelatin, is absent in the XRD pattern of GTA-0 (Figure 8b), suggesting that crosslinking with glutaraldehyde blocks the random coil conformation of gelatin and inhibits the partial regain of triple helix structure occurring during cooling. On the other hand, the relative intensity of this peak increases from GTA-02 to GTA-1, indicating that curcumin counteracts the negative effect of GTA on the partial renaturation of the collagen structure, most likely by reducing the number of available sites for covalent interactions of gelatin with glutaraldehyde.

3.6. Mechanical Properties

Functionalization with curcumin influences also the mechanical properties of gelatin films, as shown by the stress-strain curves of gelatin films at increasing polyphenol content (Figure 9a) and by the relative main mechanical parameters reported in Table 3. In particular, the deformation at break, ϵ_b , decreases, whereas the values of Young's modulus, E , increase on increasing curcumin content, suggesting that curcumin interactions with gelatin provokes a stiffening of the films.

The main effect of GTA crosslinking on un-functionalized films is a significant modification of the stress-strain curve (Figure 9b), which involves a dramatic reduction of the value of deformation at break (Table 4). The presence of curcumin in GTA samples interferes with the action of the crosslinking agent in agreement with XRD data, so that the values of ϵ_b show a modest, but significant, increase on increasing polyphenol content, and reduced values of E .




Figure 9. Typical stress–strain curves of (a) G films and (b) GTA films at different curcumin content.

Table 3. Strain at break, σ_b , stress at break, ϵ_b , and Young’s modulus, E, of gelatin films. Each value is the mean of at least seven determinations and is reported with its standard deviation.

Sample	σ_b (MPa)	ϵ_b (%)	E (MPa)
G-0	1.9 ± 0.9	165 ± 35	6.2 ± 0.9
G-02	2.6 ± 0.9	155 ± 10	7.0 ± 1.9
G-05	2.2 ± 1.2	$125 \pm 9^{a,b}$	7.6 ± 1.1
G-1	2.3 ± 0.5	105 ± 8^a	8.9 ± 0.8^a

ϵ_b : ^a G-1 vs. G-0, G-02, G-05; G-05 vs. G-02 ($p < 0.001$). ^b G-05 vs. G-0 ($p < 0.05$). E: ^a G-1 vs. G-0 ($p < 0.001$).

Table 4. Strain at break, σ_b , stress at break, ϵ_b , and Young’s modulus, E, of GTA gelatin films. Each value is the mean of at least seven determinations and is reported with its standard deviation.

Sample	σ_b (MPa)	ϵ_b (%)	E (MPa)
GTA-0	1.1 ± 0.5	18 ± 5	6.5 ± 0.9
GTA-02	1.2 ± 0.5	40 ± 10^a	2.1 ± 0.8^a
GTA-05	0.9 ± 0.6	45 ± 12^a	1.7 ± 0.3^a
GTA-1	0.9 ± 0.5	$64 \pm 18^{a,b}$	1.1 ± 0.8^a

ϵ_b : ^a GTA-1, GTA-05, GTA-02 vs. GTA-0 ($p < 0.001$); ^b GTA-1 vs. GTA-02 ($p < 0.05$). E: ^a GTA-1, GTA-05, GTA-02 vs. GTA-0 ($p < 0.001$).

3.7. Radical Scavenging Activity

The ability of curcumin to quench reactive oxygen species is the reason for its antioxidant and anti-inflammatory properties. In this paper, we verify the antioxidant properties of functionalized gelatin films through measurement of their radical scavenging activity (RSA). The test, which is based on 1,1-diphenyl-2-picryl-hydrazyl (DPPH•) assay [29,30] was carried out on different amounts of specimens so as to get different curcumin contents. The results, reported in Figure 10, are compared with those obtained for pure curcumin. Pure curcumin exhibits RSA values increasing from about 25% to about 78% as its concentration increases from 10 to 50 mM.

All the examined samples display RSA values not significantly different from those recorded for pure curcumin, indicating that the antioxidant properties are maintained in functionalized films.




Figure 10. Antiradical activity, expressed as % RSA, of the different samples and pure curcumin toward DPPH•. Bars represent the mean \pm SD of two independent measurements.

4. Conclusions

The amount of curcumin loaded on gelatin films in this work spans from about 0.2 to about 1.2 wt%. Although these might seem modest, they provide the films with modulated properties.

The presence of curcumin reduces swelling and water solubility, causes a modest increase of denaturation enthalpy and reduces the extensibility of the films. Moreover, the films maintain remarkable antioxidant properties as free curcumin and exhibit sustained polyphenol release both in physiological solution and, even more, in PBS.

Crosslinking with glutaraldehyde causes further modulations of the main properties of the films, in particular significant reduction of swelling, water solubility and curcumin release and an increase of thermal stability, as well as variations of mechanical parameters.

In conclusion, the results indicate that gelatin films can be considered good candidates as delivery systems for curcumin, and the wide range of properties shown by the materials developed in this work can be usefully exploited in several applications.

Author Contributions: Conceptualization, E.B. and A.B.; formal analysis, K.R., E.B. and S.P.; investigation, K.R., E.B. and S.P.; resources, E.B. and A.B.; data curation, K.R., E.B. and S.P.; writing—original draft preparation, E.B. and A.B.; writing—review and editing, E.B. and A.B. All authors have read and agreed to the published version of the manuscript.

Funding: This research received no external funding.

Institutional Review Board Statement: Not applicable.

Informed Consent Statement: Not applicable.

Data Availability Statement: The data presented in this study are available on request from the corresponding author.

Acknowledgments: The authors are grateful to the support of the University of Bologna. Italgelatina S.p.A. is acknowledged for the donation of gelatin from pig skin used for experiments.

Conflicts of Interest: The authors declare no conflict of interest.

References

1. Priyadarsini, K.I. The chemistry of curcumin: From extraction to therapeutic agent. *Molecules* **2014**, *19*, 20091–20112. [[CrossRef](#)] [[PubMed](#)]
2. Dai, Y.; Terskikh, V.; Brinmkmann, A.; Wu, G. Solid-State ¹H, ¹³C, and ¹⁷O NMR characterization of the two uncommon polymorphs of curcumin. *Cryst. Growth Des.* **2020**, *20*, 7484–7491. [[CrossRef](#)]
3. Musso, Y.S.; Salgado, P.R.; Mauri, A.N. Smart edible films based on gelatin and curcumin. *Food Hydrocoll.* **2017**, *66*, 8–15. [[CrossRef](#)]
4. Hewlings, S.J.; Kalman, D.S. Curcumin: A review of its' effects on human health. *Foods* **2017**, *6*, 92. [[CrossRef](#)] [[PubMed](#)]
5. Shedje, A.A.; Pansare, S.V.; Khairkar, S.R.; Chhatre, S.Y.; Chakrabartib, S.; Nagarkar, A.A.; Pansaren, A.V.; Patil, V.R. Nanocomposite of functional silver metal containing curcumin biomolecule model systems: Protein BSA bioavailability. *J. Inorg. Biochem.* **2020**, *212*, 111210. [[CrossRef](#)]
6. Martins, N.; Roriz, C.L.; Morales, P.; Barros, L.; Ferreira, I.C.F.R. Food colorants: Challenges, opportunities and current desires of agro-industries to ensure consumer expectations and regulatory practices. *Trends Food Sci. Technol.* **2016**, *52*, 1–15. [[CrossRef](#)]
7. Lee, W.H.; Loo, C.Y.; Bebawy, M.; Luk, F.; Mason, R.S.; Rohanzadeh, R. Curcumin and its derivatives: Their application in neuropharmacology and neuroscience in the 21st century. *Curr. Neuropharmacol.* **2013**, *11*, 338–378. [[CrossRef](#)]
8. Wanninger, S.; Lorenz, V.; Subhanb, A.; Edelmann, F.T. Metal complexes of curcumin—Synthetic strategies, structures and medicinal applications. *Chem. Soc. Rev.* **2015**, *44*, 4986–5002. [[CrossRef](#)]
9. Bajpai, S.K.; Chand, N.; Ahuja, S. Investigation of curcumin release from chitosan/cellulose microcrystals (CMC) antimicrobial films. *Int. J. Biol. Macromol.* **2015**, *79*, 440–448. [[CrossRef](#)]
10. Liu, Y.; Cai, Y.; Jiang, X.; Wu, J.; Le, X. Molecular interactions, characterization and antimicrobial activity of curcumin–chitosan blend films. *Food Hydrocoll.* **2016**, *52*, 564–572. [[CrossRef](#)]
11. Maniglia, B.C.; de Paula, R.L.; Domingos, J.R.; Tapia-Blacido, D.R. Turmeric dye extraction residue for use in bioactive film production: Optimization of turmeric film plasticized with glycerol. *LWT Food Sci. Technol.* **2015**, *64*, 1187–1195. [[CrossRef](#)]
12. Rubini, K.; Boanini, E.; Menichetti, A.; Bonvicini, F.; Gentilomi, G.A.; Montalti, M.; Bigi, A. Quercetin loaded gelatin films with modulated release and tailored anti-oxidant, mechanical and swelling properties. *Food Hydrocoll.* **2020**, *109*, 106089. [[CrossRef](#)]
13. Hosseini, S.F.; Gómez-Guillén, M.C. A state-of-the-art review on the elaboration of fish gelatin as bioactive packaging: Special emphasis on nanotechnology-based approaches. *Trends Food Sci. Technol.* **2018**, *79*, 125–135. [[CrossRef](#)]
14. Strauss, G.; Gibson, S.M. Plant phenolics as cross-linkers of gelatin gels and gelatin-based coacervates for use as food ingredients. *Food Hydrocoll.* **2004**, *18*, 81–89. [[CrossRef](#)]
15. Zhang, X.; Do, M.D.; Casey, P.; Sulistio, A.; Qiao, G.G.; Lundin, L.; Lillford, P.; Kosaraju, S. Chemical cross-linking gelatin with natural phenolic compounds as studied by high-resolution NMR spectroscopy. *Biomacromolecules* **2010**, *11*, 1125–1132. [[CrossRef](#)]
16. Wang, Q.; Liu, W.; Tian, B.; Li, D.; Liu, C.; Jiang, B.; Feng, Z. Preparation and characterization of coating based on protein nanofibers and polyphenol and application for salted duck egg yolks. *Foods* **2020**, *9*, 449. [[CrossRef](#)]
17. Jiang, B.; Wang, X.; Wang, L.; Wu, S.; Li, D.; Liu, C.; Feng, Z. Fabrication and characterization of a microemulsion stabilized by integrated phosvitin and gallic acid. *J. Agric. Food Chem.* **2020**, *68*, 5437–5447. [[CrossRef](#)]
18. Amadori, S.; Torricelli, P.; Rubini, K.; Fini, M.; Panzavolta, S.; Bigi, A. Effect of sterilization and crosslinking on gelatin films. *J. Mater. Sci. Mater. Med.* **2015**, *26*, 9. [[CrossRef](#)]
19. Boanini, E.; Rubini, K.; Panzavolta, S.; Bigi, A. Chemico-physical characterization of gelatin films modified with oxidized alginate. *Acta Biomater.* **2010**, *6*, 383–388. [[CrossRef](#)]
20. Garavand, F.; Rouhi, M.; Razavi, S.H.; Cacciotti, I.; Mohammadi, R. Improving the integrity of natural biopolymer films used in food packaging by crosslinking approach: A review. *Int. J. Biol. Macromol.* **2017**, *104*, 687–707. [[CrossRef](#)]
21. Whitehead, F.A.; Paramita, V.D.; Teimouri, S.; Young, S.; Kasapis, S. Controlled release of ascorbic acid from genipin-crosslinked gelatin matrices under moving boundary conditions. *Food Hydrocoll.* **2019**, *89*, 171–179. [[CrossRef](#)]
22. Giménez, B.; Gómez-Estaca, J.; Alemán, A.; Gómez-Guillén, M.C.; Montero, P. Physico-chemical and film forming properties of giant squid (*Dosidicus gigas*) gelatin. *Food Hydrocoll.* **2009**, *23*, 585–592. [[CrossRef](#)]
23. Ak, T.; Gulcin, I. Antioxidant and radical scavenging properties of curcumin. *Chem. Biol. Interact.* **2008**, *174*, 27–37. [[CrossRef](#)] [[PubMed](#)]
24. Gomez-Guillen, M.C.; Gimenez, B.; Lopez-Caballero, M.E.; Montero, M.P. Functional and bioactive properties of collagen and gelatin from alternative sources: A review. *Food Hydrocoll.* **2011**, *25*, 1813–1827. [[CrossRef](#)]
25. Mondal, S.; Ghosh, S.; Moulik, S.P. Stability of curcumin in different solvent and solution media: UV-visible and steady-state fluorescence spectral study. *J. Photochem. Photobiol. B Biol.* **2016**, *158*, 212–218. [[CrossRef](#)]
26. Bigi, A.; Panzavolta, S.; Rubini, K. Relationship between triple helix content and mechanical properties of gelatin films. *Biomaterials* **2004**, *25*, 5675–5680. [[CrossRef](#)]
27. Veis, A. *The Macromolecular Chemistry of Gelatin*; Academic Press: New York, NY, USA, 1964.
28. Okuyama, K. Revisiting the molecular structure of collagen. *Connect. Tissue Res.* **2008**, *49*, 299–310. [[CrossRef](#)]
29. Berlier, G.; Gastaldi, L.; Ugazio, E.; Miletto, I.; Iliade, P.; Sapino, S. Stabilization of quercetin flavonoid in MCM-41 mesoporous silica: Positive effect of surface functionalization. *J. Colloid Interface Sci.* **2013**, *393*, 109–118. [[CrossRef](#)]
30. Mohan, R.; Birari, R.; Karmase, A.; Jagtap, S.; Bhutani, K.K. Antioxidant activity of a new phenolic glycoside from *Lagenaria siceraria* Stand. fruits. *Food Chem.* **2012**, *132*, 244–251. [[CrossRef](#)]